

NEW
2018-2019

STOPOUT®

Uniquely designed and engineered, STOPOUT® lockout products bring both innovation and value to your lockout tagout program.



ACCUFORM®

Inform, Protect, and Motivate®
800.237.1001 | www.accuform.com



Just shutting down or disconnecting equipment is not enough...Lockout/Tagout keeps employees safe by making it inoperable. Comply with OSHA Regulations and LOCK IT OUT!

Before repairs, servicing, maintenance, or set-up of machines and equipment can begin, prevent the unexpected — the accidental start-up!

Procedures, devices, and personnel must be set in place to prevent the serious injury or death that could occur when someone thinks something is safely turned off. To keep machines and equipment inoperable, establish a "program consisting of energy control procedures, employee training, and periodic inspections..." as described in the OSHA standard. The standard also identifies products used for achieving these goals, such as lockout and tagout devices.

Here are seven steps to help you create an effective lockout/tagout program.


1. Be Aware of the Lockout Regulations

Become familiar with the federal regulations known as The Control of Hazardous Energy (Lockout/Tagout) 29 CFR 1910.147.



2. Develop List of Machinery & Equipment

Survey your facility for all machinery and equipment that have the potential for requiring lockout.



3. Identify & Mark Energy Sources & Lockout Points

Locate and document start-up areas of energy sources, such as:

- Mechanical
- Electrical
- Hydraulic
- Thermal
- Pressure
- Process Control
- Stored Energy (gravity, springs)

Post signs, apply labels and tags...

...to warn and identify energy source areas and points requiring shut-down and lockout/tagout procedures.




4. Determine the Lockout Controls

Identify and document the necessary devices that isolate and lockout energy sources, and secure them for on-site use. Standardize the devices for various functions for proper identification.



5. Set up Lockout Training & Procedure Program

Develop, standardize, and document the lockout process for each energy source. Identify employees' level of involvement in the program – those that are made aware, affected, and to perform the lockout procedures. Accomplish this through comprehensive training programs and certifications.




6. Implement the Lockout Program

Initiate and enact the lockout/tagout program in accordance with the training procedures. Post reminders and have the necessary lockout/tagout devices readily available.



7. Review Lockout Program

Identify and document changes to existing procedures and new energy sources that require lockout. Make corrections, changes, and additions to the program. Conduct periodic review of lockout procedures (required at least annually) to ensure they are up to date and requirements are being met.




29 CFR § 1910.147... The Control of Hazardous Energy (Lockout/Tagout) ...requires the employers to establish a program and utilize procedures for affixing appropriate lockout devices or tagout devices to energy isolating devices, and to otherwise disable machines or equipment to prevent unexpected energization, start-up or release of stored energy in order to prevent injury to employees.

Put a stop to energy source hazards found throughout your facility! We offer solutions to help you meet all your lockout/tagout requirements! Look for products to meet your specific lockout needs on the following pages - ranging from lockout devices to training materials. Call us for consultation and on-site assessment of your lockout/tagout requirements.

Lockout Hasps

These devices provide the ideal solution when procedures require multiple workers on locked-out equipment.

Workers can be assigned a padlock (sold separately) with shackle diameter up to 9/32" to attach to the hasp before starting their task. Ensure the energy source stays locked out — with multiple workers' padlocks in the holes of the closed hasp. Once each worker completes their task, they remove their padlock. The hasp cannot be removed until the last padlock is removed.



KDH641

KDH643

KDH647

Back

STOPOUT®

Aluma-Tag™ Hasps

Lock out more equipment with the large reach hasp made to withstand tough and abusive environments.

- Scissor-style hasp comprised of two high-strength .090" thick red anodized aluminum plates
- Accommodates up to six padlocks (sold separately)
- Crossover jaw ends prevent prying and tampering
- Get true 1 1/2" round reach with the full jaw opening
- Measures 7"H x 2 3/4"W
- Bold, contrasting red/white/black lockout hazard message labels on both sides — with space to write in necessary information
- Red octagon shape reinforces lockout status and conveys STOP



Crossover jaw prevents prying and tampering.

Price / Each
\$19.86

English, Spanish, and French labels included.



KDH731

KDH733

Back



Close-up of crossover jaw.

Price / Each
\$22.22

STOPOUT®

Double-Cross Aluma-Tag™ Hasps

Lock out equipment with large reach, pry-resistant hasps.

- Made of two red anodized, .090" aluminum plates
- Double-crossed, octagon-shaped jaws are offset to cross over one another when closed, preventing the hasp from being easily pried apart
- Openings provide optimal reach - 1 3/4" dia. on one end and 3/4" dia. on the other
- Measures 7"H x 3 1/8"W (2 3/4" in the body) with hazard message labels on both sides
- Red octagon shape reinforces lockout status and conveys STOP



English, Spanish, and French labels included.

STOPOUT®

Tag 'n Hang Hasp

Change out, insert, and secure a tag for each lockout situation with the Tag 'n Hang Hasp.

- 5 1/4" x 3" hasp fits in the palm of the hand
- Lightweight, all-dielectric plastic design
- STOP-shaped octagon front panel contains changeable Tab Tag (sold separately below)
- Hasp hangs by the 1 3/8" x 2 3/4" closed oval loop
- Secures with up to three padlocks (sold separately)
- Red octagon shape reinforces lockout status and conveys STOP


No.	Price / Each
KDH115	\$8.33



Open position to insert tag



Loop end brace and secure in place by padlock



Shown with padlocks, Tab Tag, sold separately

STOPOUT® Tab Tags

- Unique tag design fits over special octagon-shaped tab
- For use with STOPOUT® Circuit Breaker Lockout devices (pg. 7) and STOPOUT® Tag 'n Hang Hasp (above)
- Tag is secured when the device is in the locked position
- Tags measure 4 1/2" x 2 1/8"
- Durable, 14-mil RP-Plastic material

Available in packages of 25.

Price / Pkg. of 25
\$30.95



KDD164



KDD166



Back

STOPOUT®

Group Lock Hasp

Lock out equipment with up to 12 workers on a single lockout hasp.

- 7 1/4"H x 3 1/4"W hasp fits in the palm of the hand
- Lightweight, all-dielectric plastic design
- STOP-shaped octagon body holds locking arm in place
- Hasp hangs by the 1 1/4" x 3 1/2" closed oval loop
- Secures with up to 12 padlocks (sold separately)

No.	Price / Each
KDD106	\$15.17





Aluminum Hasps

Non-Sparking style

- Padlock keeps hasp closed until the last padlock is removed
- Red vinyl-coating
- Non-sparking aluminum
- Comes in 1" and 1 1/2" diameter openings
- Accommodates up to six padlocks (sold separately)

Opening	Length	No.	Price / Each
1"	4 1/2"	KDD105	\$4.15
1 1/2"	5"	KDD108	4.84



Loop Hasp

Dielectric (non-conductive) flexible hasp can be locked by up to six padlocks.

- Durable
- Highly visible in red
- 1/4" wide hanger makes 1" x 3" opening loop
- 7 1/4" overall length

No.	Price / Each
KDD104	\$4.88



Steel Hasps

Standard style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel
- Comes in 1" and 1 1/2" diameter openings

Opening	Length	No.	Price / Each
1"	4 1/2"	KDD107	\$4.20
1 1/2"	5"	KDD109	4.91



Interlocking style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel with bent tabs to prevent prying
- Comes in 1" and 1 1/2" diameter openings

Opening	Length	No.	Price / Each
1"	4 1/2"	KDD102	\$4.60
1 1/2"	5"	KDD103	5.65

PERSONALIZE IT!

Custom Steel Hasp

Customize a hasp to fit your exact requirements.

- Add as many padlock hole locations as needed
- Customized height and length
- Customized label with your logo/color/message/design

Contact us with part number **KDH955** for a quote.



STOPOUT[®]

Slide 'n Lock™

Lock out large handle circuit breakers with the Slide 'n Lock™.

- Also works on up to three individual circuit breakers, including a variety of flip-lever switches
- Constructed of red dielectric ABS plastic and incorporates the octagon shape to convey STOP
- Consists of three parts: Mounting Rail, Slide Set, and Stop Bar
- Installs without drilling using 3M™ VHB™ industrial bonding tape (included)*
- Additional mounting rails available for use on multiple panels
- Dimensions: Mounting Rail: 5"L x 3/4"W x 1/4"D, Slide Set: 2"L x 2"W x 1 3/8"D, and Stop Bar: 5"L x 1"W x 1"D
- Padlock and tag sold separately

* For best adhesion, ideal bond time is 24 to 72 hours prior to lockout application



Position Mounting Rail.



Secure Slide Set.



Slide Stop Bar into position under breaker.

Item	No.	Price / Each
Slide 'n Lock	KDD280	\$9.95
Additional Mounting Rails, 5" L	KDD282	5.31

Electrical Panel Lockout Kits

Lockout multiple breakers at one time and prevent accidental access to panels.


- Easy to install lockout bar attaches to the outside of the breaker box cover screws
- Prevents removal of the panel cover or opening of the panel box
- For use on 14-20 inch wide breaker boxes
- Constructed of sturdy, non-conductive plastic
- Brass padlock is available keyed differently or keyed alike

Standard Kit Contents:

- 1 Panel Lockout Bar
- 1 Brass Padlock (3" clearance and 1.5" body height)
- 3 Keys (specify keyed alike or keyed differently part number)
- 1 Lockout Tag

Deluxe Kit Contents:

- 1 Panel Lockout Bar
- 1 Brass Padlock (3" clearance and 1.5" body height)
- 3 Keys (specify keyed alike or keyed differently part number)
- 1 Lockout Tag
- 2 6" and 11" Extensions one of each
- 1 Pouch



Padlock secures lockout bar in place.



KDD240KA



KDD247KA

Keyed Alike No.	Keyed Different No.	Style	Price / Each
KDD240KA	KDD240KD	Standard	\$66.99
KDD247KA	KDD247KD	Deluxe	127.84

Item	No.	UOM	Price / UOM
Lockout Clips	KDD241	2 / Pk	\$17.16
6" Extension	KDD242	Each	19.98
11" Extension	KDD243	Each	21.65

STOPOUT®

120/240 Circuit Breaker Lockout

Ratchet down to quickly fit and secure lockout onto circuit breaker.

Pump action of handle quickly secures lockout to breaker switch. This unique design allows for quick lockout application and easy removal. The unit uses metal jaws for optimum secure grip. The Circuit Breaker Lockout is a visible safety red to call attention to the locked-out switch.


- Fast secure ratchet application and quick-release tab for removal
- Easily applied with one hand if needed
- Metal jaws for optimum grip
- Octagon peg allows specially designed Tab Tags to be secured directly to the device (sold separately below)
- Accommodates up to 9/32" dia. padlock shackles (sold separately)
- Highly visible safety red grabs workers' attention



English, Spanish, and French labels included.



Item	Size	No.	Price / Each
Single Pole	15/16"W x 3 1/3"L x 1 1/2"D	KDD160	\$14.55
Double Pole	1 3/4"W x 3 1/3"L x 1 1/2"D	KDD161	17.39
Triple Pole	2 1/2"W x 3 1/3"L x 1 1/2"D	KDD162	18.44



STOPOUT®

Tab Tags

- Unique tag design fits over special octagon-shaped tab
- For use with STOPOUT® Circuit Breaker Lockout devices (above) and STOPOUT® Tag 'n Hang Hasp (pg. 4)
- Tag is secured when the device is in the locked position
- Tags measure 4 1/2" x 2 1/8"
- Durable, 14-mil RP-Plastic material

Available in packages of 25.

Price / Pkg. of 25
\$30.95



STOPOUT®

SiteTags® Tab Tags

Designed specifically for use with KDD160 STOPOUT® device.

To Order SiteTags®:

- Choose one of the pre-designed layouts
- Contact us for spreadsheet to fill in your information; we'll get back to you with a quote and proof (on request)
- Tags must be ordered in multiples of at least 5 tags per employee

Price per Each	No.	10	20	25	50	100	250+
As Listed		\$6.62	5.57	8.31	4.16	3.33	2.45



Low-Profile Circuit Breaker Lockout

Device fastens tightly onto circuit breaker for a secure, solid lockout.

Using a flathead screwdriver, simply twist the setscrew to lock device onto a circuit breaker. The unique design allows for easy lockout application and removal. For optimum secure grip, the unit uses a combination of a setscrew and metal jaws.

- Easily apply with just a standard flathead screwdriver*
- Accommodates up to 9/32" dia. padlock shackles (sold separately)
- Fits most 120/240 circuit breaker sizes
- Single Pole 13/16"W x 3"L x 3/4"
- The slim, low-profile design takes up minimal space on the circuit board and may allow the door to be closed with lockout attached

* Over-tightening the setscrew may damage the circuit breaker.



Position device onto breaker.



Tighten setscrew for secure fit.



Lock with padlock and tag.

No.	Price / Each
KDD170	\$6.60

Circuit Breaker Lockouts

Secure circuit breakers with these red, attention-grabbing, lockout devices. Lockouts are fully dielectric with good low-temperature resistance and feature a 433°F melting point.

Thread	No.	Price / Each
Single-Pole	KDD121	\$8.71
Single-Pole, No Hole	KDD123	8.59
Double-Pole	KDD122	14.15
Double/Triple Pole	KDD131	16.64



Single-Pole style

- Requires a switch breaker with a recessed hole
- Measures 17/20"H x 11/10"W x 2 3/10"L
- Lock hole measures 3/10"D



Single-Pole, No Hole style

- Does not require a switch breaker with a recessed hole
- Measures 3/4"H x 1"W x 2 3/10"L
- Lock hole measures 17/50"D



Double-Pole style

- Requires breakers to be connected with a cross bar for lockout
- Measures 1 7/8"H x 1"W x 2 5/8"L
- Lock hole measures 3/10"D



Double/Triple Pole style

- Does not require a switch breaker with a recessed hole
- Measures 1"H x 9/5"W x 2 3/8"L
- Lock hole measures 3/8"D

STOPOUT®

Cinch Cable Lockout

Universal spooling cable locks out multiple devices at one time.

- Unique, compact internal spooling feature
- Lock out multiple devices quickly, neatly, and easily
- Simply extend and loop the 6-ft. nylon-coated steel cable through several devices to lock them out; then insert the cable end back into the device to cinch tight
- When cable is cinched tight, device can then be secured with a padlock (sold separately)
- Durable plastic, octagon-shaped device measures 3 1/3" x 4" x 1"
- When finished, spool the cable back inside the device for neat, easy storage
- Octagon shape reinforces lockout status and conveys STOP

Item	No.	Price / Each
Cinch Lockout with 6-ft. cable	KDD630	\$37.95
15-ft. cable (separate)	KDD635	19.57



Internal cable spooling feature for storage.



Funnel-shaped cable feeder for quick placement.



Safelex™ Universal Cable Lockout

Lock out multiple devices at once with a Cinch-Lock Cable Hasp.

- Intuitive design for easy application
- Patented grip mechanism fixes cable securely in place
- Re-tighten cable at any time – even when locked
- Accommodates up to six padlocks
- Cable diameter measures 5/32"

Cable Size	No.	Price / Each
3-ft.	KDD6833	\$33.24
6-ft.	KDD6836	37.99
9-ft.	KDD6839	42.75
15-ft.	KDD68315	47.48



Scissor-Lok™ Cable-Hasps

Loop and lock out several electrical boxes, switch handles, valve hand wheel spokes, and a variety of equipment.

- Visible, vinyl-coated steel cable loops securely with the lockout hasp
- Compact, scissor-style, nylon plastic hasp closes to 1" x 4 1/2" x 5/8"
- Accommodates up to three padlocks with shackle diameter up to 1/4" (sold separately)

Hasp available in two colors; Red – RD, Yellow – YL. To order, specify color code after part number.

Item	No.	Price / Each
Cable-Hasp Lockout w/ 3-ft. Cable	KDD621	\$24.99
Cable-Hasp Lockout w/ 10-ft. Cable	KDD623	31.03






STOPOUT®

Twist 'n Lock Cinch Lockout Hasp


Run the cable through various devices; then, with a quick twist of the hasp, cinch the cable to prevent unauthorized access.

- Easy-to-use cable and cinch lockout hasp solution
- Polycarbonate, compact hasp is comprised of two 3" dia. x 1 1/2" thick rotating halves with red plastic-coated steel cable
- Visible red octagon shape reinforces the lockout situation

Item	No.	Price / Each
Hasp with 3-ft. cable	KDD636	\$17.16
Hasp with 6-ft. cable	KDD637	23.31
Hasp with 9-ft. cable	KDD640	25.71
Hasp with 15-ft. cable	KDD638	28.56



Turn the hasp halves to cinch cable.



Cinch closed position with holes aligned.

Safety Chain

Red steel chain is ideal for marking dangerous locations.

- Powder-coated red steel chain
- 2/0 straight link coil
- .192" material x 1.31" inside length x .35" inside width
- Maximum continuous length is 100-ft.



Item	No.	Price / Foot
Red Powder-Coated Steel Chain	PRC804	\$6.71

Chain Lockout Kit

Transport your chain and lockout devices easily in this sturdy case.

- 6 1/2" x 9 3/16" white polypropylene case
- Dual-purpose handle can be used to hang kit on wall
- Durable, all-plastic box is weather-resistant and will not rust or corrode

Kit Contents:

- 1 Length of Red Steel Chain, 4-ft.
- 2 Steel Padlocks, 3/4" shackle, keyed differently
- 2 Lockout Scissor Hasps, 1 1/2" opening
- 5 HS-Laminate Lockout Tags
- 5 Plastic Ties



Style	No.	Price / Each
Box Kit	KSK604	\$98.92
Box Only	KSK606	15.82



English, Spanish, and French labels included.



Available in five sizes.

Inside pry guard edges are uniquely designed to block access.

STOPOUT

Gate Valve Lockouts

Rugged, hinged clamshell housing fully encloses valve handles and prevents unauthorized access.

- Tough plastic octagon features three shackle holes for group lockout*
- Unique pry guard edge to prevent insertion of tool
- Thin center portion for easy drilling, allowing space for rising stem gate valves
- Available in five sizes
- Included safety label has space to write in lockout information
- Secures with padlocks (sold separately); shackle diameter up to 9/32"
- Red octagon shape reinforces lockout status and conveys STOP

Valve Handle Diameter	Size	No.	Price / Each
1" – 2 1/2"	3" x 1"	KDD470*	\$11.11
2 1/2" – 5"	5 1/2" x 2"	KDD471	16.91
5" – 6 1/2"	7" x 2"	KDD472	23.86
6 1/2" – 10"	10 1/2" x 3"	KDD473	29.53
10" – 13"	13" x 3 1/2"	KDD474	46.79

* KDD470 has only one padlock shackle hole.



Labels

Additional adhesive labels are available each in ANSI or APWA colors: Red – RD, Yellow – YL, Blue – BU, Green – GN, Purple – PR.

To order, add color code after part number.

Fits Valve Handle Diameter	No.	Price / Each
1" – 2 1/2"	KDD360	\$5.17
2 1/2" – 5"	KDD362	7.17
5" – 6 1/2"	KDD364	9.57
6 1/2" – 10"	KDD366	10.93
10" – 13"	KDD368	17.95



Gate Valve Lockouts

- Enclose and completely surround valve handles
- Hinge-close the two halves over the valve handle
- Secures with padlock (sold separately), shackle diameter up to 9/32" diameter
- Available in five sizes
- Made of durable polypropylene plastic
- Resists solvents, cracking, abrasion, and extreme temperature range (-50° to 360°F)

Available each in ANSI or APWA colors: Red – RD, Yellow – YL, Blue – BU, and Green – GN. To order, add color code after part number.

Fits Valve Handle, Diameter	Outer Diameter x H	No.	Price / Each
1" - 2 1/2"	3" x 1 1/2"	KDD401	\$22.19
2 1/2" - 5"	5 1/2" x 1 3/4"	KDD402	36.71
5" - 6 1/2"	7" x 2"	KDD405	45.24
6 1/2" - 10"	10 1/2" x 2 1/2"	KDD406	58.20



Gas Cylinder Lockout Cap

Durable cap is designed to fit most North American high- and low-pressure gas cylinders.

- Snap Cap™ completely covers main cylinder control and regulator attachment
- Snap down side arm and secure device with padlock (included)
- Meets DOT standards
- Yellow powder-coated, welded steel construction

High Pressure (6 1/2" x 3 1/8" x 11 UN)		
Thread	No.	Price / Each
Fine Thread	KDD482	\$159.23
Coarse Thread	KDD486	159.23

Low Pressure (6 1/2" x 3 1/2" x 11 UN)		
Thread	No.	Price / Each
Fine Thread	KDD484	\$159.23
Coarse Thread	KDD488	159.23



Ball Valve Lockout

Effectively prevent valve handles from being turned by securing them with lockout devices.

- Made from powder-coated steel
- Perfect for hard-to-reach pipes
- Available in two sizes to fit most common ball valves
- Eight or fifteen hole designs provides exact padlock positioning for greater stability
- One locking point



Fits Ball Valve	Fits Handle	Overall Size	Fits Shackle Size	No.	Price / Each
1/4" - 1"	up to 1 29/64"W x 9/32" thick	3 35/64"H x 2 3/54"W x 2 31/64"D	up to 9/32" diameter	KDD443	\$25.27
1 1/4" - 3"	up to 1 31/32"W x 25/64" thick	5 35/64"H x 4 59/64"W x 4 51/64"D	up to 9/32" diameter	KDD444	41.52



Attaches to handle in both parallel (pictured above) and perpendicular position (pictured on right).



English, Spanish, and French labels included.

STOPOUT®

Ball Valve Lockouts



Wingspan halves hinge open and close.

Stop valves from being turned with unique gull-wing design ball valve lockout.

- Quickly and simply secure over any closed ball valve handle
- Secure with padlock (sold separately)
- Bright red, plastic device works with ball valve handles either perpendicular or parallel to pipe
- Includes red "Danger Locked Out" label
- Red octagon shape reinforces lockout status and conveys STOP

Fits Ball Valve	Fits Handle	Overall Size	No.	Price / Each
3/8" - 1 1/4"	up to 5/8"W x 1/4" thick	3 1/8" x 4 1/2" x 4 1/2"	KDD442	\$15.84
1 1/2" - 2"	up to 1 1/2"W x 1/2" thick	4 1/2" x 5 2/3" x 5 2/3"	KDD440	26.11

Labels

Additional adhesive labels are available each in ANSI or APWA colors.

To order, add color code after part number: Red – RD, Yellow – YL, Blue – BU, Green – GN, Purple – PR.

Fits Ball Valve	No.	Price / Each
3/8" - 1 1/4"	KDD491	\$2.59
1 1/2" - 2"	KDD492	3.88

Ball Valve Lockouts

Prevent valve handles from being turned with these lockouts.

- Universal design fits all major brand one-quarter turn ball valve handles
- Adjustable length cover slips over valve handle
- Secures with a padlock (sold separately – shackle diameter up to 9/32")
- Available in three sizes to fit valves from 3/8" to 8"
- Butterfly Valve lockout is a universal fit with 3/8" padlock holes
- Polypropylene plastic material
- Resistant to solvents, cracking, abrasion, and extreme temperature range (-50° to 350°F)
- Available in four ANSI or APWA colors

To order, add color code after part number:
Red – RD, Yellow – YL, Blue – BU, Green – GN

Fits Ball Valve	No.	Price / Each
3/8" - 1 1/4"	KDD431*	\$32.47
1 1/2" - 2 1/2"	KDD432	53.55
2" - 8"	KDD438	95.31
Butterfly Valve	KDD456	99.08

*Can also lock the valve in the open position.



Butterfly Valve.

Available each in visible ANSI or APWA colors: Red, Yellow, Blue, Green





Attach device to Glad Valve.



Close device over Glad Valve and secure with padlock and tag.



Glad Hand Trailer Lockouts

Keep the trailer in its place - especially while it is being loaded or unloaded.

- Easily attaches to glad hand valve
- Key locks pin in air way of the valve preventing the trailer from being moved
- Durable plastic material
- Ideal for use on idle or storage trailers

Description	No.	Price / Each
Keyed Differently	KDD475	\$32.55
Keyed Alike	KDD479	32.55

STOPOUT®

Trailer-Lock Glad Hand Lockout

Deter unauthorized trailer drive-offs by blocking access to the emergency brake air line.

- Easy-to-use, clam-style device measures 4"L x 3"W x 2"H and fits only one way
- Made of durable plastic with a zinc-coated steel pin for the hinge
- Attach to trailer's (red) line connection, and secure with your choice of padlock (sold separately) – shackle diameter up to 9/32" to control access
- Hinges to completely cover the glad hand coupling point valve – fits standard valve
- Red octagon shape reinforces lockout status and conveys STOP

No.	Price / Each
KDD477	\$19.22

STOPOUT®



Blind Flange Lockout

Effectively lockout and prevent unintentional pipe blind removal during maintenance. The adjustable Blind Flange Lockout fully conceals flange bolts eliminating the opportunity to remove ALL bolts and prevent removal of blind.

- Constructed of durable, high-impact plastic to withstands harsh environments
- Ideal for use in temperature of -4°F to 140°F
- Maximum shackle diameter 9/32"
- Adjustable device provides a tight fit

- KDD501 – Class 150 – Nominal Pipe Size = .5, .75, 1.0, 1.25, and 1.50
Class 300 – Nominal Pipe Size = .5, .75, 1.0, and 1.25
- KDD502 – Class 150 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0
Class 300 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0
- KDD503 – Class 150 – Nominal Pipe Size = 10.0 and 12.0
Class 300 – Nominal Pipe Size = 8.0



Class 150 Fits Nut Diameter	Class 300 Nut Diameter	Class 150 Pipe Diameter	Class 300 Pipe Diameter	Pipe Flange Width Range	No.	Price / Each
.62" – .88" (15.74mm – 22.35mm)	.62" – .88" (15.74mm – 22.35mm)	.5, .75, 1.0, 1.25, and 1.50 (12.7, 19.05, 25.4, 31.75 and 38.1mm)	.5, .75, 1.0, & 1.25 (12.7, 19.05, 25.4, 31.75 and 38.1mm)	1-1/2" – 5-5/8" (38.1mm – 143.3mm)	KDD501	\$32.27
.75" – .88" (19.05mm – 22.35mm)	.75" – 1.00" (19.05mm – 25.4mm)	2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0 (50.8, 63.5, 76.2, 88.9, 101.6, 127, 152.4, and 203.2mm)	2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0 (50.8, 63.5, 76.2, 88.9, 101.6, 127 and 152.4mm)	3-3/4" – 10-3/4" (95.3mm – 274.6mm)	KDD502	36.17
1" (25.4mm)	1" (25.4mm)	10" and 12" (254mm and 304.8mm)	8.0 (203.2mm)	7-3/4" – 17-7/8" (196.9mm – 447.8mm)	KDD503	51.10



STOPOUT®

Versatile Pneumatic Lockout

Keep employees safe with this rugged, tamper resistant method to lock out your pneumatic equipment/source.

- Device has seven openings ranging from 9/32" to 1/2" diameter that accommodate most male and female pneumatic end-fittings
- Clear cover allows user to see what is locked out
- Constructed of polycarbonate with steel hinge for tamper-resistance and durability
- Red octagon shape reinforces lockout status and conveys STOP
- Overall dimensions are 3 7/8" x 3 1/4" x 1 7/8"

No.	Price / Each
KDD480	\$22.11



Designed to handle abuse.



Pneumatic Fitting End Lockout

Secure and lock out pneumatic tools and lines from being connected.

- Lock out unauthorized use of pneumatic air tools and equipment
- Fits most common 1/4" quick connect fitting end
- Add a padlock (sold separately - shackle diameter up to 9/32") to lock out access
- All-metal construction with powder-coated finish

No.	Price / Each
KDD340	\$19.91




Multi-Plug Lockout
Fits most 110, 220, 550, 600 VAC plugs

110 Plug Lockout
Fits most 110 VAC plugs

English, Spanish, and French labels included.



Plug Lockouts feature inside pry-guards uniquely designed to prevent plug access and tampering.



Multi-Plug Lockout is universal to fit several common plugs.

Fits 220 VAC Plug.

Fits 110 VAC Plug.

STOPOUT[®]

StopPlug™ Lockout

Prevent unauthorized, accidental plug-in of power cord.

- Insert plug, close, and secure with padlock (sold separately – shackle diameter up to 9/32")
- Tamper-proof, pry-guard edge design
- Multi-Plug Lockout fits most 110, 220, 550, or 600 VAC plugs – measures 3"H x 3"W x 6"L
- 110 Plug Lockout fits most 110 VAC plugs – measures 2 1/4"H x 2 1/4"W x 3 1/2"L
- Red octagon shape reinforces lockout status and conveys STOP



KDD229



KDD227

English, Spanish, and French labels included.

Style	No.	Price / Each
Multi-Plug Lockout	KDD230	\$13.77
110 VAC Plug Lockout	KDD225	12.08

Fits Style	Size	No.	Price / Pkg. of 5
Multi-Plug Lockout	1" x 5 1/8"	KDD229	\$8.08
110 VAC Plug Lockout	3/4" x 3"	KDD227	7.84



KDD237



KDD239

Plug Lockouts

Seal off plug to prevent equipment from being plugged in.

Single Entry Plug Lockout

- Fully dielectric with good low temperature resistance
- Secures with padlock (sold separately); shackle diameter up to 7/25"
- Wire hole diameter measures 1/2"

Multiple Entry Plug Lockout

- Fully dielectric with good low temperature resistance
- Secures with multiple padlocks (up to three; sold separately)
- Shackle diameter up to 3/8"
- Wire hole measures 1"

Fits Plug Size Up To	Fits Cord Size Up To	No.	Price / Each
3 1/4" x 1 3/4"	1/2" dia	KDD237	\$18.71
3" x 6 3/4"	1" dia	KDD239	24.07



Power Cord Plug Lockout

Lockout the 'other end' of a power cord from being connected to equipment.

- Ideal for preventing equipment with removable power inputs from being plugged in
- 3-pin plug connection (IEC plug)
- Insert plug, rotate thumbscrew to tighten, secure with padlock (sold separately, shackle diameter up to 1/4")

No.	Price / Each
KDD320	\$23.31

Multi-Power Plug Lockout Box

Lockout the large battery connector to powered industrial lift truck.

- Sized to contain and isolate the large connector head of an industrial battery connector
- Various openings can lockout propane connector, valve end, electrical plug, 12-volt battery end, and gas cylinder head
- Lockout a wide variety of machine and energy sources
- 6 1/4" x 3 3/8" x 2 1/2" with a hinged red plastic case with 1/2" flange for four 5/16" hole openings to secure by padlocks (sold separately)



No.	Price / Each
KDD204	\$30.44



Circuit Tester
KDA110

Circuit Tester
with GFI KDA115

Circuit Testers

Plug into AC receptacle to test proper line operation.

- Impact-resistant
- Neon lamp indicators prevent false reading
- Test 125 VAC circuit for correct wiring, open ground, reverse polarity, open hot, open neutral, hot on neutral, hot and ground reversed with open hot wire in 3-wire
- GFI tests ground fault interruption receptacles

Style	No.	Price / Each
Without GFI	KDA110	\$36.79
With GFI	KDA115	74.67

Wall Receptacle Lockout Cover

- Keeps outlet from being utilized
- Stores plug in the unplugged position
- Impact-resistant clear plastic front cover and red wall plate frame
- Unplug, close door, and secure with padlock (sold separately)



Fits	No.	Price / Each
Standard Outlet Cover	KDD147	\$20.67
Decora/GFI Outlet Cover	KDD149	20.67

Note: Never lock plugs in a plugged-in position.



Universal Blockout Wall Switch Cover

Flip the switch, flip the lockout.

- Dual use - works on both rocker/toggle and flat paddle switches
- Attaches to existing switch plate screw(s)
- Fully encloses entire switch
- Cover folds down to block screws and switch access
- Secure with a padlock (sold separately)
- Measures 4 1/2"H x 1 5/8"W x 7/8"D
- Unique design reduces error – applies only in direction of desired lockout position – on or off

No.	Price / Each
KDD139	\$6.37



Toggle-Switch Cover

Prevent access to a toggle switch, yet still see its position.

Quick and easy to install, tough lockout includes clear, industrial strength 3M™ VHB™ tape for secure adhesion*.

- Fits over toggle, button, or knob switch
- The top half can be removed and stored when not in use
- Clear polycarbonate maintains visibility of the switch position and doesn't disrupt existing decals, markings, or messages
- 3 1/2" x 1 1/2" base which covers up to 3/4" x 1"H switch area
- Secures with a padlock – shackle diameter up to 9/32" (sold separately)
- Octagon shape reinforces lockout status and conveys STOP

* For best adhesion, ideal bond time is 24 to 72 hours prior to lockout application.

No.	Price / Each
KDD142	\$22.55



Clean surface, then peel back adhesive liner.



Press and hold firmly to surface to bond.




After 24-hours, padlock can be used.



Optional: when not in use, snap to remove top.

Patent Pending



STOPOUT®

Push Button Cover

Prevent accidental startups of push/pull operation buttons, such as emergency stop buttons.

- Consists of one semi-permanent aluminum ring and a clear polycarbonate top
- Semi-removable design allows for easy storage
- Clear top allows user to see push button
- Tough polycarbonate cover and aluminum ring make it tamper- and impact-resistant, as well as extremely durable
- Overall dimensions are 2 1/8"H x 2"W x 2 1/2"L
- Available in two sizes to fit over 22.5 and 30mm diameter buttons
- Additional new aluminum rings available
- Octagon shape reinforces lockout status and conveys STOP
- Secures with a padlock (sold separately)



Item	No.	Price / Each
STOPOUT® Device with 22.5mm base	KDD219	\$25.19
STOPOUT® Device with 30mm base	KDD220	25.19
Additional 22.5mm metal ring only	KDD221	6.71
Additional 30mm metal ring only	KDD217	6.71

Clear top allows you to see the button status.

Two-part lockout device of aluminum and polycarbonate.



Stainless Steel and Clear Button Cover

Lock out both standard NEMA 30mm and IEC 22.5 buttons.

- Stainless steel and clear plastic construction
- Use with non-illuminated, standard knob selector switches and potentiometers
- Fits 30mm buttons

Drum Lockouts

Secure standard 55-gallon metal and plastic storage drums around the lip seal.

- Secures around the "lip" by completely covering bung opening without removing the seal plug
- Prevent drum access, contamination, theft, and mishandling during transportation
- Non-sparking, environmentally safe, zinc die-cast construction
- Never touches the chemical, and does not rust in moist conditions
- Accommodates up to 9/32" shackle padlock (sold separately) or security pin (not included)
- Available as a set - contains lockout devices for both openings of one standard metal or plastic 55-gallon drum

Item	No.	Price / Each
Stainless and Clear Cover	KDD244	\$73.23

Fits	No.	Price / Set
Metal Drum Set - 1 1/2" and 3" OD seals	KDD460	\$70.79
Plastic Drum Set - two 3 1/2" OD seals	KDD461	70.79





29 CFR Subpart X 1926.1053(b)(8)
... a barricade shall be used
to keep the activities or
traffic away from the ladder.

Ladder Shield™

Take a step to prevent unauthorized ladder climbing.

Attach to ladders affixed to buildings or semi-permanent ladders at job sites to discourage climbing.

- Made of durable aluminum and protected by Duck Armor™
- Fits most ladders
- Secure with cable-hasp lockout and padlock (both included)
- Bold, bilingual warning message and tag provide additional visual deterrents
- Dimensions: 42"H x 13 1/4"W x 2 13/16"D

Ladder Shield™ Kit includes:

- 1 – Ladder Shield™
- 1 – STOPOUT® Twist 'n Lock Cinch Lockout Hasp
- 1 – Padlock with key
- 5 – Accident prevention tags

Item	No.	Price / Each
Ladder Shield™ Kit	KLB426	\$99.97
Replacement Padlock	KDL816RD	14.54

Item	No.	Price / Each
Replacement Cable Lockout	KDD640	\$25.71

PERSONALIZE IT!

Custom Ladder Shield™

Available in custom legends. Please contact us for a quote, and refer to part number **KLB455** for a kit and **KLB355** for Ladder Shield™ only.



Ladder Shield™ Wraps

Stop unauthorized use of ladders with this one-of-a-kind wrap.

- Made of strong, flexible reinforced vinyl with metal grommet
- Large, bold safety message with graphic provides visual deterrent
- Roll or fold into a compact size for storage
- Overall dimensions: 87"H x 13"W
- In-use dimensions: 42"H x 13"W



KLB761



KLB763

Easy to use:

- Place Wrap over the step rungs of the ladder at eye level for immediate awareness
- Set the Wrap so that it evenly covers the front and back of the ladder rungs
- Depending on the spacing of the rungs, it should cover 3 to 4 steps
- Secure Wrap at the bottom with a padlock to prevent removal

Ladder Shield™ Wrap Kit includes:

- 1 – Ladder Shield™ Wrap
- 1 – Padlock with key

Item	Price / Kit
Ladder Shield™ Wrap Kit	\$60.20



Front



Back



PERSONALIZE IT!


Custom Ladder Shield™ Wraps

Available in custom legends. Please contact us for a quote, and refer to part number **KLB755** for a kit and **KLB655** for a wrap only.

Padlocks


Padlocks provide added insurance to the lockout situation.

Keyed Differently (KD)




Each padlock is keyed differently, and has two keys (unless noted) which are unique to open only that lock.

Keyed Differently, Master Keyed (KDMK)




Each padlock is keyed differently, and has two keys (unless noted) which are unique to open only that padlock. Master keys are available separately to open all the padlocks in the group.

Keyed Alike (KA)



Identical keys are used in the group of padlocks. Each padlock has two keys (unless noted) which open all the locks in the group.

Keyed Alike, Master Keyed (KAMK)



A set of padlocks is keyed alike, each with two keys (unless noted) which opens all padlocks in that set. Additional sets are keyed alike separately from the first set. Master keys are available separately to all padlocks in all the sets.

Keyed Alike padlocks are non-returnable.



Laminated Steel Padlocks

Durable security device features hardened steel shackles and laminated steel construction to provide strength, durability, and extreme weather resistance.

- Heavy-duty lock utilizes special coating for corrosion resistance
- 5-pin tumbler, drilling and pulling protected
- Available each in eight different rubber bumper colors
- Shackle diameter: 17/64"
- Shackle distance apart: 23/32"

Don't forget to purchase your Master Key if you are purchasing a Master Keyed lock



Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
<i>Body Height = 1 1/2" – Body Width = 1 1/2"</i>								
3/4"	KDL905	\$10.54	KDL916	11.51	KDL943	15.34	KDL966	16.34
1 1/2"	KDL906	12.25	KDL917	13.25	KDL944	17.11	KDL967	18.08
2"	KDL907	13.99	KDL918	14.42	KDL945	18.28	KDL968	19.28
*Master Key (sold separately)			KDL939	7.94				

To order, add color code after part number. Red – RD, Green – GN, Yellow – YL, White – WT, Black – BK, Blue – BU, Orange – OR, Purple – PR



STOPOUT®

Plastic Body Aluminum Padlocks

Plastic locks are durable and feature two different shackle materials. These non-sparking, non-magnetic, dielectric devices are ideal for temperamental environments and confined space applications, as well as Lockout/Tagout situations. Each lock includes trilingual LOTO labels for increased visibility and identification.

- Solid aluminum core construction offers unparalleled strength
- 6-pin cylinder for increased tamper resistance
- Key cannot be removed when padlock is unlocked
- Environmentally friendly locks use PVC-free ABS plastic and are made in a ULE-certified facility
- Internal aluminum body constructed from at least 73% recycled aluminum and features FDA grade lubricants in the mechanisms
- Available each in eight colors
- Meets Lockout/Tagout requirements

To order, add color code after part number. Red – RD, Orange – OR, Yellow – YL, Green – GN, Blue – BU, Purple – PR, Brown – BR, Black – BK, White – WT



With Steel Shackle

Sturdy, dielectric plastic body padlocks are perfect for a wide range of applications.

- 3/16" shackle diameter
- 13/16" apart steel shackle

Keyed Alike padlocks are non-returnable.

Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
Body Height = 1 3/4" – Body Width = 1 1/2"								
1 1/2"	KDL816	\$14.54	KDL820	15.31	KDL882	19.34	KDL891	20.48
3"	KDL817	16.99	KDL821	18.19	KDL883	22.08	KDL893	22.74
Body Height = 3" – Body Width = 1 1/2"								
1 1/2"	KDL818	16.17	KDL827	17.08	KDL884	20.85	KDL895	21.88
*Master Key (sold separately)			KDL859	7.94				



With Dielectric Poly-Wrap Steel Shackle

Lock reduces the risk of sparking, conductivity, and magnetism in potentially explosive environments.

- 1/4" shackle diameter
- 3/4" apart steel shackle

Keyed Alike padlocks are non-returnable.

Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
Body Height = 1 3/4" – Body Width = 1 1/2"								
1 1/2"	KDL701	\$15.11	KDL712	16.19	KDL723	19.82	KDL735	20.79
3"	KDL702	16.30	KDL713	17.45	KDL724	20.91	KDL736	21.94
Body Height = 3" – Body Width = 1 1/2"								
1 1/2"	KDL705	16.79	KDL716	17.88	KDL727	21.34	KDL738	22.39
*Master Key (sold separately)			KDL729	7.94				

STOPOUT®


Plastic Padlock Labels



KDL802



KDL801



KDL805

Message	Fits 1 3/4" Body Height		Fits 3" Body Height	
	No.	Price / Pack	No.	Price / Pack
Adhesive Labels - 50/Pack				
"DANGER, LOCKED OUT, DO NOT REMOVE"	KDL801	\$9.83	KDL805*	13.15
"PROPERTY OF..."	KDL802	9.83	KDL806*	13.15

*Bilingual Spanish, Bilingual French



Anodized Aluminum Padlocks

Bright, color-coded anodized aluminum padlocks are perfect for use both indoors and out.

- Constructed of lightweight premium aluminum with recycled content
- Non-sparking, non-magnetic, and corrosion-resistant
- 6-pin precision tumbler
- Designed for OSHA required identification, making them perfect for use in Lockout/Tagout situations
- 1/4" shackle diameter; 3/4" apart steel shackle
- Available in nine colors



Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
<i>Body Height = 1 1/2" - Body Width = 1 1/2"</i>								
1"	KDL660	\$14.31	KDL671	15.34	KDL682	19.19	KDL693	20.16
1 1/2"	KDL661	15.85	KDL672	16.85	KDL683	20.76	KDL694	21.73
3"	KDL662	17.34	KDL673	18.34	KDL684	22.25	KDL695	23.22
*Master Key (sold separately)			KDL609	7.94				

To order, add color code after part number. Red – RD, Orange – OR, Yellow – YL, Green – GN, Blue – BU, Purple – PR, Brown – BR, Black – BK, Silver – SL

Keyed Alike padlocks are non-returnable.



Compact Anodized Aluminum Padlocks

Anodized aluminum body lock with stainless steel shackle is perfect for confined or hard-to-reach spaces.

- Constructed of lightweight anodized aluminum with recycled content
- Non-sparking, non-magnetic, and corrosion-resistant
- 5-pin precision tumbler
- Meets OSHA Lockout/Tagout standards
- 3/16" shackle diameter; 2/3" apart steel shackle
- Available in nine colors




Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
<i>Body Height = 1 1/4" - Body Width = 1 3/16"</i>								
1"	KDL401	\$13.31	KDL412	14.51	KDL423	18.08	KDL434	18.34
*Master Key (sold separately)			KDL429	7.94				

To order, add color code after part number. Red – RD, Orange – OR, Yellow – YL, Green – GN, Blue – BU, Purple – PR, Brown – BR, Black – BK, Silver – SL

Keyed Alike padlocks are non-returnable.





Brass Body Padlocks

Insulated safety locks just got better!

Plastic-covered safety padlocks are insulated to prevent electric shock. Lock components are non-magnetic and non-sparking making it ideal for use in lockout/tagout procedures. The corrosion resistant brass body stands up to the harshest environments including chemical washdowns and high-pressure cleaning found in food and beverage facilities. The solid brass body is encased by a colored plastic cover for quick recognition and distinction.

6-pin cylinder offers the maximum number of different key combination:

- Retaining key feature, you cannot take the key out when padlock is unlocked
- Comes with one key per lock
- Extremely corrosion resistant
- Excellent for use in food and beverage industry
- Meets OSHA Lockout/Tagout requirements

To order, add color code after part number. Red – RD, Orange – OR, Yellow – YL, Green – GN, Blue – BU, Purple – PR, Brown – BR, Black – BK, White – WT

Shackle Clearance Height	Keyed Differently		Keyed Alike		Keyed Differently Master Keyed*		Keyed Alike Master Keyed*	
	No.	Price / Each	No.	Price / Each	No.	Price / Each	No.	Price / Each
<i>Body Height = 1 3/4" – Body Width = 2"</i>								
1 1/2"	KDL440	\$17.90	KDL450	18.32	KDL430	23.22	KDL420	23.92
**3"	KDL442	18.04	KDL452	18.74	KDL432	23.78	KDL422	24.49
<i>Body Height = 3" – Body Width = 2"</i>								
1 1/2"	KDL441	18.74	KDL451	19.44	KDL431	24.34	KDL421	25.07
*Master Key (sold separately)			KDL459	7.49				

**3" is not available in Orange or White colors.

Padlock and Key ID Label Set

Link the padlock to the key with quick and easy label identification.

- Two-part, perforated label becomes two labels – one for padlock, other for the key
- Label is pre-numbered (from stock) sequentially with write-in space on both parts
- Padlock label portion incorporates DANGER LOCKED OUT message
- Includes ring to attach key label and key

No.	Price / Pkg. of 25
LAK175	\$45.97



Padlock sold separately

Padlock Overlaminates Label

Instantly identify the padlock.

- Write on the surface with pen or pencil — name, date, and any other identification necessary
- 7/8"H x 9"L self-adhesive vinyl label has peel-off liner
- Half of label has printed and writable area, and the other half is clear to wrap and protect written area

Available in packs of 25 or 50.

Danger Message	Pkg. of 25		Pkg. of 50	
	No.	Price	No.	Price
DO NOT REMOVE THIS LOCK	LAK127	\$15.68	LAK153	\$26.02
EQUIPMENT LOCKED OUT	LAK122	15.68	LAK156	26.02

Padlock Covers

Color-code your padlocks for ease of identification.

- Heat-shrink flexible tube-like, polyolefin cover slides over the metal padlock body
- Apply heat from a heat gun to the cover, shrinking it in seconds around the padlock body
- Abrasion- and tear-resistant wrap
- Available plain or pre-printed message "DANGER, LOCKED OUT, DO NOT REMOVE"
- Space to write name and department
- Note: Do not apply to plastic body padlocks



PERSONALIZE IT!

To order, add color code after part number. Red – RD, Yellow – YL

Style	No.	Price / Pkg. of 25
Plain	LAK210	\$36.33
Message	LAK221	41.45

For Custom message, order **LAK255** and specify quantity, message, and either yellow or red background.

STOPOUT®

Disposable Padlock Seal

Single-use lock device provides a cost-saving alternative ideal for operation-wide plant and facility lockout, shutdown, and turnaround.

- Eliminates the hassle of misplaced locks & keys
- Loop and insert band end through padlock-style body; push band in to shorten and tighten the loop
- Molded teeth lock band in place inside the body and cannot reverse out
- Plastic shackle band is tamper-evident; band can only be broken or cut for removal
- All-plastic body measures 2 1/2"H x 1 1/2"W x 7/8"D
- 7"L x 1/4"W long band rated up to 100-lb. pull strength

Available 10 per package.

No.	Price / Pkg. of 10
TLS202	\$27.71

SiteTag® Disposable Padlock Seal Labels

SiteTag® Labels are personalized with worker photo and information. The combination of a photo, personal information, and safety message are digitally printed directly onto the SiteTag® Label, saving time and establishing ownership. When ordering, send us a photo and information you wish to have pre-printed in the available fields.

Price per Each				
Size	No.	10 - 15	16 - 24	25 - 49
2" x 1 1/4"	TLS211	\$7.11	5.57	3.57



Security Tag Seals

Prevent access to locked-out equipment with a one-way style lock.

Lock out control areas such as lock boxes, valves, breakers, switches, meters, and other instrumentation. Loop the seal length and insert that end to self-lock into the other end. Tag seals are tamper-resistant and cannot be re-opened. The only way to remove a tag seal is to break it, making it tamper-evident. To prevent tag seals from being replaced by like versions, they are available numerically coded for security purposes. Once recorded, it would be difficult to replace a tag seal. Printed with 'SEALED' and random-start numbering.



Plastic Padlock Wire Seals

Wire loops slip into the smallest secure points.

- Sturdy plastic body with galvanized steel wire hasp
- 13/16" x 1 1/2" x 3/16" body
- 7/8" square wire loop (closed)
- 70-lb. break strength
- Printed "SEALED" and random-start sequential numbering
- 100 per package

To order, add color code after part number:
Red – RD, Green – GN, Blue – BU, Yellow – YL

Style	No.	Price / Pkg. of 100
Plastic Padlock Wire	TLS123	\$55.88



Plastic Loop Seals

Loop around and lock the ends together.

- All-polypropylene plastic
- .070" flat bands
- Durable and flexible
- 7 1/2"L x 3/8"W
- 80-lb. break strength
- Printed "SEALED" and random-start sequential numbering
- 100 per package

To order, add color code after part number:
Red – RD, Green – GN, Blue – BU, Yellow – YL

Style	No.	Price / Pkg. of 100
Loop Plastic	TLS731	\$53.93



Pull Tight Plastic Seals

Pull for a snug lock fit.

- Round barbed cord fits into end and can be tightened
- Overall 9 7/8"L with 1 3/4" x 1 1/8" printed tab
- Printed "SEALED" and random-start sequential numbering
- 80-lb. break strength
- 100 per package

To order, add color code after part number:
Red – RD, Green – GN, Blue – BU, Yellow – YL

Style	No.	Price / Pkg. of 100
Pull Tight Plastic	TLS789	\$66.14

English, Spanish, and French labels included.



STOPOUT®

Look 'n Stop Group Lock Box

Look to view the keys and padlocks in a secure lock box that is shaped to say STOP!


Four rows of aluminum strips contain 16 hooks to hang keys – identifiable through the clear front cover. Once closed, holes and slots along the edges of box and cover align. Secure with up to 44 padlocks (sold separately). Plus, there is a hole on the left backside for a supervisor's padlock.

- Cover pry guard edge provides security when using minimal padlocks
- Visible safety red shows through the clear front cover
- Familiar octagon box shape conveys STOP message
- Front cover slides to hinge open
- 13" x 13" x 3 1/2" box is made of durable, impact-resistant plastic, designed for industrial environments

Each padlock represents a worker on the lockout project. Each padlock removed signifies the worker has completed their portion of the project. Yet there is no access to the keys of the locked-out devices until the last padlock is removed.

Additional features of the lock box include:

- Top carry handle for portability to lockout location
- Two rear keyholes for wall mounting
- Flange foot to set down on flat surface
- Front slot to drop in additional keys after lockout procedures have started



Close the clear front cover.



Slide to secure with supervisor's padlock.



Pry guard designed to prevent tampering.

No.	Price / Each
KCC624	\$77.84



STOPOUT®

Look 'n Stop Compact Group Lock Box

Small, portable group lock box goes with you on the job – from the office to the production floor.

Set the Group Lock Box on a desk, mount it on a wall, or simply take it with you on-the-go. Safely and securely store keys during machine/equipment maintenance. Specially designed lid closes with a twist! Turn it 15° for added security - preventing unauthorized access or tampering when padlock(s) are in place. With the holes lined up after close-and-turn, secure the box with up to 17 padlocks (sold separately). The lid only opens after removal of the last padlock. Reverse twist lid to open, and remove keys.

- Dual slots on the lid make it easy to insert keys
- Unique twist-to-turn lid for secure closure
- Inner pry guard prevents tampering
- Lid has two see-through windows and carry handle
- Octagon-shaped box in red conveys the STOP message
- 7 3/4" x 7 3/4" x 4" box is durable, impact-resistant plastic



Turn to open and close

No.	Price / Each
KCC620	\$24.62

Portable Group Lockout Boxes

Prevent access to keys when a group of personnel are working on equipment or machinery with a rugged lock box.

Store the keys of locked-out devices in the Lock Box, which is controlled by the group leader or job foreman. Once the job is completed, verified, and workers are cleared from the equipment, the foreman unlocks the box to regain access to the keys.

- Sturdy steel box measures 6"H x 10"W x 4 1/4"D
- Lockable closure (padlocks sold separately)
- Top key slot
- Handle for portability
- Slot Style Lock Box has 12 slot holes on top lid, allowing workers to secure personal padlocks (sold separately)

Style	Red	Yellow	Price / Each
Lock Box	KCC615	KCC612	\$94.48
Slot Lock Box	KCC617	KCC614	100.93



Slot Style
KCC617



Slot Style
KCC614



Lock Box
KCC612



Lock Box
KCC615

Group Lockout View Boxes

See the lock box and all the keys involved in a lockout situation—yet keep them locked away.

- Full-size, visible yellow group lock box
- Clear cover to show the keys from a lockout job
- Impact-resistant polycarbonate box measures 10 1/2"H x 12 3/4"W x 3 3/8"D
- Features two rear mounting holes
- 16 hooks to hang keys
- Accommodates up to 27 padlocks (sold separately)
- Keys cannot be accessed until the last padlock is removed
- Cover slot allows for the addition of extra keys once lockout procedure has begun

Choose Hinge Cover or Slide Cover style. Slide Cover glides along a channel to further secure the cover in place.

Also available in red and green. Contact us for a quote and refer to part number **KCC635**

Style	No.	Price / Each
Hinge Cover	KCC630	\$103.95
Slide Cover	KCC633	114.31



Hinge Cover
KCC630

Padlocks sold separately.



Padlocks sold separately.

Padlock Control Box

Store and control access to padlocks used in and around work areas.

- Padlocks stored in a readily seen and secure central location
- Control their use, assignment, and availability for lockout/tagout situations
- Durable 18"H x 15 1/2"W x 2"D steel cabinet in safety red
- Hinge door and key lock (with two keys)
- 18 metal hooks to hang padlocks

No.	Price / Each
KCC318	\$152.91


Padlock Shelf Racks

Keep stored padlocks on display and readily available for use.

- Shelf is made of heavy-duty angled steel in safety red color
- Available in two sizes
- Small measures 2 1/4" x 3" x 1 1/4" and holds four to six padlocks
- Standard measures 3" x 16" x 1 1/4" and holds 24-36 padlocks



KCC703



KCC716

Padlocks sold separately.

Style	Padlock Capacity*	Dimensions H x W x D	No.	Price / Each
Small	4 – 6	2 1/4" x 3" x 1 1/4"	KCC703	\$23.12
Standard	24 – 36	3" x 16" x 1 1/4"	KCC716	30.27

*May vary depending on padlock width



Water Cooler Tether Lockout

Prevent possible contamination by locking out access to the top of the portable water cooler.

- Prevents unwanted entry into the water cooler
- Fastens to water cooler lid and body with stainless steel screws (included)
- Tether design prevents the lid from coming into contact with the ground
- Designed to fit the tops of most pull-off lid style water coolers

Cooler not included. Padlock and tags sold separately.

No.	Price / Each
KDD275	\$44.92



29 CFR 1910.120 (n) Sanitation at temporary workplaces (1) Potable water (i) An adequate supply of potable water shall be provided on site. (ii) Portable containers used to dispense drinking water shall be capable of being tightly closed, and equipped with a tap... (iii) Any container used to distribute drinking water shall be clearly marked as to the nature of its contents and not used for any other purpose.

(also see: 29 CFR OSHA Construction - Sub part D, 1926.51 (a) (1), (2), (3); 29 CFR OSHA Agriculture, 1928.110 (c) (1) (i), (c) (3) (I); California Code of Regulations Title 8, Section 3457)

Potable Water Cooler Tape & Label

Clearly mark potable water and discourage dipping.

Labels

- 6"H x 7"W vinyl label
- Warns drinker that tampering with cooler is prohibited
- Provides space for needed documentation (content/date/time/expiration date and time)
- Space for other information and preparer's initials
- Label can be used up to three times
- Package of 25

POTABLE - WATER							
NOTE: IF CONTENTS ARE OTHER THAN POTABLE WATER DOCUMENT BELOW							
	MON	TUES	WED	THUR	FRI	SAT	SUN
DATE PREPARED:							
TIMES PREPARED:							
PREPARED BY (INITIALS):							
OWNER:							
WATER COOLER HAS BEEN PROPERLY SANITIZED AND PREPARED. DRIPPING CONTENTS FROM WATER COOLERS IS STRICTLY PROHIBITED. DO NOT REMOVE SAFETY SEAL (OR) LABELING SYSTEM WITHOUT PROPER AUTHORIZATION.							
"ESPAÑOL"							
ESTE RECIPIENTE SE A PREPARADO CON UNA LIMPIEZA SANITARIA ADECUADA. INTRODUCCIÓN DE CONTENIDOS A SU INTERIOR ESTA RESTRICTAMENTE PROHIBIDO. NO REMUEVA EL SELLO DE SEGURIDAD SIN LA AUTORIZACIÓN APROPIADA.							
U.S. PATENT No. 6,058,636 • © SGC LABELING SYSTEMS ALL RIGHTS RESERVED							

6" x 7" KWC106


Tape

- Visible green tape with identifying message
- Leaves no sticky residue when removed
- 2"H x 55-yds. long
- Roll seals approximately 38 ten-gallon water coolers



KWC100

Item	No.	UOM	Price / UOM
Tape - 2" x 55-yds.	KWC100	Roll	\$10.95
Labels - 25/Pkg.	KWC106	Pkg.	21.83



Front MNT246

Front SBMN246

Potable Water Tags

Materials:

- PF-Cardstock - Polyolefin-based, 3/8" plain hole
- RP-Plastic - Rigid plastic, 3/8" hole with grommet

To order, add material/quantity code after part number.

Size	Material	Code	Package of 5		Package of 25	
			Price / Pkg.	Code	Price / Pkg.	Code
5 3/4" x 3 1/4"	PF-Cardstock	CTM	\$3.35	CTP	14.93	
5 3/4" x 3 1/4"	RP-Plastic	PTM	9.33	PTP	40.53	



STOPOUT® Lockout Store-Boards™



Visually identify lockout/tagout devices currently in use.

Lockout/Tagout devices are shadowed on the storage center so workers can quickly identify that an item is in use or needs to be returned to the designated storage location. Durable aluminum boards, protected by Duck Armor™ have aluminum pronged hooks to hang padlocks and hasps. A thick, molded, clear poly pocket measures 4 3/4"H x 3 5/8"W x 2"D to hold lockout tags and ties. Designed for tough environments. Available in 6- and 12- padlock capacity sizes.



12-Padlock Store-Board™

Kit contents:

- 6 Steel Padlocks, 3/4" shackle (keyed differently)
- 6 Steel Padlocks, 1 1/2" shackle (keyed differently)
- 50 HS-Laminate Lockout Tags
- 50 Plastic Ties
- 1 Scissor Hasp, 1" opening
- 1 Scissor Hasp, 1 1/2" opening



Board shown w/Kit

Shadow effect enlarged for detail

Style	Size	No.	Price / Each
Board w/Kit	20" x 14"	KST810	\$383.36
Board Only	20" x 14"	KST812	73.11



Board shown w/Kit

6-Padlock Store-Board™

Kit contents:

- 6 Steel Padlocks, 3/4" shackle (keyed differently)
- 10 HS-Laminate Lockout Tags
- 10 Plastic Ties
- 1 Scissor Hasp, 1" opening
- 1 Scissor Hasp, 1 1/2" opening



Shadow effect enlarged for detail


Style	Size	No.	Price / Each
Board w/Kit	14" x 14"	KST814	\$189.97
Board Only	14" x 14"	KST816	63.37

PERSONALIZE It!

Custom Lockout Store-Boards™

Design a Lockout Store- Board™ that is unique to your facility or equipment - your colors, logos, and devices. Lockout Store-Boards™ are protected by Duck Armor™ and can be developed for a specific work area or machine. Add a lockout placard to the Store-board™ for the ultimate easy-to-follow lockout procedure.

Contact us with part number **KST855** to order, and specify desired size, the items to be shadowed, and your design ideas. We will work with you to fully develop your vision.



Aluminum Lockout Boards

Durable aluminum boards are protected by Duck Armor™ and feature aluminum pronged hooks to hang padlocks and lockout hasps. Thick, molded, clear poly pocket measures 4 3/4"H x 3 5/8"W x 2"D to hold lockout tags. Designed for tough environments. Available in 6- and 12-padlock capacity sizes along with 1- and 2-pockets, respectively.



12-Padlock Board



KST410

Kit contents:

- 12 Steel Padlocks, (keyed differently) 3/4" shackle
- 50 HS-Laminate Lockout Tags
- 50 Plastic Ties
- 1 Lockout Scissor Hasp, 1" opening
- 1 Lockout Scissor Hasp, 1 1/2" opening

KST412



6-Padlock Board



KST404

Kit contents:

- 6 Steel Padlocks, (keyed differently) 3/4" shackle
- 10 HS-Laminate Lockout Tags
- 10 Plastic Ties
- 1 Lockout Scissor Hasp, 1" opening
- 1 Lockout Scissor Hasp, 1 1/2" opening

KST406



Style	Size	No.	Price / Each
Board w/Kit	20" x 14"	KST410	\$383.36
Board Only	20" x 14"	KST412	73.11

Style	Size	No.	Price / Each
Board w/Kit	14" x 14"	KST404	\$189.97
Board Only	14" x 14"	KST406	63.37

PERSONALIZE IT!

Custom Lockout Centers

We will create a Lockout Center based on your custom design. Aluminum Lockout Centers are protected by Duck Armor™. Order **KST555** and provide us the following specifications:

- Dimensions (including pocket size)
- Material
- Message
- Color(s)
- Logo or design (if desired)
- Lockout/Tagout devices, (if desired)

Call, fax, or email us your request and we will contact you with a quote. We can also provide a proof (upon request).



Lockout/Tagout Poster

Failure to comply with Lockout/Tagout rules makes OSHA's list of the top 10 safety violations in the workplace every year. Help your employees stay safe, and remember good work habits, with our colorful and informative posters.

- Designed specifically for tough industrial-type environments
- Constructed of durable, laminated, flexible plastic
- Posters are easy to clean, and they retain their colors for years
- Post on walls in key locations to provide a daily visual reminder
- Help convey your commitment to safety as a priority in your facility
- Posters complement banners, scoreboards, and other identification products that reinforce your safety message
- Available in 18" x 24" and 20" x 32" sizes

Size	No.	Price / Each
18" x 24"	PST601	\$29.48
20" x 32"	PST603	39.91

LOCKOUT/TAGOUT

Lockout / Tagout procedures are designed to isolate or shut off machines and equipment from their power sources before employees perform any servicing or maintenance work.

Definition:
Lockout is the placement of a lockout device on an energy isolating apparatus (circuit breaker, slide gate, line valve, disconnect switch, etc.) to ensure that the energy isolating device and equipment being controlled cannot be operated until the lockout device is removed. A lockout device utilizes a positive means such as a lock key or combination type) to hold an energy isolating device in a safe position and prevent the energization of a machine or equipment. The lockout device must be substantial enough to prevent removal without use of excessive force or unusual techniques.

Tagout is the placement of a tagout device (a tag or other prominent warning device and a means of attachment) on an energy isolating device to indicate that the energy isolating device and the equipment being controlled may not be operated until the tagout device is removed.

Energy-isolating device
Any mechanical device that physically prevents the transmission or release of energy. These include, but are not limited to, manually operated electrical circuit breakers, disconnected switches, line valves and blocks.

Employees performing maintenance or service on machines or equipment shall observe the following procedures:

- Lockout / Tagout of energy isolating devices shall be performed whenever maintenance or servicing is done on machines or equipment. This shall be done by employees who have received proper training on lockout/tagout procedures from Environmental Health and Safety.
- Employees observing a machine or piece of equipment which is locked or tagged out shall not attempt to start, energize or use that machine or equipment.
- Lockout and Tagout devices shall indicate the identity of the employee who obtained the devices.
- Lockout and Tagout devices shall be standardized within the facility.
- If an energy isolating device is not capable of being locked out, a tagout system shall be used.
- Tagout devices shall include warning statements such as "DO NOT ENERGIZE" or "DO NOT OPERATE".
- Whenever replacement, major repair, renovation or modification of equipment is performed, energy isolating devices for such machines or equipment shall be designed to accept a lockout device.

Resonance shall be provided for all authorized and affected employees whenever there is a change in their job assignments, a change in machine, equipment or process that present a new hazard, or when there is a change in the energy control procedures.

Source for More Information:

- OSHA 29 CFR 1910.147, 1910.212 and 1915.216.
- ANSI Z39-1-1982, Personal Protection Lockout / Tagout of Energy Sources.
- American National Standards Institute (ANSI) 12.16, 12.16.1, 12.16.2, New York, NY 10019-1127

Lockout Center Boards

Visible center boards communicate the lockout safety message while storing lockout/tagout supplies — all in the same place.

The printed backboard sign is designed so that your padlocks, tags, and lockout devices are conveniently available and easily accessible. All center boards can be stocked with the necessary equipment — padlocks, lockout devices, tags, and training manuals — to help you comply with the OSHA safety lockout requirements. Hang the center boards near equipment and machinery, or in a central location in your plant. Boards have holes for wall mounting.

Choose from the various styles to best meet your department or location needs.

Heavy-Duty Aluminum Big Pocket Board

30"H x 24"W x 4 1/2"D with rugged-duty aluminum backboard. Big Pocket Board will not crack or break. Inside pocket dimensions are 5 7/8"H x 23"W x 4"D with two dividers.

Kit contents:

- 6 Steel Padlocks (keyed differently), 3/4" shackle
- 25 HS-Laminate Lockout Tags
- 25 Plastic Ties
- 2 STOPOUT® Aluma-Tag™ Hasps
- 3 Lockout Scissor Hasps, 1" opening
- 2 Lockout Scissor Hasps, 1 1/2" opening
- 25 Lockout Safety Booklets



KST423



KST425

Style	Size	English	Bilingual	Price / Each
Board w/Kit	30" x 24"	KST423	KST425	\$424.73
Board Only	30" x 24"	KST424	KST429	140.85

Lockout Box Kit

6 1/2"H x 9 3/16"W white polypropylene case has dual purpose handle that can also be used to hang kit on the wall. Durable, all-plastic box is weather-resistant and will not rust or corrode.

Kit contents:

- 2 Steel Padlocks, 3/4" shackle
- 2 STOPOUT® Aluma-Tag™ Hasps, 1 1/2" opening
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 10 HS-Laminate Lockout Tags
- 1 STOPOUT® StopPlug™ 110 VAC Plug Lockout
- 1 Training Booklet
- 1 Magnetic Label, 3 1/2" x 5", DANGER EQUIPMENT LOCKED OUT DO NOT REMOVE LOCKS



Style	No.	Price / Each
Box Kit	KSK600	\$149.08
Box Only	KSK602	15.82

STOPOUT® Lockout Kits

All your lockout needs are contained in a kit, making it convenient, easily accessible, and portable.

Kits contain a variety of lockout devices and accessories for shutting down equipment and machinery before conducting maintenance or repairs. Choose from several kits - small to large - to help you solve your lockout situations and provide the necessary equipment to help you comply with OSHA safety lockout requirements. Durable, rugged polyethylene boxes have carry handle and room for you to add more components to customize your kits.



Standard Lockout Kit

Kit includes:

- | | |
|--|--|
| 1 Lockout Box, Plastic, 18"L x 6 1/2"W x 4 3/4"H | 25 HS-Laminate Lockout Tags |
| 2 Lockout Scissor Hasps, 1" opening | 2 STOPOUT® Circuit Breaker Lockouts |
| 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" opening | 25 STOPOUT® Circuit Breaker Lockout Tab Tags |
| 3 Steel Padlocks (keyed differently), 3/4" shackle | 1 STOPOUT® StopPlug™ Multi-Plug Lockout |
| 50 Labels for Padlocks | |

Style	No.	Price / Kit
Box Kit	KSK234	\$186.51
Box Only	KSB018	32.19

Standard Plus Lockout Kit

Kit includes:

- | | |
|--|--|
| 1 Lockout Box, Plastic, 16"L x 8 3/8"W x 8"H | 1 STOPOUT® Ball Valve Lockout, 3/8" – 1 1/4" Valve |
| 2 Lockout Scissor Hasps, 1" opening | 1 STOPOUT® Ball Valve Lockout, 1 1/2" – 2" Valve |
| 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" opening | 1 STOPOUT® Gate Valve Lockout, 1" – 2 1/2" Handle |
| 6 Steel Padlocks (keyed differently), 3/4" shackle | 1 STOPOUT® Gate Valve Lockout, 2 1/2" – 5" Handle |
| 50 Labels for Padlocks | 1 Magnetic Label, 3 1/2" x 5", DANGER EQUIPMENT LOCKED OUT DO NOT REMOVE LOCKS |
| 25 HS-Laminate Lockout Tags | |
| 2 STOPOUT® Circuit Breaker Lockouts | |
| 25 STOPOUT® Circuit Breaker Lockout Tab Tags | |

Style	No.	Price / Kit
Box Kit	KSK236	\$355.48
Box Only	KSB020	39.94



Lockout/Tagout Pouch Kit

Handy pouch contains the most important electrical lockout products.

Portable pouch provides on-the-spot lockouts in remote locations, immediately and easily. Economical to equip various members of your department. Contoured pouch is red nylon 11"W x 5"H x 3"D with front zipper, adjustable waist strap, and buckle clip.

Kit includes:

- | | |
|--|--|
| 1 Pouch, Nylon, 11"W x 5"H x 3"D | 2 STOPOUT® Circuit Breaker Lockouts |
| 1 Lockout Scissor Hasp, 1 1/2" opening | 25 STOPOUT® Circuit Breaker Lockout Tab Tags |
| 2 Steel Padlocks, 3/4" shackle | 1 STOPOUT® Universal Wall Switch Lockout |
| 10 HS-Laminate Lockout Tags | |

Style	No.	Price / Kit
Pouch Kit	KSK115	\$120.22
Pouch Only	KSK912	19.45

STOPOUT®

Deluxe Lockout Kit

Kit includes:

- 1 Lockout Box, Plastic, 19"L x 9 1/2"W x 9 1/2"H
- 2 Lockout Scissor Hasps, 1" opening
- 2 Lockout Scissor Hasps, 1 1/2" opening
- 2 STOPOUT® Aluma-Tag™ Hasps, 1 1/2" opening
- 3 Steel Padlocks (keyed differently), 3/4" shackle
- 3 Steel Padlocks (keyed differently), 1 1/2" shackle
- 100 Labels for Padlocks
- 50 HS-Laminate Lockout Tags
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 2 STOPOUT® Universal Wall Switch Lockouts
- 1 STOPOUT® StopPlug™ Multi-Plug Lockout
- 1 STOPOUT® StopPlug™ 110 VAC Plug Lockout
- 1 AC Voltage Sensor
- 1 Training Booklet

Style	No.	Price / Kit
Box Kit	KSK345	\$391.96
Box Only	KSB021	49.71



STOPOUT®

Lockout/Tagout Cabinet Center

Store or transport your lockout devices in an industrial-strength cabinet.

Lockout/Tagout products are conveniently placed on shelves inside the cabinet. Side hinge door has lockable clasp for added security. All-steel cabinet with two adjustable shelves is powder-coated for durable, scratch-resistant finish. There are keyholes in the back for wall mount, or sturdy handle for transporting to the lockout location.

Kit includes:

- 1 Cabinet, Steel, 16 1/4"H x 15"W x 5 1/2"D
- 1 Lockout Scissor Hasp, 1" opening
- 1 Lockout Scissor Hasp, 1 1/2" opening
- 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" opening
- 3 Steel Padlocks (keyed differently), 3/4" shackle
- 3 Steel Padlocks (keyed differently), 1 1/2" shackle
- 25 HS-Laminate Lockout Tags
- 25 Plastic Ties
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 2 STOPOUT® Gate Valve Lockouts, 1" – 2 1/2" Handle
- 2 STOPOUT® Gate Valve Lockouts, 2 1/2" – 5" Handle
- 1 STOPOUT® StopPlug™ Multi-Plug Lockout
- 1 STOPOUT® StopPlug™ 110 VAC Plug Lockout

Style	No.	Price / Kit
Cabinet Kit	KSK369	\$421.02
Cabinet Only	KSK367	106.53



STOPOUT

Deluxe Plus Lockout Kit



Kit includes:

- 1 Lockout Box, Plastic, 19"L x 9 1/2"W x 9 1/2"H
- 2 Lockout Scissor Hasps, 1" opening
- 2 Lockout Scissor Hasps, 1 1/2" opening
- 2 STOPOUT® Aluma-Tag™ Hasps, 1 1/2" opening
- 6 Steel Padlocks (keyed differently), 3/4" shackle
- 6 Steel Padlocks (keyed differently), 1 1/2" shackle
- 100 Labels for Padlocks
- 50 HS-Laminate Lockout Tags
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 2 STOPOUT® Universal Wall Switch Lockouts
- 1 STOPOUT® StopPlug™ Multi-Plug Lockout
- 1 STOPOUT® StopPlug™ 110 VAC Plug Lockout
- 1 STOPOUT® Ball Valve Lockout, 3/8" – 1 1/4" Valve
- 1 STOPOUT® Ball Valve Lockout, 1 1/2" – 2" Valve
- 1 STOPOUT® Gate Valve Lockout, 1" – 2 1/2" Handle
- 1 STOPOUT® Gate Valve Lockout, 2 1/2" – 5" Handle
- 1 STOPOUT® Gate Valve Lockout, 5" – 6 1/2" Handle
- 1 STOPOUT® Cinch Cable Lockout
- 1 Training Booklet
- 1 Magnetic Label, 3 1/2" x 5", DANGER EQUIPMENT LOCKED OUT DO NOT REMOVE LOCKS

Style	No.	Price / Kit
Box Kit	KSK700	\$549.94
Box Only	KSB021	49.71

STOPOUT

Ultimate Lockout Kit



Kit includes:

- 1 Lockout Box, Plastic, 19"L x 9 1/2"W x 9 1/2"H
- 2 Lockout Scissor Hasps, 1" opening
- 2 Lockout Scissor Hasps, 1 1/2" opening
- 2 STOPOUT® Aluma-Tag™ Hasps, 1 1/2" opening
- 6 Steel Padlocks (keyed differently), 3/4" shackle
- 6 Steel Padlocks (keyed differently), 1 1/2" shackle
- 100 Labels for Padlocks
- 50 HS-Laminate Lockout Tags
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 2 STOPOUT® Universal Wall Switch Lockouts
- 1 STOPOUT® StopPlug™ Multi-Plug Lockout
- 1 STOPOUT® StopPlug™ 110 VAC Plug Lockout
- 1 AC Voltage Sensor
- 2 STOPOUT® Ball Valve Lockouts, 3/8" – 1 1/4" Valve
- 2 STOPOUT® Ball Valve Lockouts, 1 1/2" – 2" Valve
- 2 STOPOUT® Gate Valve Lockouts, 1" – 2 1/2" Handle
- 2 STOPOUT® Gate Valve Lockouts, 2 1/2" – 5" Handle
- 1 Training Booklet
- 1 Magnetic Label, 3 1/2" x 5", DANGER EQUIPMENT LOCKED OUT DO NOT REMOVE LOCKS

Style	No.	Price / Kit
Box Kit	KSK347	\$613.00
Box Only	KSB021	49.71



Lockout Energy Source Isolation Placards

Document and show visual procedures to control, isolate, and lock out energy sources as required by OSHA.

Present information in a standardized, easy-to-follow format. Placards are customizable with a combination of high-resolution, full-color photo images and detailed instructions ideal for placing on or near the equipment.

Lockout/Tagout Procedure ID Number and Equipment Name

Number of lockout points and devices required

Energy source images with Hazardous Energy Source symbol tag

Hazardous Energy Source symbols defined

Identification (ID) and name of energy source, lockout device, and location



Facility Name, Location, Equipment Number

Required lockout devices identified

Step-by-step lockout instructions

Describe lockout, method for de-energizing, and check for attempt to energize



Graphical Representation

Placard displays clear, visual images of energy sources, along with easy-to-follow written lockout procedures, ideal when the equipment operates with multiple energy sources requiring lockout isolation.

Specific and Prominent

Each piece of equipment should have a placard outlining its specific lockout procedure. Place placards on or near equipment to alert that proper lockout procedures must take place during maintenance or shutdown. Use to guide those involved in proper lockout procedures - avoiding mistakes and reducing the potential risk of accidents and injury.

Incorporate your placard into a custom lockout Store-Board™ to ensure all devices are at your fingertips. See page 30 for details.

Developing Your Placard

Let us help you create and develop effective Lockout Energy Source Isolation Placards for equipment and machinery throughout your facility.

Contact us and reference part number **KPL555**. Choose from a variety of materials – from adhesive to magnetic, to virtually indestructible, Accu-Shield™. Size should allow for maximum legibility of the instructions and images. Be prepared to provide specific Lockout/Tagout information – use points in the above sample as guides. We can assist you with specific details. Once we have your information, we can develop your placard and provide a proof and quote.



OSHA 29 CFR 1910.147 (c) (4) (i) Procedures shall be developed, documented and utilized for the control of potentially hazardous energy...

...(ii) (A) A specific statement of the intended use of the procedure; (B) Specific procedural steps for shutting down, isolating, blocking and securing machines or equipment to control hazardous energy; (C) Specific procedural steps for the placement, removal and transfer of lockout devices or tagout devices and the responsibility for them; and (D) Specific requirements for testing a machine or equipment to determine and verify the effectiveness of lockout devices, tagout devices, and other energy control measures.

Energy Source Identification Tags

Eye-catching shapes and colors draw attention to critical lockout points.

Use Energy Source Identification Tags as part of a comprehensive lockout procedure to comply with OSHA 1910.147(C)(4).

- ShapelD Tags measure 2 1/2"H x 2 1/2"W with 3/16" hole
- Standard Tags measure 1 1/2"H x 3"W with 3/16" hole
- Vibrant colors, bold graphics, and unique shapes
- Ideal for machine-specific procedures that can be easily and quickly identified
- Resists abrasions, humidity, chemicals, and fading

Tags are available in two materials:

Adhesive Dura-Vinyl™

- Flexible, poly-composite with an adhesive back and peel-off liner
- UV protective coating
- Adheres to smooth, curved, and irregular surfaces

Plastic

- Durable, thick, rigid plastic protected by UV protective coating
- Withstands harsh environmental conditions



29 CFR §1910.147(c)(4) Energy Control Procedure. Procedures shall be developed, documented, and utilized for the control of potentially hazardous energy...



ShapelD Tags

Control Gravity TDK1	Control Panel TDK2	Electric TDK3	Gas TDK4	Hydraulic TDK5	Mechanical TDK6
Pneumatic TDK7	Thermal TDK8	Water TDK9	Steam TDJ1	Valve TDJ2	Compressed Gas TDJ6

Standard Tags

Control Gravity TDF1	Control Panel TDF2	Electric TDF3	Gas TDF4	Hydraulic TDF5	Mechanical TDF6
Pneumatic TDF7	Thermal TDF8	Water TDF9	Steam TDJ3	Valve TDJ4	Compressed Gas TDJ7

How to Order Tags:

To order same number on Tags:

- Select Tag Part Number: TDK1
- Add two digit number code (up to 10): 01 - for 1 = TDK101
- Add material/package code: Adhesive Dura-Vinyl™ - XVE = TDK101XVE

To order Series Package of 10, one of each number, 1 - 10:

- Select Tag Part Number: TDK1
- Add series code "20" = TDK120
- Add material/series package code: Adhesive Dura-Vinyl™ - XVR = TDK120XVR

	Each		Package of 5		Series Package of 10	
Material	Code	Price	Code	Price	Code	Price
Adhesive Dura-Vinyl™	XVE	\$4.02	XVM	13.37	XVR	20.17
Plastic	VPE	5.68	VPM	22.77	VPR	37.42

PERSONALIZE IT!

Custom Energy Source Identification Tags

Tags can be made to your specifications or with additional numbering. Contact us with your requirements for a quote. Refer to part number TDK455 - for Plastic, or TDK655 - for Adhesive Dura-Vinyl™.



STOPOUT®

Steering Wheel Message Cover™

Prevent others from driving a vehicle that is disabled or undergoing maintenance.

- Flexible, reinforced vinyl cover
- Backside of upper half has stitched pocket to slip over steering wheel
- Secure cover to steering wheel to prevent removal
- 3/8" metal grommeted hole at bottom accommodates 1 1/2" hasp with padlocks (sold separately)
- Octagon shape reinforces lockout status and conveys STOP

Size	Price / Each
16"	\$34.68
20"	45.66
24"	54.37



16" KDD717 20" KDD728 24" KDD739



16" KDD714 20" KDD725 24" KDD736



16" KDD715 20" KDD726 24" KDD737



16" KDD811 20" KDD824 24" KDD832



16" KDD814 20" KDD822 24" KDD831



16" KDD719 20" KDD724 24" KDD733



16" KDD718 20" KDD722 24" KDD731



16" KDD813 20" KDD821 24" KDD834



16" KDD716 20" KDD727 24" KDD738

PERSONALIZE IT!

Custom Steering Wheel Message Covers

Write your message and sketch your symbol or logo (if necessary). Specify cover color (white or yellow), print color, and provide the quantity. Call, fax, or email us your request with part number listed for a quote.

Quantity breaks available. Contact us for a quote.

Size	No.
16"	KDD765
20"	KDD776
24"	KDD785
other size	KDD755



STOPOUT®

Tags By-The-Roll

Portable, disposable dispenser roll for your on-the-go needs.

- Portable cardboard dispenser
 - Keep a large quantity of tags readily available
 - Innovative, convenient design
 - Tags are connected end-to-end with perforations, and housed in an eye-catching octagon-shaped cardboard dispenser
 - Dispenser box measures 6 5/8"H x 6 5/8"W x 3 5/8"D"
 - Box features 1 1/2" perforated center hole for mounting
- Available in 100 and 250 tags per roll

PFCARDSTOCK

- Tear- and water-resistant, PF-Cardstock tags
- Tags measure 6 1/4"H x 3"W, with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date, and add notes

Per Roll	Price / Roll
100	\$49.55
250	110.11



Portable cardboard dispenser.



Easily separate at perforations.



Spindle box design allows for easy mounting.

Lockout Tags



TAR114 - 100/Roll
TAR125 - 250/Roll



TAR404 - 100/Roll
TAR472 - 250/Roll



TAR402 - 100/Roll
TAR470 - 250/Roll



TAR406 - 100/Roll
TAR474 - 250/Roll



TAR460 - 100/Roll
TAR482 - 250/Roll



Standard Bilingual Lockout Back




TAR408 - 100/Roll
TAR476 - 250/Roll



TAR410 - 100/Roll
TAR478 - 250/Roll



TAR416 - 100/Roll
TAR426 - 250/Roll



Standard Lockout Back

Additional Tags are available on our website

Tags By-The-Roll with Grommets



A new twist to our popular Tags By-The-Roll product line, GROMMETS! Each tag now comes with a 5/16" metal grommet installed on the tag. Simply pull the tag out of the box, tear along the perforated line, and you are ready to go.

- Hole is reinforced with a metal grommet
- Use only what you need the rest stores in a convenient octagon-shaped box
- Box features 1 1/2" perforated center hole for mounting
- 6 1/4" x 3" tags available in tear and water resistant, PF-Cardstock material
- Tags feature writable matte surface, we recommend using a pen or permanent marker
- Dispenser Box measures 6 5/8"H x 6 5/8"W x 3 5/8"D
- Available 200 tags/roll

Price / Roll
\$130.38



PERSONALIZE IT!

Custom Tags By-The-Roll with Grommets

Create your custom version of Tags By-The-Roll with Grommets. Include your own message, company logo, or even add pictorials.



Quantity breaks available. Contact us for a quote.

Qty. per Roll	No.
200 per Roll	TAR855



NEW



Box of Tags

Box of Tags is a convenient way to keep safety tags in your tool bag, truck glove compartment, or even hang on your pegboard.

- Use only what you need, store the rest in the resealable box
- 5 3/4" x 3 1/4" tags available in tear-resistant and waterproof, PF-Cardstock material
- Each tag comes with a 3/8" plain hole
- Writable matte surface, ideal for writing with a pen or permanent marker
- Available 50 tags/box

Price / Box
\$30.24

[View Box of Tags backs on our website.](#)



TBX307



TBX301



TBX305



TBX303



TBX300



TBX309



TBX302



TBX304



TBX306

PERSONALIZE IT!

Custom Box of Tags

We can produce your specific message to include graphics, logos or other information in any color. Contact us with your details and part number **TBX355** for a price quote.



STOPOUT[®]

QuickTags[™]

Rugged and refillable dispenser for placement near equipment.

- Mountable or portable
- Compact and convenient design
- 8" x 4" x 1 3/4" reusable plastic dispenser with keyholes on the underside for mounting
- Fan-folded tags are connected end-to-end, easily separate at perforations
- Set includes dispenser plus 100 tags; refill packs available separately

PF-CARDSTOCK

- Tear- and water-resistant, 10-mil PF-Cardstock tags
- Tags measure 6 1/4" x 3" with 3/8" hole
- Writable matte surface, printed on both sides with space to sign, date, and add notes

Item	UOM	Price / UOM
QuickTags [™]	Set	\$53.46
Refill Tags Only	100 / Pkg.	47.77



QuickTags[™] Refill Pkg. TDR110 TDR301



QuickTags[™] Refill Pkg. TDR112 TDR303



QuickTags[™] Refill Pkg. TDR114 TDR305



QuickTags[™] Refill Pkg. TDR116 TDR307




QuickTags[™] Refill Pkg. TDR118 TDR309



QuickTags[™] Refill Pkg. TDR120 TDR311



QuickTags[™] Refill Pkg. TDR124 TDR315



Standard Lockout Back



QuickTags[™] Refill Pkg. TDR128 TDR319



Standard Back

PERSONALIZE IT!

Custom QuickTags[™]

QuickTags[™] can be developed in any of our existing tag legends, or develop a tag message for your specific application. Include your logo, colors, message, or graphics.

Quantity breaks available. Contact us for a quote.

Item	No.
QuickTags [™] Set - Dispenser w/ 100 tags	TDR155
Refill Tags Only - 100 / Pkg.	TDR255



Lockout Tags

Comply with tagout requirements of the OSHA Lockout/Tagout standard.

- Hang lockout tag when working on equipment and machinery
- Lockout tag is required to mark and identify the lockout situation
- Spaces on tag to write in lockout info – personnel involved, completion date, and additional notes
- Available in three materials in packs of 5 or 25




29 CFR §1910.147(b) Tagout Devices. A prominent warning device, such as a tag...to indicate that the energy isolating device and the equipment being controlled may not be operated until the tagout device is removed...

...(c)(5)(ii)(A)(2) Tagout devices shall be constructed and printed so that exposure to weather conditions or wet and damp locations will not cause the tag to deteriorate or the message on the tag to become illegible...

...(c)(5)(ii)(D) Identifiable.... tagout devices shall indicate the identity of the employee applying the device(s)...

...(c)(5)(iii) Tagout devices shall warn against hazardous conditions if the machine or equipment is energized and shall include a legend such as the following: Do Not Start, Do Not Open, Do Not Close, Do Not Energize, Do Not Operate...

...(d)(4)(iii) Tagout devices, where used, shall be affixed in such a manner as will clearly indicate that the operation or movement of energy isolating devices from the "safe" or "off" position is prohibited...



Standard Lockout Back



Bilingual Lockout Tags



PERSONALIZE IT!

Contact us for a Custom Tag quote

How to Order Tags:



Select Tag Part Number: **MLT428**



Add Material and Package Quantity Code: PF-Cardstock – CTP = **MLT428CTP**

Size	Material	Price per Package of 5		Price per Package of 25	
		Code	Price / Pkg.	Code	Price / Pkg.
5 3/4" x 3 1/4"	PF-Cardstock	CTM	\$3.35	CTP	14.93
5 3/4" x 3 1/4"	RP-Plastic	PTM	9.33	PTP	40.53
5 3/4" x 3 1/4"	HS-Laminate	LTM	13.51	LTP	57.88



SiteTags®

Provide immediate identification of those working on locked-out equipment!

Pre-designed SiteTags® are digitally printed with worker's photo, information, and a safety message for clear and efficient personalization. Save the time required to apply the photos yourself and be certain name and department information is legible. Pull-proof 3/8" metal grommet fits most padlock shackles (metal grommet not included with PF-Cardstock SiteTags®). Write-on area on back to fill in additional information with permanent marker. Available in multiples of five. To order, simply follow the instructions below.




- Choose Your SiteTag®** – Select from the pre-designed tag layouts shown.
- Contact Us** – We'll send you an electronic spreadsheet to fill in your information.
- Email Your Information** – Send us your completed spreadsheet and photo files.
Electronic image can be in a .JPG or .TIF file format at 150 dpi

Tags must be ordered in multiples of five (5) identical tags, containing exactly the same worker photo, name, and department information. Example: an order of 15 tags can have three (3) different workers maximum - five of each.

To order, add material code after part number and provide quantity.

Material	Code	Size	10 - 15	16 - 24	25 - 49	50 - 99	100 - 249	250+
PF-Cardstock	CT	5 3/4" x 3 1/4"	\$3.45	2.65	2.42	1.88	1.51	1.11
RP-Plastic	PT	5 3/4" x 3 1/4"	5.73	4.79	4.34	3.48	2.68	2.05
HS-Laminate	LT	5 3/4" x 3 1/4"	7.71	6.71	6.08	4.99	4.02	3.31

Note: Cardstock tags do not come with a grommet.



_____ Add Custom Image
 _____ Add Custom Name
 _____ Add Custom Department

PERSONALIZE IT!

Custom SiteTags®

Add your company logo, barcodes, sequential numbering or other options. Contact us with respective part number **MCT555**, (PT, LT) and your details for a quote.



Standard Perma-Tag™ Back

Perma-Tags™

Harsh industrial environments are no match for our exclusive Perma-Tag™!

- Made from recycled polycarbonate, perfect for harsh corrosive environments
- Relief text will ensure your message always remains visible
- Choose from 4 popular standard messages with a standard back
- Write on these tags with permanent marker
- 3/8" hole without grommet meets dielectric requirements
- Measures 5 7/16" x 3 1/16" x 1/8"



How to Order Perma-Tags™:

- Select Tag Part Number: **MPMTS07**
- Add Material and Package Quantity Code: **MPMTS07PTP**

Price per Package of 5		Price per Package of 25	
Code	Price / Pkg.	Code	Price / Pkg.
PTM	\$12.60	PTP	54.99



Perma-Tag™ Labels

Self-Adhesive Vinyl label is 1 1/4" x 2 1/2", available in rolls of 100 either blank or sequentially numbered — specify starting number when ordering.

Item	No.	Price / Roll
Blank	MPTBAL	\$26.68
Sequential Numbers	MPTSAL	34.48

Loop 'n Lock™ Tie Tags

Secure tag to make sure it stays there to warn of hazardous situation.

- Self-locking plastic tie strap is permanently attached to the tag
- 8" long, ribbed tie strap adjusts and locks for tight security with a rated 50-lb. pull strength
- Can only be cut or pulled apart with excessive force
- 3/8" metal grommet reinforces the tie strap to the 15-mil RP-Plastic Tag
- 5 3/4" x 3 1/4" shackle
- Available in packs of 10

Price / Pkg. of 10
\$33.82



TAK631

TAK635

TAK641

TAK643



TAK639

TAK645

Standard Lockout Back

PERSONALIZE IT!

Custom Loop 'n Lock™

Your custom legend and/or message along with a symbol (if required) can be printed on Loop 'n Lock™ Tie Tags. We can produce 25 or more tags. Contact us for a quote

Quantity breaks available. Contact us for a quote.

Item	No.
Custom Loop 'n Lock™ Tie Tags	RTT555

Group Lockout – Job Tag

- Used to account for those locking the Group Lock Box
- Identifies the equipment has been shut down and locked out
- Used to lock out point of the energy source
- Information about the worker, equipment, and lockbox are to be filled out on the tag



Standard MDT169
Jumbo MDT181

Back



OSHA 29 CFR 1910.147(f)(3)(ii)(D) Each authorized employee shall affix a personal lockout or tagout device to the group lockout device, group lockbox, or comparable mechanism when he or she begins work, and shall remove those devices when he or she stops working on the machine or equipment being serviced or maintained.

Group Lockout – Master Tag

- Used to account for those involved in the group lockout
- Space is available on the tag for each worker to sign on and off
- Identifies the equipment controlled by the lockbox or hasp group and the authorized person for the group lockout



Standard MDT241
Jumbo MDT245

Back



OSHA 29 CFR 1910.147(f)(3)(ii)(A) Primary responsibility is vested in an authorized employee for a set number of employees working under the protection of a group lockout or tagout device (such as an operations lock).

How to Order Tags:



Select Tag Part Number: MDT241



Add Material and Package Quantity Code: PF-Cardstock – CTP = MDT241CTP

Size - Standard	Size - Jumbo	Material	Price per Package of 5			Price per Package of 25		
			Code	Price / Standard	Price / Jumbo	Code	Price / Standard	Price / Jumbo
5 3/4" x 3 1/4"	8 1/2" x 3 7/8"	PF-Cardstock	CTM	\$3.35	3.95	CTP	14.93	17.06
5 3/4" x 3 1/4"	8 1/2" x 3 7/8"	RP-Plastic	PTM	9.33	12.31	PTP	40.53	54.31
5 3/4" x 3 1/4"	8 1/2" x 3 7/8"	HS-Laminate	LTM	13.51	14.84	LTP	57.88	67.35



Self-Laminating Lockout Tags

- Self-adhesive clear polyester flap protects the message
- Simply lift the protective flap, write, sign, date, peel off liner, and seal the flap to laminate over the tag



How to Order Tags:

Select Tag Part Number: **MLT600**

Add Material and Package Quantity Code:
PF-Cardstock - LCP = **MLT600LCP**

Size	Material	Price per Package of 5		Price per Package of 25	
		Code	Price / Pkg.	Code	Price / Pkg.
5 3/4" x 3 1/4"	PF-Cardstock	LCM	\$5.66	LCP	22.84
5 3/4" x 3 1/4"	RP-Plastic	LPM	11.62	LPP	51.26

Mini Lockout Tags

For small areas and spaces, use mini tags.

- Sized to reduce the potential for interference with other controls and access
- 4 1/4" x 2 1/8" tags have same header and remarks space as regular size tags
- Available in packs of 25



How to Order Mini Tags:

Select Tag Part Number: **TAM105**

Add Material and Package Quantity Code: PF-Cardstock - CTP = **TAM105CTP**

Size	Price per Package of 25	
	PF-Cardstock - CTP	RP-Plastic - PTP
4 1/4" x 2 1/8"	\$10.93	30.95

Nylon Ties

One-piece ties quickly fasten and secure tags to areas of notification.

- Quickly fasten and secure tags to areas of notification
- Ties are tamper-resistant and cannot be reopened
- Cut or break tie to remove
- Ties have 50-lb. pull strength
- 10 3/4" ties only available in black



29 CFR 1910.147 (c) (5) (ii) (C) (2) ...Tagout device attachment means be of a non-reusable type, attachable by hand, self-locking, and nonreleasable with a minimum unlocking strength of no less than 50 pounds and having the general design and basic characteristics of being at least equivalent to a one-piece, all-environment-tolerant nylon cable tie.

*To order, add color code after part number: Red - RD, Orange - OR, Yellow - YL, Green - GN, Blue - BU, Purple - PR, White - WT, Black - BK.
**Available in black only.

Length	Pkg. Qty.	No.	Price / Pkg.
7 1/2"	100	HTT108*	\$13.08
10 3/4"	50	HTT103**	9.19

Cable Wraps

Prevent potential injuries by marking and identifying dangerous cables with these red-and-white hazard stripe wraps.

- Displays 3"H x 4"W with "Danger" message on both sides
- Overall dimensions are 3"H x 8"W
- Constructed of tear-resistant material that must be cut off to remove
- Quick and easy to apply with peel-off scored liner
- Available in packages of 5

Price / Pkg. of 5
\$12.31



LKW100



LKW102



LKW104



LKW106

PERSONALIZE IT!

Custom Cable Wraps

Customize with your specific size, wording, message or symbols. Contact us with part number **LKW155** for a quote.



Lockout Procedure Station, Binder, and Lockout Safety Procedure Form shown. Available as Kit, Item KSS142.

Lockout Procedure Station

Document, track, and provide easy access to lockout/tagout procedures in one convenient location.

- The two-color, aluminum backboard measures 20"H x 14"W
- Powder-coated steel wire rack holds a 1 1/2" 3-ring binder (included)
- Organizes your Lockout Procedure Forms - 25/pk (included)
- Record steps to perform proper lockout procedures

Energy Source & Isolation Forms allow you to quickly identify and list energy source type, location of lockout device, and means of lockout.

Additional forms and binders available.

Item	No.	UOM	Price / UOM
Station, Binder, Procedure Forms	KSS142	Kit	\$92.93
1 1/2" Binder	KSS146	Each	24.36
Additional Forms			
Lockout Safety Procedure	KSS144	Pkg. of 25	5.39
Energy Source & Isolation	KSS151	Pkg. of 25	5.39

Lockout/Tagout Safety Training Program


Train, educate, and inform employees of proper safety procedures.

- Provide OSHA-required training for the "control of hazardous energy (lockout/tagout)" under OSHA 29 CFR, Part 1910.147
- Overview on the purpose and application of the Lockout/Tagout standard
- Includes DVD and supporting documents for required Lockout/Tagout training
 - Contains "risk scenarios" with quizzes that refer back to the standard
 - Shows the results of disregarding the Lockout/Tagout procedure

Kit contents:

- 1 20-minute Extended-play DVD Training Video
- 1 Instructor's Guide (with Training Log page)
- 11 Employee Handbooks
- 1 "Trainer Tools" CD (includes transparency masters, quizzes with answer keys, case study discussions, posters, and clip art)
- 1 Awareness Poster

Item	No.	Price / Kit
English DVD	KTP316	\$431.39
Spanish DVD	KTP318	431.39



Hard Hat Labels

Show your commitment to safety with Hard Hat Labels.

- Adhesive vinyl labels conform to curved, irregular surfaces
- Easily identify those who are trained in Lockout/Tagout protocols
- 2 1/4" diameter decal with self-adhesive back and peel-off liner
- Waterproof and weatherproof
- Available in packages of 10

Price / Pkg. of 10
\$8.13



2 1/4" LHTL128



2 1/4" LHTL134




2 1/4" LHTL344

Wallet Card

Once trained, Wallet Cards provide a quick reference for employees to carry with them wherever they go.

- Color printed self-laminating plastic with bold color styling
- Conveys important training information at a glance
- Measures 2 1/8" x 3 3/8"
- Available in packs of 5 or 25




5 Pack LKC207LPM
25 Pack LKC207LPP

Plastic	
Price / Pkg. of 5	Price / Pkg. of 25
\$11.62	51.26

Accuform
16228 Flight Path Drive
Brooksville, FL 34604

Mailroom Receiving: This catalog is an important tool to those in charge of safety at your location. If the addressee is no longer at your location, please route this catalog to those in charge of purchasing signs, labels, tags and other safety related products.


 Please Recycle

See Accuform.com/Terms for Terms & Conditions.
Items noted with  may require special handling & shipping.



STOPOUT
Slide 'n Lock™
Lock out large handle circuit breakers with the Slide 'n Lock™.

See Page **6**



STOPOUT
Circuit Breaker Lockout
Ratchet down to quickly fit and secure lockout onto circuit breaker.

See Page **7**



STOPOUT
Cinch Cable Lockout
Universal spooling cable can lock out multiple devices at once.

See Page **10**



STOPOUT
Trailer-Lock Glad Hand Lockout
Deter unauthorized trailer drive-offs by blocking access to the emergency brake air line.

See Page **14**



STOPOUT
StopPlug™ AC Plug Lockout
The lowest priced universal plug lockout device available!

See Page **16**



STOPOUT
Group Lock Boxes
Look to view the keys and padlocks in a secure lock box that is shaped to say STOP!

See Pages **26 & 27**



Inform, Protect, and Motivate®
800.237.1001 | www.accuform.com