

OIL & GAS EXPRESS

SAFETY ID ESSENTIALS FOR PETROCHEM



Tags By-The-Roll

Tear- and water-resistant, PF-Cardstock tags are provided in a dispenser box allowing quick access anywhere that safety tags are needed.

*For more,
see page 6*



Safety Signs

Our signs are American-made and skillfully crafted using technologically advanced inks on quality materials suited for industrial environments.

*For more,
see page 9*



Man-Way Cross™ Barriers

Adjustable barriers block access to confined spaces while conveying vital safety requirements.

*For more,
see page 45*



Decibel Meter Signs

Signs that measure and visually display decibel levels to alert workers when hearing protection is required.

*For more,
see page 37*

Protected By Sign Muscle®



Sign Muscle® Liquid Laminate, pioneered by AccuformNMC, is scientifically powerful enough to protect the messages of over 90,000 products from harsh environments AND keep workers safe! Look for the icon identifying products protected by Sign Muscle®.

PERSONALIZE IT!

Make your custom vision a reality

Easy to start, easy to plan, easy to order

ACCUFORMNMC™
Justrite Safety Group

www.accuformNMC.com
FL - 800.237.1001
RI - 800.453.2727



DANGER
FLAMMABLE
NO SMOKING

EXTRACTION


Perimeter signs, lease identification, general PPE signage, labels, tags, lockout devices and more
Page 9



DANGER
DO NOT OPERATE
THIS LOCKTAG MAY ONLY BE REMOVED BY THE OPERATOR

PIPELINE/ TRUCKS


Pipeline identification, tags, DOT markings, lockout devices
Page 6



Oil & Gas

Identification Needs from Extraction to Point-of-Use

Keep production teams motivated and informed of safety requirements and status as soon as they enter the facility.



SECURITY NOTICE
MARSEC 2
MARSEC 3
BOARDING THIS VESSEL OR ENTERING THIS FACILITY IS DEEMED VALID CONSENT TO SECURITY SCREENING OR INSPECTION.

TANKER SHIPS

International Maritime Organization onboard safety signs, in-port MARSEC signs
Page 36



FUEL GAS →

WATER →

NATURAL GAS →

REFINING

Facility identification, perimeter signs, lockout/tagout, pipe markers, PPE signage, dispensers, banners, windsocks, and more
Page 38



NOTICE
HAZARD RATING
4 Extreme 1 Slight
3 Serious 0 Minimal
2 Moderate

DEPOT/ POINT-OF-USE

Tank identification, PPE signage, secondary container markings, flammable signage, and more
Page 24

Just Look for

PERSONALIZE IT!

Not sure where to start?

Our Team is ready to solve any of your identification problems. We're committed to offering you documented cost savings, and creative guidance so you can start standardization across your enterprise and reinforce your corporate branding and messaging.

Don't let materials or sizes limit you!

The possibilities are nearly endless. We can create completely unique visual messaging on a vast array of products in almost any material, size or shape.

Easy to start, easy to plan, easy to order!

Call or Email us with details about your unique identification needs, and our team of custom experts will make it happen:

ACCUFORMNMC™

Justrite Safety Group

www.accuformNMC.com

FL: 800.237.1001

customerservice@accuform.com

RI: 800.453.2727

quotes@nationalmarker.com

1 FROM
IDEA



2 TO PROOF



3 TO REALITY



Make your custom vision a reality

Safety Sign



Tags-By-The-Roll



Decibel Meter



Projector



Don't let materials or sizes limit you!

PERSONALIZE IT! Easy to start, easy to plan, easy to order

How to Order

1. Develop your Message and/or Layout
2. Select Materials & Colors
3. Size, Placement & Quantity
4. Send us your request

The Benefits

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge
- We can customize a wide range of our products

Call or Email Us

We will put your specifications together to create a custom product to meet your exact needs.

Tags By-the-Roll

Identify temporary hazards until it is eliminated, or the hazardous operation is completed.

- Identify temporary hazards until it is eliminated, or the hazardous operation is completed.
- Keep a large quantity of safety tags available and together for portability
- 6 5/8"H x 6 5/8"W x 3 5/8"D octagonal disposable, cardboard dispenser
- Pull out the 6 1/4"H x 3"W poly cardstock tag from the box, tear at perforation
- Scuff-resistant, matte surface writes on easily
- Comply with OSHA 29 CFR 1910.145 and ANSI Z535



TAR114 - 100/Roll
TAR125 - 250/Roll

General Safety



TAR104 - 100/Roll
TAR140 - 250/Roll

TAR110 - 100/Roll
TAR121 - 250/Roll

TAR118 - 100/Roll
TAR148 - 250/Roll

TAR130 - 100/Roll
TAR152 - 250/Roll

Lockout



TAR404 - 100/Roll
TAR472 - 250/Roll

TAR114 - 100/Roll
TAR125 - 250/Roll

TAR410 - 100/Roll
TAR478 - 250/Roll

TAR416 - 100/Roll
TAR426 - 250/Roll

TAR418 - 100/Roll
TAR480 - 250/Roll

Barricade & Scaffold



TAR136 - 100/Roll
TAR160 - 250/Roll

TAR128 - 100/Roll
TAR158 - 250/Roll

TAR112 - 100/Roll
TAR113 - 250/Roll

TAR101 - 100/Roll
TAR103 - 250/Roll

TAR109 - 100/Roll
TAR111 - 250/Roll

Inspection & Status Records



TAR159 - 100/Roll
TAR166 - 250/Roll

TAR712 - 100/Roll
TAR732 - 250/Roll

TAR708 - 100/Roll
TAR728 - 250/Roll

TAR703 - 100/Roll
TAR723 - 250/Roll

TAR714 - 100/Roll
TAR730 - 250/Roll



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Loop 'n Lock™ Tie Tags

- Self-locking plastic tie strap is permanently attached to the tag
- 8" long, ribbed tie strap adjusts and locks securely
- Remove by cutting or excessive force, tie is 50-lb. pull rated
- 3/8" metal grommet reinforces the tie strap to the RP-Plastic Tag
- 5 3/4" x 3 1/4" tag body

WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

Unit
Pack 10


TAK607



Loop 'n Strap™ Tags

- Unique self-locking tab wraps around equipment, eliminating the need for additional ties.
- 5 1/4" x 3 1/4" tag body with the strap being 1 3/8"W x 6"L x 7/16" wide opening
- Single-sided printed message

Unit
Pack 25



Safety Tags

Prevent accidents, protect equipment, and track inspections.

- **PF-Cardstock (CTP)** Pliable, (pulp-free) Polyolefin based material. Tear- and water-resistant for light duty, short-term use with 3/8" hole
- **RP-Plastic* (PTP)** Plastic tags are tear-resistant, weatherproof, and resistant to chemicals, grease, and dirt with 3/8" hole, reinforced by a pull-proof, metal grommet
- Black Nylon Ties (**HTT106**) (sold separately)
- 5 3/4" x 3 1/4"

WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

To order, add material code after part number.

| Material | Unit |
|----------|---------|
| CTP | Pack 25 |
| PTP | Pack 25 |



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Custom options available for a wide range of products. See page 4 for details.

PERSONALIZE IT!

Box of Tags

- 5 3/4" x 3 1/4" tags available in tear-resistant and waterproof, PF-Cardstock material
- Each tag comes with a 3/8" plain hole
- Writable matte surface, ideal for writing with a pen or permanent marker

Unit
Box 50



TBX305



TBX301



TBX306



TBX308



TBX307

Scaffold Holders

Ensure workers are informed and protected by displaying the appropriate status tag whenever scaffolding is erected. Holder is made of durable ABS engineered plastic, and prominently displays "DO NOT USE" whenever a status tag is not in place.

- Holder sold individually, in packs of 10, and as a kit with tags & markers
- Color: White
- Hole Diameter: 2.34"

| Item | No. | Unit |
|-----------------|----------------|---------|
| Scaffold Holder | TSS809 | Each |
| Scaffold Holder | TSS809P | Pack 10 |

Scaffold Inspection Tags

- 7.63" x 3.25"
- Custom Tags Available

See SKU suffix to identify material options:

| Code | Materials | Unit |
|------------|-------------------|---------|
| CTP | PF-Cardstock | Pack 25 |
| PTP | Plastic w/Grommet | Pack 25 |

See SKU suffix to identify material options:

12.16"

2.34"

Space Available For Tag: 8.38"



3.38"

3.62"




TRS348CTP (Blank Back)




TRS349CTP (Blank Back)



TRS351CTP (Blank Back)



TRS310PTP



TRS323PTP



TRS347PTP

Scaffold Tag Inspection Kit

- Includes:
- 10 Holders
 - 25 Green Tags
 - 25 Yellow Tags
 - 2 Permanent Markers

Unit
Kit



TSS302 (Plastic Only)



TSS301 (PF-Cardstock Only)



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Safety Signs

Every sign we make is American-made and skillfully crafted with technologically advanced inks on quality materials to ensure you are receiving the quality signage you expect.

- **Adhesive Vinyl (VS)** – Ideal for indoor and sheltered outdoor marking needs. Flexible vinyl with a printed matte surface. Permanent adhesive back with peel-off liner.
- **Plastic (VP)** – Impact-resistant and pliable, plastic is durable for indoor and sheltered outdoor use. Print is protected by Sign Muscle® to guard against harsh abuse and even graffiti. Rounded corners with mounting holes.
- **Aluminum (VA)** – Ideal for tough indoor and harsh outdoor locations. Rigid aluminum provides metal strength without rust. Print is protected by Sign Muscle® to guard against harsh abuse and even graffiti. Withstands wash-downs, abrasion, and chemical splashes—rounded corners with mounting holes.



To order, add material code after part number.

| Material | Unit |
|----------|------|
| VS | Each |
| VP | Each |
| VA | Each |



| | | | | | |
|---|--|--|--|--|---|
| 7" x 10" MADM130 10" x 14" MADM006 | 7" x 10" MCHL191 10" x 14" MCHL192 14" x 20" MCHL155 | 7" x 10" MCPG101 10" x 14" MCPG104 | 7" x 10" MCSP116 10" x 14" MCSP002 | 7" x 10" MCSP140 10" x 14" MCSP141 | 7" x 10" MCSP133 10" x 14" MCSP134 |
| 7" x 10" MCSP019 10" x 14" MCSP018 | 7" x 10" MCSP122 10" x 14" MCSP026 | 7" x 10" MCRT101 10" x 14" MADM014 | 7" x 10" MCHL224 10" x 14" MCHL226 | 7" x 10" MADM138 10" x 14" MADM139 | 7" x 10" MELC017 10" x 14" MELC018 |
| 7" x 10" MELC275 10" x 14" MELC022 | 7" x 10" MCRT147 10" x 14" MCSP188 | 7" x 10" MFPR104 10" x 14" MFPR105 | 7" x 10" MCRT013 10" x 14" MCRT008 | 7" x 10" MCHL228 10" x 14" MCHL231 | 7" x 10" MCHG101 10" x 14" MCHG102 |
| 7" x 10" MCHL186 10" x 14" MCHG052 | 7" x 10" MSMK254 10" x 14" MSMK246 | 7" x 10" MSMK251 10" x 14" MSMK243 | 7" x 10" MCHL241 10" x 14" MCHL245 | 7" x 10" MCHL054 10" x 14" MCHL038 | 7" x 10" MPPA004 10" x 14" MPPA005 |
| 7" x 10" MCHL090 10" x 14" MCHL088 | 7" x 10" MCHL091 10" x 14" MCHL092 | 14" x 10" SBMCHL092 20" x 14" SBMCHL267 | 7" x 10" MCHL269 10" x 14" MCHL285 | 7" x 10" MCHL288 10" x 14" MCHL295 | 7" x 10" MPPE219 10" x 14" MPPE218 |
| 7" x 10" MCHG033 10" x 14" MCHG034 | 7" x 10" MELC113 10" x 14" MELC114 | 7" x 10" MELC127 10" x 14" MELC128 | 7" x 10" MCPG019 10" x 14" MCPG020 14" x 20" MCPG010 | 14" x 10" SBMCPG020 20" x 14" SBMCPG010 | 7" x 10" MADM145 10" x 14" MADM146 |



Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs



7" x 10" MEQM062
10" x 14" MEQM060



7" x 10" MSMK132
10" x 14" MSMK133



7" x 10" MSMK004
10" x 14" MSMK025



7" x 10" MSMK118
10" x 14" MSMK012



7" x 10" MADM292
10" x 14" MADM076



7" x 10" MCHL168
10" x 14" MCHL170



7" x 10" MSTF201
10" x 14" MCRT010



7" x 10" MCSP007
10" x 14" MCSP058



7" x 10" MEQM021
10" x 14" MEQM020



14" x 10" SBMCHG041



10" x 14" SBMCHG107
14" x 20" SBMCHG108



7" x 10" MEQD101
10" x 14" MCRT001



7" x 10" MCHL341
10" x 14" MCHL347



7" x 10" MCHL320
10" x 14" MCHL327



7" x 10" MCHL317
10" x 14" MCHL309



7" x 10" MECR304
10" x 14" MECR305



7" x 10" MRHZ307
10" x 14" MRHZ306



7" x 10" MELC636
10" x 14" MELC640



7" x 10" MPPE799
10" x 14" MPPA618



7" x 10" MCHL652
10" x 14" MCHL668
14" x 20" MCHL649



10" x 7" MRHL600
14" x 10" MRHL603



7" x 10" MECR631
10" x 14" MECR633




7" x 10" MEQC720
10" x 14" MEQC721



7" x 10" MPPE436
10" x 14" MPPA608



7" x 10" MVHR686
10" x 14" MVHR607
14" x 20" MVHR609



10" x 14" MCHL707



7" x 10" MELC642
10" x 14" MELC643



7" x 10" MCHL645
10" x 14" MCHL644



7" x 10" MCHL632
10" x 14" MCHL630



10" x 7" MRHL602
14" x 10" MRHL601



7" x 10" MCHL690
10" x 14" MCHL716



7" x 10" MCPG611
10" x 14" MCPG612
14" x 20" MCPG609



7" x 10" MELC600
10" x 14" MELC615



7" x 10" MECR620
10" x 14" MECR622
14" x 20" MECR621



7" x 10" MEQM617
10" x 14" MECR606
14" x 20" MECR623



14" x 10" MVHR636



7" x 10" MVHR680
10" x 14" MVHR687
14" x 20" MVHR688



10" x 14" MVHR634



10" x 14" MVHR612
14" x 20" MVHR696



7" x 10" MSTF646
10" x 14" MSTF648



7" x 10" MVHR631
10" x 14" MVHR633



7" x 10" MECR601
10" x 14" MECR605



7" x 10" MSTF645
10" x 14" MSTF661



10" x 14" MTKC814
14" x 20" MTKC818



7" x 10" MADC800
10" x 14" MADC801



7" x 10" MCHL827
10" x 14" MCHL828



7" x 10" MCHL821
10" x 14" MCHL833



7" x 10" MRST811
10" x 14" MRST805



Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs

Safety Signs, continued

To order, add material code after part number.

| Material | Unit |
|----------|------|
| VS | Each |
| VP | Each |
| VA | Each |



7" x 10" MFXG805
10" x 14" MFXG804



7" x 10" MCHL820
10" x 14" MCHL832



7" x 10" MACC822
10" x 14" MACC821



7" x 10" MADM401
10" x 14" MADM832



7" x 10" MPPE854
10" x 14" MPPA801



7" x 10" MCHL826
10" x 14" MCHL807



7" x 10" MASE806
10" x 14" MASE807



10" x 14" MTKC801



7" x 10" MVHR830
10" x 14" MVHR842



10" x 14" MVHR902



7" x 10" MCHL908
10" x 14" MCHL907



10" x 14" MSMG529
14" x 20" MSMG530



10" x 14" MVHR589



7" x 10" MCHL553
10" x 14" MHCM502



12" x 18" MVHR539



7" x 10" MCHL558
10" x 14" MCHL507



7" x 10" MEXT584
10" x 14" MEXT918



10" x 14" MCHL572



7" x 10" MCHL564
10" x 14" MCHL565




7" x 10" MCPG588
10" x 14" MCPG529



7" x 10" MCPG595
10" x 14" MCPG596



7" x 10" MCPG589
10" x 14" MCPG526



10" x 14" MHCM503



10" x 14" MWLD510



7" x 10" MEXT562
10" x 14" MEXT518



10" x 7" MFXG417
14" x 10" MFXG908



7" x 10" MFXG425
10" x 14" MFXG909



7" x 10" MFSD959
10" x 14" MFSD960



7" x 10" MCPG584
10" x 14" MCPG523



7" x 10" MCPG593
10" x 14" MCPG597



7" x 10" MCPG586
10" x 14" MCPG525



7" x 10" MSMK423
10" x 14" MSMK570



10" x 7" MSMK407
14" x 10" MSMK919



7" x 10" MEXT910
10" x 14" MEXT911

Safety Labels

- Moisture-resistant
- Ideal for indoor or sheltered environments
- Available in Adhesive Vinyl (VSP) packs of 5

To order, add material code after part number.

| Material | Unit |
|----------|--------|
| VSP | Pack 5 |



3 1/2" x 5" LCHL148



3 1/2" x 5" LCHL285



1 1/2" x 3" LCHL174
Pack of 10



3 1/2" x 5" LCHL155



3 1/2" x 5" LCHL300



3 1/2" x 5" LCHL293



3 1/2" x 5" LEQM015



3 1/2" x 5" LEQM647



Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs

Custom options available for a wide range of products. See page 4 for details.

PERSONALIZE IT!





Heavy-Duty Floor Marking Strips

The best choice for superior durability, performance, and easy-to-apply Floor Marking solutions for your industry!

Durable strips stand up to everyday floor abuse, including forklift traffic.

- Strips are made with 55-mil thick polyethylene with an aggressive polypropylene adhesive backing
- Beveled edges reduce tears and lifts from pallet dragging
- Full adhesive back forms a solid bond, eliminating liquid from seeping underneath
- Easily applies and bonds to a variety of clean sealed, and non-coated surfaces
- 48-inch long strips allow you to keep lines straight
- Strips are easily trimmed to needed length or to create corners
- Perfect for the Set in Order phase of 5S implementations
- Service temperature range: -90°F to 168°F
- Additional colors available



2" x 48" **PTP202YL**



3" x 48" **PTP203RD**



4" x 48" **PTP204GN**

| Part No. | Color | Size | Unit |
|-----------------|--------|----------|---------|
| PTP202GN | GREEN | 2" x 48" | Pack 10 |
| PTP202RD | RED | 2" x 48" | Pack 10 |
| PTP202YL | YELLOW | 2" x 48" | Pack 10 |

| Part No. | Color | Size | Unit |
|-----------------|--------|----------|---------|
| PTP203GN | GREEN | 3" x 48" | Pack 10 |
| PTP203RD | RED | 3" x 48" | Pack 10 |
| PTP203YL | YELLOW | 3" x 48" | Pack 10 |

| Part No. | Color | Size | Unit |
|-----------------|--------|----------|---------|
| PTP204GN | GREEN | 4" x 48" | Pack 10 |
| PTP204RD | RED | 4" x 48" | Pack 10 |
| PTP204YL | YELLOW | 4" x 48" | Pack 10 |



PERSONALIZE IT!

Contact us for Custom print, size, and shape Tough-Mark™ Strips



LED Virtual Sign Projector

The ideal solution for high-traffic areas. Project safety message/image onto floor or wall surface, in walkways, drive lanes, work areas, and entry points.

- Projector contains CREE high power LED chip, long-life 50,000 hr. energy-efficient LED bulb
- Projector includes interchangeable lens disc insert (additional lenses sold separately)
- Integrated cooling fan designed to prevent overheating
- Remote control & mounting kit included
- IP65 rated for damp environments.* CE and RoHS certified
- 9" x 6" x 5" projector housing case is heavy-duty cast aluminum
- Operates on 110V with 3 ft. power cord and 3-prong plug
- Not recommended for outdoor use.



Unit
Each



Projector & Lens
Lens Only VSP1
VSPL1



Projector & Lens
Lens Only VSP2
VSPL2




Projector & Lens
Lens Only VSP3
VSPL3



Projector & Lens
Lens Only VSP4
VSPL4

Distance Chart

Image size determined by distance from the projector



Custom options available for a wide range of products. See page 4 for details.

PERSONALIZE IT!

Walk-On Slip-Gard™ Floor Signs

- Vinyl sign is overlaminated with a protective, non-slip, pebble-textured vinyl surface
- Message is protected from heavy pedestrian traffic
- Strong, permanent acrylic adhesive back with peel-off liner
- 17" Diameter

Unit
Each

MFS727 MFS779 MFS721 MFS1717

MFS773 MFS702 MFS725 MFS2317 MFS2217 MFS2817

Walk-On Slip-Gard™ Floor Marking Kits

- Includes eight piece pre-cut border and 12" x 12" diamond floor sign
- Non-slip textured surface
- Configurable in 4-ways to meet your unique needs



Unit
Kit



Pre-Cut Assortment Pack

WFK01 WFK05 WFK07 WFK11



Configurable in Four Ways!

36" x 24" 36" x 36" 30" x 24"*
* Shown above 30" x 36"



Container Tags

- High impact and chemical resistant polycarbonate
- Two-ply tags are subsurface printed with UV-resistant inks
- Measures 2" x 5" and has 1/4" rounded corners with 3/8" hole



TCH204



TCH208



TCH206



TCH202

Unit
Each

⚠ **WARNING:** Reproductive Harm – www.P65Warnings.ca.gov



Container Labels

- Self-adhesive, poly-composite with UV protective coating
- Resists abrasions, humidity, chemicals, and solvents
- Permanent, acrylic adhesive

Unit

Pack 5



3" x 7" LCHL566 VSP



3" x 7" LCHL532 VSP



2" x 5" LCHL545 VSP



2" x 5" LCPG502 VSP



3" x 7" LCHL586 VSP



3" x 7" LCHL558VSP



2" x 9" LCHL579 VSP

Isolation Blind Tags

- Plastic material measures 2" x 21"
- Includes a 3/8" metal grommet
- Alert workers to location of blinds installed during maintenance or lock out

To order, add pack code after part number.

| Materials | Unit |
|-----------|---------|
| PTM | Pack 5 |
| PTP | Pack 25 |

⚠ **WARNING:**
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

◦ **INSTALL BLIND HERE**

MDT503

◦ **ISOLATION BLIND**

MDT507

◦ **BLIND INSTALLED**


MDT509

◦ **CONFINED SPACE BLIND**

MDT504

◦ **DO NOT OPERATE**

MDT510





Custom Vehicle Signs

Create an impactful solution to identify your fleet vehicles with your exclusive company information. Photographic-quality digital printing affords unlimited colors.

- **Magnetic Co-Poly Vinyl (MG)** Ideal for vehicles, large equipment, metal storage units, and most steel or ferrous metal surfaces. Protected by Sign Muscle®



| Size | Mg | Unit |
|-----------|---------------|------|
| 12" x 18" | MG1218 | Each |
| 12" x 24" | MG1224 | Each |
| 14" x 20" | MG1420 | Each |
| 18" x 24" | MG1824 | Each |

Custom See-Thru Glass-Graphics™

- Unique perforated white/black flexible vinyl conforms to curved surfaces
- 70/30 vinyl perforation pattern yields 70% material for optimal viewing of the printed image

| Custom | Unit |
|---------------|------|
| WDW555 | Each |



Truck and Trailer Labels

Available individually in Adhesive Vinyl (VSE) or Reflective Sheet (RFE) only.

To order, add material code after part number.

| Material | Unit |
|------------|------|
| VSE | Each |
| RFE | Each |



14" x 14" **LVHR610**
12" x 18" **LVHR614**



7" x 10" **LVHR559**
10" x 14" **LVHR561**



10" x 14" **LVHR617**



2" x 24" **LVHR620**



4" x 24" **LVHR609**



14" x 10" **LVHR616**
18" x 12" **LVHR618**



10" x 14" **LVHR563**



10" x 14" **LVHR615**



8" x 36" **LVHR505**



10" x 14" **LVHR568**



10" x 14" **LVHR303**



4" x 12" **LVHR525**

Vehicle Labels



3 1/2" x 5" **LVHR520VSP**



3 1/2" x 5" **LVHR565VSP**



3 1/2" x 5" **LVHR560VSP**



3 1/2" x 5" **LVHR518VSP**



3 1/2" x 5" **LVHR512VSP**



3" x 7" **LVHR537VSP**



3" x 7" **LVHR552VSP**



3" x 7" **LVHR557VSP**



Unit
Box Pack 5

Safety Hard Hat Stickers

- Waterproof
- Self-adhesive back with peel-off liner
- 2 1/4" diameter

Unit
Pack of 10



LHTL346



LHTL350



LHTL114



LHTL336



LHTL208



LHTL342



LHTL198
2.25" x 1.5"



LHTL168



LHTL158



LHTL180



Worker Emergency ID


- Made with 3M Scotchlite® Reflective Material
- Affixes safely to the exterior of worker's hard hat or clothing
- 100% waterproof ID card has ample amount of space to write on



| Size | No. | Unit |
|-----------------|----------------|---------|
| 1/2"H x 2 3/4"W | LHTL674 | Pack 25 |
| 3/4"H x 3 1/4"W | LHTL676 | Pack 25 |

Flag Helmet Stickers

- Adhesive vinyl material
- Labels are flexible to conform to the curve of a hard hat
- Waterproof
- Permanent adhesive back with peel-off liner



| Size | USA No. | Canada No. | Mexico No. | Unit |
|-------------|----------------|----------------|----------------|---------|
| 1" x 1 3/4" | LHTL366 | LHTL391 | LHTL375 | Pack 10 |
| 1 1/2" x 3" | LHTL201 | LHTL393 | LHTL377 | Pack 10 |
| 2" x 4" | LHTL364 | LHTL395 | LHTL379 | Pack 10 |

Retro-Reflective Hard Hat Stickers

- Permanent self-adhesive back with peel-off liner.
- 1" x 4"

Unit
Sheet 16



Fluorescent Lime Green Yellow
LHR104GNYL



Fluorescent Red Orange
LHR104RDOR



White
LHR104WT



Blue
LHR104BU



Red
LHR104RD

⚠ **WARNING:** Reproductive Harm – www.P65Warnings.ca.gov

In Case of Emergency (ICE) Hard Hat Labels

- Record emergency information on vinyl self-laminating Hard Hat Labels
- 1 1/2" x 6"



LHTL250



LHTL251

Unit
Pack 5

Banana-Brim Grinding Catcher

- Can be applied to either top or bottom of brim
- Made of durable, flexible magnetic copolymer vinyl
- Attract small, loose airborne ferrous-metal particles
- 1 3/4"H x 7 3/4"W with adhesive back

| Type | No. | Unit |
|--------------|---------------|------|
| Safety First | LHB750 | Each |
| Blank | LHB753 | Each |



Pipe Markers

Pipe markers visibly identify contents, flow direction and hazard classification.

Compliance Counts: ASME A13.1 Compliant - Identifying Piping Systems

ASME A13.1 Scheme for the Identification of Piping Systems "...a uniform system for the identification of piping contents has been established to warn personnel when the piping contents are inherently hazardous... this standard has been prepared to specify the identification of the contents of piping systems on the basis of legends, it also suggests the use of color as a supplementary means of identifying the type of hazard of the material contained in the system."

How to Order

1. Legend

Find Legend: **RPK345**

GAS

2. Material

Select Material and Size Code:

SSA – Self Stick, 3/4" to 1 1/4"

3. Color Code

Add Code to Legend No: **RPK345SSA**

| Legend | No. |
|--------------------------|--------|
| ACETYLENE GAS | RPK103 |
| AIR | RPK123 |
| AIR RETURN | RPK125 |
| AMMONIA | RPK137 |
| ARGON | RPK143 |
| ASBESTOS FREE INSULATION | RPK147 |
| BREATHING AIR | RPK173 |
| CARBON DIOXIDE | RPK179 |
| CAUSTIC | RPK185 |
| CHILLED WATER RETURN | RPK201 |
| CHILLED WATER SUPPLY | RPK203 |
| CHLORINE | RPK207 |
| COLD WATER | RPK217 |
| COLD WATER SUPPLY | RPK223 |
| COMPRESSED AIR | RPK225 |
| COMPRESSED AIR | RPK227 |
| CONDENSATE | RPK229 |
| COOLING WATER | RPK247 |
| COOLING WATER RETURN | RPK249 |
| DEIONIZED WATER | RPK253 |
| DEIONIZED WATER SUPPLY | RPK257 |
| DIESEL OIL | RPK259 |
| ELECTRIC TRACED | RPK305 |
| FEED | RPK311 |

| Legend | No. |
|---------------------------|--------|
| FIRE MAIN | RPK321 |
| FUEL GAS | RPK333 |
| FUEL OIL | RPK337 |
| GAS | RPK345 |
| GASOLINE | RPK351 |
| GLYCOL | RPK359 |
| GLYCOL RETURN | RPK365 |
| GLYCOL SUPPLY | RPK371 |
| HIGH PRESSURE GAS | RPK403 |
| HIGH PRESSURE STEAM | RPK413 |
| HIGH PRESSURE NATURAL GAS | RPK419 |
| HOT | RPK421 |
| HOT WATER | RPK423 |
| HYDRAULIC OIL | RPK443 |
| HYDROGEN | RPK453 |
| INSTRUMENT AIR | RPK469 |
| INSTRUMENT AIR | RPK471 |
| LOW PRESSURE NATURAL GAS | RPK491 |
| LOW PRESSURE STEAM | RPK499 |
| LUBE OIL | RPK503 |
| MIXED GAS | RPK521 |
| NATURAL GAS | RPK523 |
| NITROGEN | RPK533 |
| NON-POTABLE WATER | RPK541 |


| Legend | No. |
|-----------------|--------|
| OIL | RPK543 |
| OXYGEN | RPK551 |
| PLANT AIR | RPK563 |
| PLANT WATER | RPK565 |
| POTABLE WATER | RPK575 |
| PROPANE GAS | RPK585 |
| RETURN | RPK611 |
| SALT WATER | RPK619 |
| SOAP | RPK641 |
| SPRINKLER FIRE | RPK663 |
| SPRINKLER WATER | RPK665 |
| STEAM | RPK667 |
| STEAM SUPPLY | RPK671 |
| SUPPLY | RPK689 |
| TREATED WATER | RPK711 |
| VACUUM | RPK717 |
| WASTE WATER | RPK729 |
| WATER | RPK735 |
| → | RPK759 |
| → | RPK761 |
| → | RPK763 |
| → | RPK765 |
| → | RPK767 |
| → | RPK769 |

Directional Flow Arrow Tape

Provide 360° visibility for flow direction with printed arrows repeated the entire tape length. Tape has self-adhesive back. Available in standard ANSI colors. Available wound in 54-ft. rolls.

To order, add color code after the part number. Available colors:

BKOR - Black/Orange **BKYL** - Black/Yellow,
GNWT - Green/White **BUWT** - Blue/White,
RDWT - Red/White **WTBR** - White/Brown



| Order # | Size | UOM |
|---------------|-------------|------|
| RAW252 | 1" x 54-ft. | Roll |
| RAW254 | 2" x 54-ft. | Roll |
| RAW258 | 4" x 54-ft. | Roll |

Materials



Snap Tite™

Ideal for use on less-than-perfect pipe surfaces.

- Pre-coiled, heavy-gauge 20-mil rigid vinyl plastic is light weight, yet durable to withstand tough industrial environments
- Marker 'snaps' around to fit 360° over pipe
- Easy to remove and reapply
- Service temperature range: -4° to 158°F (not recommended for hot pipes)

| Size Code | Pipe Diameter | Marker Size |
|------------|----------------|-------------|
| STA | 3/4" to 1 1/4" | 6" x 8" |
| STB | 1 1/2" to 2" | 9" x 8" |
| STC | 2 1/4" to 3" | 14" x 12" |
| STE | 3 1/4" to 5" | 19" x 12"* |
| STF | 5 1/4" to 6" | 25" x 12"* |

*Has self-adhesive leading edge for secure fit



Self-Stick Vinyl

Displays printed legend with detachable arrow for proper directional flow marking.

- Adhesive vinyl resistant to withstand harsh environments.
- High-tack, acrylic adhesive back with peel-off liner
- Adhere to clean, smooth pipe surface
- Service temperature range: -20° to 176°F

| Size Code | Pipe Diameter | Marker Size |
|------------|----------------|--------------|
| SSA | 3/4" to 1 1/4" | 1" x 8" |
| SSB | 1 1/2" to 2" | 1 1/2" x 8" |
| SSD | 2 1/2" to 6" | 2 1/2" x 12" |
| SSH | 8" to 10" | 4" x 24" |

Custom GHS Labels

Use labels to convey hazard class information in accordance with the Globally Harmonized System (GHS).

Labels follow the information guidelines specified by the GHS and must include OSHA's required label elements. For GHS and DOT pictogram combination labels, larger label sizes are recommended. The DOT requires that transport pictograms be at least 4" x 4". OSHA publishes no size requirements for the GHS label or GHS pictograms, but it is recommended the label elements be proportionate to each other.



Required Label Elements

Format 1

Custom GHS Pictogram Label

1 **ACETONE** CAS Number: 67-64-1
Category 2 Flammable Liquid and Category 2A Eye Damage/Irritation

3 **3** **3**

2 **DANGER**

4 Highly flammable liquid and vapor. Causes severe eye irritation.

5 Keep away from heat, sparks and flame - No smoking. Take precautionary measures against static discharge. Keep from direct sunlight. Keep container closed when not in use. Store in a cool/low temperature, well-ventilated place away from heat and ignition sources. Use only in a well-ventilated area. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment, avoid direct contact. Flush eyes with water for at least 15 minutes while holding eyelids open.

6 Company Name: _____
Address: _____
City: _____ State: _____ Zip: _____ Telephone: _____

Format 2

Custom GHS and DOT Pictogram Combination Label

1 CAS Number: 67-64-1
ACETONE

2 **Danger**

4 Highly flammable liquid and vapor. Causes severe eye irritation.

3 **3** **3** **3**

6 Company Confidential

1234 First Avenue
Any Town, Any State 12345
Phone Number: 123-456-7891

5 Fill weight: 10 lbs.
Gross weight: 21 lbs.
Expiration: 5/13/14
Lot Number: 012456
Fill Date: 8/14/12

5 Keep away from heat, sparks and flame - No smoking. Take precautionary measures against static discharge. Keep from direct sunlight. Keep container closed when not in use. Store in a cool/low temperature, well-ventilation place away from heat and ignition sources. Use only in a well ventilated area. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment, avoid direct contact. Flush eye with water for at least 15 minutes while holding eyelids open.

- | | | |
|--|---|---|
| <p>1 Product Identifier Should match the product identifier used on the Safety Data Sheets.</p> | <p>3 Pictograms Graphic compositions intended to convey specific hazard information.</p> | <p>5 Precautionary Statements Describe recommended measures to minimize or prevent adverse effects resulting from exposure.</p> |
| <p>2 Signal Word Indicates the relative level of the hazard's severity. "Danger" and "Warning" are the GHS signal words.</p> | <p>4 Hazard Statements A phrase assigned to a hazard class and category that describes the nature of the product hazards.</p> | <p>6 Supplier Identification The name, address, and telephone number of the manufacturer or supplier.</p> |

Adhesive Dura-Vinyl™ (XV)

- Printed image protected by clear poly overlamine from moisture, chemical splash, and abrasion
- Permanent acrylic adhesive backing
- Durability: 5-7 years outdoors
- Scored backing for quick peel-off and application
- Service temperature range: -40° to 176°F

Actual label design and layout may vary and are subject to the discretion of the competent authority.

Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

Quantity Breaks Available.

| Size | No. | Unit |
|-------------|----------------|------|
| 3 1/2" x 5" | LZH470 | Each |
| 5" x 7" | LZH471 | Each |
| 7" x 10" | LZH472 | Each |
| 9" x 12" | LZH473* | Each |
| 10" x 14" | LZH476* | Each |
| other size | LZH455 | Each |

*Sizes recommended for combination labels

Custom Hazard Communication Notification Signs

How to Build Your Hazard Communication Notification Sign

1. Choose Your Format

NFPA- and HMCIS-style customizable templates are available. Choose which works best for your specification needs. Provide us your requirements if you want to modify any information.

Fill in the Blanks Using Guide Below

Provide us all the necessary information relating to your hazardous chemical.

- | | |
|---|--|
| 1 Chemical Name | 11 Effect on Target Organ |
| 2 CAS No. | 12 First Aid Procedures |
| 3 UN No. | 13 Precautions |
| 4 D.O.T. Classification | 14 Emergency Response |
| 5 Health Level | 15 Emergency Contact # (Fire) |
| 6 Flammability Level | 16 Emergency Contact # (Security) |
| 7 Instability Level | 17 Emergency Contact # (Medical) |
| 8 Specific Hazard | 18 Signal Word |
| 9 Required Personal Protective Equipment | 19 Statement of Hazard |
| 10 Target Organ | |



2. Decide on the Sign Size

Standard sizes are listed with each of the formats by part number. If you need a different size, provide us with your sign dimension requirements.

3. Determine the Sign Material to Complete Your Order – See page 22

Ask yourself where you will place your sign, how long it will be used, and what kind of elements it will need to withstand. We offer materials for light-duty applications and for harsh environments.


Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

ANSI Z129.1 Right-To-Know (RTK) Format

Meet the precautionary marking standard for chemical containers.

The elements included in the format are: the chemical name in bold, reverse type; Chemical Abstract Service (CAS) number; NFPA 704 diamond system; signal word; hazard statements; precautionary measures; first aid procedures; emergency response procedures; contact names; and phone numbers.

| Size | No. | Unit |
|-----------|-----|------|
| 5" x 7" | ZRM | Each |
| 7" x 10" | ZRA | Each |
| 10" x 14" | ZRB | Each |
| 14" x 20" | ZRC | Each |
| 20" x 28" | ZRJ | Each |



Indicate: 1, 2, 5, 6, 7, 8, 12, 18, 19



Example

For sign material choices and order information, see page 22

NFPA Format 1

- Uses NFPA 704 Diamond System with quadrants and rating codes defined
- Personal Protective Equipment symbols for quick comprehension
- Precautions help avoid known hazards
- First Aid explains how to respond when in contact with hazard
- Your phone numbers provide quick access in an emergency

| Size | No. | Unit |
|-----------|-------------|------|
| 10" x 7" | ZNR1 | Each |
| 14" x 10" | ZNY1 | Each |
| 20" x 14" | ZNW1 | Each |
| 28" x 20" | ZNZ1 | Each |

Indicate: 1, 5, 6, 7, 8, 9, 12, 13, 15, 16, 17

Example

HMCIS Format 1

- DOT and HMCIS classification information in an easy to understand format
- Personal Protective Equipment and Target Organs uses symbols for quick understanding without searching through wording
- First Aid explains how to respond when coming in contact with the hazard
- Precautions point out how to stay clear of known hazards
- Spills and Leaks summarizes important information in the event of an emergency

| Size | No. | Unit |
|-----------|-------------|------|
| 7" x 10" | ZHA1 | Each |
| 10" x 14" | ZHB1 | Each |
| 14" x 20" | ZHC1 | Each |
| 20" x 28" | ZHJ1 | Each |

Example

Indicate: 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14

NFPA Format 2

- Uses NFPA 704 Diamond System with the quadrants identified and the rating codes defined
- Personal Protective Equipment uses symbols for quick understanding without searching through wording
- Chemical name and CAS number are in bold large type prominently occupying the right corner of the sign

| Size | No. | Unit |
|-----------|-------------|------|
| 7" x 10" | ZNA2 | Each |
| 10" x 14" | ZNB2 | Each |
| 14" x 20" | ZNC2 | Each |
| 20" x 28" | ZNJ2 | Each |

Example

Indicate: 1, 2, 5, 6, 7, 8, 9

HMCIS Format 2

- Uses HMCIS Placarding systems
- Personal Protective Equipment uses symbols for quick understanding without having to search through wording
- Chemical name and CAS number are in bold large type and located at the top of the sign or label

| Size | No. | Unit |
|-----------|-------------|------|
| 10" x 7" | ZHR2 | Each |
| 14" x 10" | ZHY2 | Each |
| 20" x 14" | ZHW2 | Each |
| 28" x 20" | ZHZ2 | Each |

Indicate: 1, 2, 5, 6, 7, 9

Example

For sign material choices and order information, see page 22

Choose Your Sign Material

To order, add material code after part number:

Accu-Shield™ – AS, Aluma-Lite™ – XL, Dura-Plastic™ – XT, Adhesive Dura-Vinyl™ – XV.



Accu-Shield™ (AS)

- Two-ply, polycarbonate plastic with industrial-strength backing
- Resists fading, chemicals, corrosion, abrasions, cracking, and chipping
- Non-glare subsurface print encapsulated by permanently bonded smooth vinyl
- Rounded corners and 1/4" mounting holes on most sizes, will be adjusted for larger sizes
- Service temperature: polycarbonate at -60° to 260°F; backing -40° to 176°F

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Aluma-Lite™ (XL)

- Resists impacts, flexing, vandalism, corrosion, chemicals, abrasions, and more
- Material is 40% lighter than solid aluminum, yet maintains the same durability and rigidity
- Printed surface protected by Sign Muscle®
- Service temperature range: -40° to 176°F



Dura-Plastic™ (XT)

- Semi-rigid polycarbonate protected by Sign Muscle® Liquid Laminate
- Resists abrasion, humidity, and chemicals
- Rounded corners and 3/16" mounting holes on most sizes, will be adjusted for larger sizes
- Service temperature range: -50° to 190°F



Adhesive Dura-Vinyl™ (XV)

- Printed image protected by clear poly overlamine from moisture, chemical splash, and abrasion
- Permanent acrylic adhesive backing
- Durability: 5-7 years outdoors
- Scored backing for quick peel-off and application
- Service temperature range: -40° to 176°F

Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

PERSONALIZE IT! Custom Signs Made Easy

How to Order

1. Develop Message
2. Select Materials & Colors
3. Size & Placement
4. Send us your order

The Benefits

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge

Call or Email Us

We will put your specifications together to create a custom sign to meet your exact needs.


Blank NFPA Placards & Self-Adhesive Hazard Panels

- Placards are printed with the proper color coding using UV stable inks
- Write in the numbers & symbols or use pre-printed number & symbol hazard panels
- Hazard panels are clear, self-adhesive polypropylene
- Kits include: 1 blank placard, 15 numbers (three sets of 0-4), 7 hazard symbols, and 1 NFPA Wallet Guide



ZFD515XT Placard Kit shown

Hazard Panels



NFPA Blank Placards & Placard Kits

NFPA placards are available blank or as part of a kit that includes 15 numbers (three sets of 0-4), seven Specific-Hazard symbols, and NFPA Wallet Guide.

Dura-Plastic™ and Aluminum are protected by Sign Muscle®.



| Material | Blank Placards | | Kits | |
|--------------------------|-----------------|------|-----------------|------|
| | No. | Unit | No. | Unit |
| 4" x 4" Placard | | | | |
| Adhesive Vinyl | MBLEV4 | Each | ZFD404EV | Kit |
| 6" x 6" Placard | | | | |
| Adhesive Vinyl | MBLEV6 | Each | ZFD606EV | Kit |
| Magnetic Vinyl | ZFD600MG | Each | ZFD606MG | Kit |
| Dura-Plastic™ | ZFD600XT | Each | ZFD606XT | Kit |
| 10" x 10" Placard | | | | |
| Adhesive Vinyl | MBLEV10 | Each | ZFD101EV | Kit |
| Magnetic Vinyl | MBLMG10 | Each | ZFD101MG | Kit |
| Dura-Plastic™ | ZFD100XT | Each | ZFD101XT | Kit |
| Aluminum | ZFD100PA | Each | ZFD101PA | Kit |
| 15" x 15" Placard | | | | |
| Adhesive Vinyl | MBLEV15 | Each | ZFD515EV | Kit |
| Magnetic Vinyl | MBLMG15 | Each | ZFD515MG | Kit |
| Dura-Plastic™ | ZFD151XT | Each | ZFD515XT | Kit |
| Aluminum | ZFD151PA | Each | ZFD515PA | Kit |

Individual Hazard Panels*

*To order, add symbol or number code to the part number.

Example: NAP120SA (.50" symbol, Simple Asphyxiant)

| Use No Water WTR | Oxidizer OXY | Simple Asphyxiant SA | Radiation Hazard RAD | Corrosive COR | Acid ACD | Alkali ALK |
|---------------------------------|--------------|----------------------|----------------------|---------------|----------|------------|
| For use with 4" placard | | | | | | |
| Character Height | | Character Style | No. | Unit | | |
| 1.33" | | Number | NAP111* | Each | | |
| .50" | | Symbol | NAP120* | Each | | |
| For use with 6" placard | | | | | | |
| 2.29" | | Number | NAP131* | Each | | |
| .70" | | Symbol | NAP140* | Each | | |
| For use with 10" placard | | | | | | |
| 3.87" | | Number | NAP151* | Each | | |
| 1.39" | | Symbol | NAP160* | Each | | |
| For use with 15" placard | | | | | | |
| 5.78" | | Number | NAP171* | Each | | |
| 2.13" | | Symbol | NAP180* | Each | | |

NFPA Placard Floor Kits

- Hazard Panels: Black on clear, self-adhesive polyester
- Clear vinyl overlamine cover with non-slip surface to protect in high-traffic and harsh environments



| Placard Size | Overlamine Size | Character Height | No. | Kit |
|--------------|-----------------|------------------|------------------|------|
| 6" x 6" | 10" | 1 5/8" | MNFPAFS10 | Each |
| 10" x 10" | 17" | 4" | MNFPAFS17 | Each |



Don't see what you need?

Call us today for more options and customization!



Compliance Counts:
OSHA Hazard Communication compliant


NFPA Placard Signs

Placard Signs display the four-color NFPA diamond format for the hazard categories. Blank signs are available, allowing you to fill in hazard rating numbers and symbols. Kit contains sign and adhesive numbers and symbols - printed black on clear polyester to fit the hazard panels.

To order, add material code after part number.

| Material Code | Description |
|---------------|----------------|
| VS | Adhesive Vinyl |
| VP | Plastic |
| VA | Aluminum |

NFPA Hazardous Materials Classification



Sign Only
 10" x 7" ZFD870
 14" x 10" ZFD878

Sign Kit
 10" x 7" ZFD881
 14" x 10" ZFD889




Bilingual Spanish

Sign Only
 10" x 7" SBZFD870
 14" x 10" SBZFD878

Sign Kit
 10" x 7" SBZFD881
 14" x 10" SBZFD889

NFPA Notice Chemical Hazard



Sign Only
 10" x 7" ZFD806
 14" x 10" ZFD807

Sign Kit
 10" x 7" ZFD814
 14" x 10" ZFD837

NFPA Notice Hazard Rating



Sign Only
 10" x 7" ZFD801
 14" x 10" ZFD802

Sign Kit
 10" x 7" ZFD812
 14" x 10" ZFD816

Each kit includes:

- One sign
- 15 numbers (three sets of 0-4)
- Specific hazard symbols (OX,W,SA,ACID, COR, ALK, and the Radiation Symbol)
- NFPA wallet guide



| Sign Size | Diamond Size | Char. Size |
|-----------|-----------------|------------|
| 10" x 7" | 2 3/4" x 2 3/4" | 1.25" |
| 14" x 10" | 4" x 4" | 1.5" |


* ⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

NFPA Flip Placard Sign

- Aluminum flip panels display the hazard rating required by NFPA 704
- 15 1/2" x 15 1/2" sturdy, aluminum protected by Sign Muscle®
- .120" clear plastic face fits over placard with center screw
- Four 3/16" corner mounting holes




ZPF125



Unit
Each

Chemical Identification NFPA Flip Placard Sign

- NFPA Flip Placard Sign is mounted onto a 30"H x 24"W aluminum backplate protected by Sign Muscle®
- Slide in a removable 5"H x 24"W Dura-Plastic™ chemical nameplate on the top
- Four 1/4" corner mounting holes, plus two 3/8" post-mount holes for backplate



ZPF236



PPN524

When ordering, please specify chemical name for nameplate.


| Item | No. | Unit |
|-------------------------------|--------|------|
| Flip Placard Sign | ZPF236 | Each |
| Additional Chemical Nameplate | PPN524 | Each |



Compliance Counts:
OSHA Hazard Communication compliant

NFPA Diamond Roll Labels

- Consists of four quadrants in the NFPA format and colors
- Fill in each diamond with hazard code and symbol



2" x 2"
4" x 4"
6" x 6"
LZN631
LZN633
LZN635

To order, add material and package quantity code after part number.

| Material | Code | Unit |
|-----------------------|------------|----------|
| Adhesive Coated Paper | PS2 | Roll 250 |
| Adhesive Coated Paper | PS5 | Roll 500 |
| Adhesive-Poly | EV2 | Roll 250 |
| Adhesive-Poly | EV5 | Roll 500 |

NFPA Protective Equipment Labels

- Both chemical hazard information and protective equipment (PPE) on one Adhesive-Poly label
- Fill in the NFPA hazard codes and check off appropriate PPE
- Overlaminates for PPE Labels priced separately

| Size | PPE Label No. | Clear Overlaminates No. | Unit |
|-------------|---------------|-------------------------|------|
| 3 1/2" x 5" | LZN111 | LZS155 | Each |
| 5" x 7" | LZN112 | LZS156 | Each |
| 7" x 10" | LZN113 | LZS157 | Each |
| 10" x 14" | LZN114 | LZS158 | Each |

Self-Laminating NFPA Protective Equipment Labels

- Adhesive-Poly with polyester overlaminates flap

| Size | No. | Unit |
|-------------|---------------|---------|
| 3 1/2" x 5" | LZN415 | Pack 25 |
| 5" x 7" | LZN412 | Pack 25 |

NFPA Target Organ Labels

- Combines the specific chemical and human body hazard information
- Fill in the NFPA hazard codes
- Check off the list for: route of entry, health hazards, physical hazards, and target organs and effects
- Adhesive-Poly material
- Overlaminates for Target Organ Labels priced separately

| Size | Target Organ Labels No. | Clear Overlaminates No. | Unit |
|-------------|-------------------------|-------------------------|------|
| 3 1/2" x 5" | LZN102 | LZS155 | Each |
| 5" x 7" | LZN103 | LZS156 | Each |
| 7" x 10" | LZN104 | LZS157 | Each |

NFPA Chemical Identification Labels


- Fill in the NFPA diamond hazard codes
- Check off substance characteristics, severity of health hazards, and personal protective equipment
- Adhesive-Poly material

| Size | No. | Unit |
|----------|---------------|------|
| 5" x 7" | LZN205 | Each |
| 7" x 10" | LZN207 | Each |

Compliance Counts:
OSHA Hazard Communication compliant

NFPA Classification Diamond Roll Labels

- A quick way to reference the codes
- NFPA diamond format and colors with respective hazard codes and list of symbols



2" x 2"
4" x 4"
6" x 6"
LZN643
LZN644
LZN646

Chemical Name: _____

| HEALTH HAZARD | FIRE HAZARD (FLASH POINT) | REQUIRED PERSONAL PROTECTIVE EQUIPMENT |
|---|---|--|
| 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material | 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn | <input type="checkbox"/> Safety Glasses <input type="checkbox"/> Gloves <input type="checkbox"/> Splash Goggles <input type="checkbox"/> Synthetic Apron <input type="checkbox"/> Face Shield & Eye Protection <input type="checkbox"/> Full Suit <input type="checkbox"/> Dust Respirator <input type="checkbox"/> Boots <input type="checkbox"/> Vapor Respirator <input type="checkbox"/> Other: _____ |
| Use NO WATER with Oxidizer, Simple Asphyxiant, Acid, Alkali, Corrosive, Radiation Hazard | 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable | |
| SPECIFIC HAZARD | INSTABILITY HAZARD | |

Chemical Name: _____

| HEALTH HAZARD | FIRE HAZARD (FLASH POINT) | REQUIRED PERSONAL PROTECTIVE EQUIPMENT |
|---|---|--|
| 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material | 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn | <input type="checkbox"/> Safety Glasses <input type="checkbox"/> Gloves <input type="checkbox"/> Chemical Goggles <input type="checkbox"/> Synthetic Apron <input type="checkbox"/> Face Shield & Eye Protection <input type="checkbox"/> Protective Clothing <input type="checkbox"/> Dust Respirator <input type="checkbox"/> Boots <input type="checkbox"/> Vapor Respirator <input type="checkbox"/> Other: _____ |
| Use NO WATER with Oxidizer, Simple Asphyxiant, Acid, Alkali, Corrosive, Radiation Hazard | 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable | |
| SPECIFIC HAZARD | INSTABILITY HAZARD | |

CHEMICAL NAME _____

| HEALTH HAZARD | FIRE HAZARD (FLASH POINT) | CHECK OFF APPROPRIATE BOXES |
|---|---|--|
| 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material | 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn | ROUTE OF ENTRY <input type="checkbox"/> INHALATION <input type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE CONTACT <input type="checkbox"/> SWALLOWED |
| Use NO WATER with Oxidizer, Simple Asphyxiant, Acid, Alkali, Corrosive, Radiation Hazard | 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable | HEALTH HAZARDS <input type="checkbox"/> NO HEALTH HAZARD <input type="checkbox"/> IRRITANT <input type="checkbox"/> TOXIC <input type="checkbox"/> CORROSIVE <input type="checkbox"/> REPRODUCTIVE TOXIC <input type="checkbox"/> CARCINOGEN |
| SPECIFIC HAZARD | INSTABILITY HAZARD | PHYSICAL HAZARDS <input type="checkbox"/> NO PHYSICAL HAZARD <input type="checkbox"/> COMBUSTIBLE LIQUID <input type="checkbox"/> COMBUSTIBLE SOLID <input type="checkbox"/> OXIDIZER <input type="checkbox"/> FLAMMABLE GAS <input type="checkbox"/> FLAMMABLE LIQUID/SOLID |
| | | TARGET ORGANS & EFFECTS <input type="checkbox"/> LUNGS <input type="checkbox"/> SKIN <input type="checkbox"/> EYES <input type="checkbox"/> CENTRAL NERVOUS SYSTEM <input type="checkbox"/> RESPIRATORY SYSTEM <input type="checkbox"/> REPRODUCTIVE SYSTEM <input type="checkbox"/> BLOOD <input type="checkbox"/> HEART <input type="checkbox"/> OTHER |

CHEMICAL NAME _____ Address _____

Chemical Manufacturer's/Importer Name _____ Emergency Phone _____

PHYSICAL HAZARDS

HEALTH HAZARDS: 4-Deadly, 3-Extreme danger, 2-Hazardous, 1-Slightly hazardous, 0-Normal material

FIRE HAZARD (FLASH POINT): 4-Below 73°F, 3-Below 100°F, 2-Below 200°F, 1-Above 200°F, 0-Will not burn

Use NO WATER with Oxidizer, Simple Asphyxiant, Acid, Alkali, Corrosive, Radiation Hazard

4. May Detonate
3. Shock And Heat May Detonate
2. Violent Chemical Change
1. Unstable If Heated
0. Stable

PERSONAL PROTECTION

Safety Glasses Apron Respirator
 Splash Goggles Boots Full Protection Suit
 Gloves Face Shield Vapor Respirator

ROUTE OF EXPOSURE

INHALATION INGESTION ABSORPTION THROUGH SKIN

TARGET ORGANS

SKIN LUNGS CENTRAL NERVOUS SYSTEM
 EYES KIDNEYS RESPIRATORY SYSTEM
 BLOOD LIVER REPRODUCTIVE SYSTEM
 HEART RESPIRATORY SYSTEM REPRODUCTIVE SYSTEM


NFPA Diamond Identifier Roll Labels

- Fill in NFPA Diamond with appropriate hazard codes (in the colored diamonds) & symbol (in the white diamond)

To order, add material code after part number.


| Materials | Code | Unit |
|-----------------------|------------|----------|
| Adhesive Coated Paper | PS5 | Roll 500 |
| Adhesive-Poly | EV5 | Roll 500 |

Common-Chemical Identifier




LZN601

Chemical Identifier



LZN602


Chemical Classification Identifier



LZN125


Self-Laminating NFPA Diamond Identifier Roll Labels

- Attached clear polyester flap adheres and covers the label surface for protection
- 1" x 3" Adhesive-Poly labels with adhesive back



LZN401EV

| |
|----------|
| Unit |
| Roll 100 |



LZN401EV

GHS/NFPA Secondary Label

- 3 1/2" x 5" Adhesive-Poly label with non-coat surface to write-on with pen or marker
- Permanent acrylic adhesive back

| |
|------|
| Unit |
| Each |

NFPA & NFPA-HMCIS Wallet Guides

Quick reference fits in employee's pocket.

- Back features hazard rating code index definitions
- Measures 2 1/8" x 3 3/8"

NFPA-HMCIS Wallet Guide - NFPA and HMCIS are combined onto one card. Color-printed plastic, NFPA diamond and HMCIS multi-bar with hazard rating codes in the front.

NFPA Wallet Guide - Color-printed plastic, NFPA diamond with hazard rating codes in the front.

HAZARDOUS MATERIALS CLASSIFICATION

HEALTH HAZARD
 4 - Deadly
 3 - Extreme danger
 2 - Hazardous
 1 - Slightly hazardous
 0 - Normal material

FIRE HAZARD - Flash Point
 4 - Below 73° F
 3 - Below 100° F
 2 - Below 200° F
 1 - Above 200° F
 0 - Will not burn

INSTABILITY
 4 - May detonate
 3 - Shock and heat may detonate
 2 - Violent chemical change
 1 - Unstable if heated
 0 - Stable

IDENTIFICATION

| INSTABILITY | |
|----------------------------------|--|
| Susceptibility to Energy Release | |
| 4 | May detonate under normal conditions. |
| 3 | May detonate with shock or heat. |
| 2 | Violent chemical change but does not detonate. |
| 1 | Not stable if heated use precautions. |
| 0 | Normally stable. |

NFPA

| HEALTH HAZARD | FIRE HAZARD | INSTABILITY |
|---------------|-------------|-------------|
| 1 | 1 | 1 |
| 0 | 0 | 0 |

HAZARDOUS MATERIALS CLASSIFICATION

HEALTH HAZARD
 4 - Deadly
 3 - Extreme danger
 2 - Hazardous
 1 - Slightly hazardous
 0 - Normal material

FIRE HAZARD
 4 - Below 70° F
 3 - Below 100° F
 2 - Below 200° F
 1 - Above 200° F
 0 - Will not burn

INSTABILITY HAZARD
 4 - May detonate
 3 - Shock and heat may detonate
 2 - Violent chemical change
 1 - Unstable if heated
 0 - Stable

IDENTIFICATION

| INSTABILITY | |
|----------------------------------|--|
| Susceptibility to Energy Release | |
| 4 | May detonate under normal conditions. |
| 3 | May detonate with shock or heat. |
| 2 | Violent chemical change but does not detonate. |
| 1 | Not stable if heated use precautions. |
| 0 | Normally stable. |

NFPA-HMCIS

| HEALTH HAZARD | FIRE HAZARD | INSTABILITY HAZARD |
|---------------|-------------|--------------------|
| 1 | 1 | 1 |
| 0 | 0 | 0 |

| NFPA No. | NFPA-HMCIS No. | Unit |
|---------------|----------------|------|
| THS200 | THS202 | Each |


| NFPA No. | NFPA-HMCIS No. | Unit |
|----------------|----------------|---------|
| THS200P | THS202P | Pack 25 |

Compliance Counts:
OSHA Hazard Communication compliant



HMCIS Roll Labels

- Five color bar format of HMCIS
- Available in Adhesive Coated Paper or Adhesive-Poly
- Choose from three sizes



2" x 2"
4" x 4"
6" x 6"

LZS113
LZS115
LZS117


To order, add material code after part number.

| Material | Unit | Code |
|-----------------------|----------|------|
| Adhesive Coated Paper | Roll 250 | PS2 |
| Adhesive Coated Paper | Roll 500 | PS5 |
| Adhesive-Poly | Roll 250 | EV2 |
| Adhesive-Poly | Roll 500 | EV5 |

Self-Laminating HMCIS Protective Equipment Labels

- Printed on adhesive vinyl with attached polyester overlaminat flap

| Size | No. | Unit |
|-------------|--------|---------|
| 3 1/2" x 5" | LZS215 | Pack 25 |
| 5" x 7" | LZS216 | Pack 25 |




HMCIS Protective Equipment Labels

- Both chemical hazard information and protective equipment on one label
- Fill in each color bar with hazard codes
- Add appropriate protective equipment code


HMCIS Target Organ Labels

- Combines the specific chemical and human body hazard information
- Fill in each color bar with hazard codes
- Check off the list for: route of entry, health hazards, physical hazards, and target organs and effects

| Size | Protective Equipment No. | Target Organ No. | Unit |
|-------------|--------------------------|------------------|------|
| 3 1/2" x 5" | LZS415 | LZS401 | Each |
| 5" x 7" | LZS416 | LZS402 | Each |
| 7" x 10" | LZS417 | LZS403 | Each |
| 10" x 14" | LZS418 | LZS404 | Each |



Protective Equipment



Target Organ

 Compliance Counts:
OSHA Hazard Communication compliant



ZRS641



ZRS632



SBZRS641



SBZRS632

Plastic SDS Binders

- Contrasting red letters on front cover and spine
- Three-ring binder with 36" metal security chain

| Version | Ring Size | RD/YL No. | RD/WT No. | Unit |
|-----------|-----------|-----------------|-----------------|------|
| English | 1 1/2" | ZRS641 | ZRS632 | Each |
| English | 2 1/2" | ZRS642 | ZRS634 | Each |
| English | 3" | ZRS643 | ZRS640 | Each |
| Bilingual | 1 1/2" | SBZRS641 | SBZRS632 | Each |
| Bilingual | 2 1/2" | SBZRS642 | SBZRS634 | Each |

SDS Job Site Binders with Handles

- Made of durable plastic with carry handles
- Contrasting red letters on front cover and spine
- Three-ring binder holds 8 1/2" x 11" documents



Binders with Handles are not compatible with wire basket centers.

| Version | Ring Size | RD/YL No. | RD/WT No. | Unit |
|-----------|-----------|-----------------|-----------------|------|
| English | 2 1/2" | ZRS942 | ZRS934 | Each |
| English | 3" | ZRS943 | ZRS940 | Each |
| Bilingual | 2 1/2" | SBZRS942 | SBZRS934 | Each |
| Bilingual | 3" | SBZRS943 | SBZRS940 | Each |

Basket-Style Aluminum Safety Data Sheet (SDS) Centers

- 20"H x 15"W made of heavy-duty aluminum backboard protected by Sign Muscle®
- PVC-coated steel wire basket holds a standard three-ring 1 1/2" binder (included in kit)
- Four corner mounting holes



 Compliance Counts:
OSHA Hazard Communication compliant



Kit **ZRS407**
Board Only **ZRS408**



Kit **ZRS409**
Board Only **ZRS410**

Trilex Striped Eyewash/Shower Signs




Bright, attention-getting striped signs clearly identify eyewash and shower stations.

- Highly visible, bold stripes with contrasting alternating color combinations that stand out against a facility background
- 30"x8", 3-sided sign with opening along leading back edge to slip over and easily install to existing pipe.
- 3/16" mounting holes
- Heavy-duty plastic protected by Sign Muscle®

To order, add color code after part number:
 Orange/Yellow – **ORYL**, Orange/Green – **ORGN**
 Orange/White – **ORWT**, Black/Yellow – **BKYL**


| Material | No. | Unit |
|------------------|----------------|------|
| Standard Plastic | MFSD975 | Each |




Outdoor Muster Point Signs

- Printed on Engineer-Grade Prismatic (EGP) reflective surface aluminum for added visibility
- Protected by Sign Muscle®

| Unit |
|------|
| Each |



24" x 24" **FRR918RA**
 30" x 30" **FRR919RA**



24" x 24" **FRR922RA**
 30" x 30" **FRR923RA**



18" x 24" **FRR912RA**
 24" x 30" **FRR913RA**



18" x 24" **FRR928RA**
 24" x 30" **FRR929RA**



18" x 24" **FRR916RA**
 24" x 30" **FRR917RA**



18" x 24" **FRR910RA**
 24" x 30" **FRR911RA**



18" x 24" **FRR9141RA**
 24" x 30" **FRR9151RA**



18" x 24" **FRR9142RA**
 24" x 30" **FRR9152RA**



18" x 24" **FRR9143RA**
 24" x 30" **FRR9153RA**



18" x 24" **FRR9144RA**
 24" x 30" **FRR9154RA**



18" x 24" **FRR9145RA**
 24" x 30" **FRR9155RA**



18" x 24" **FRR9146RA**
 24" x 30" **FRR9156RA**



18" x 24" **FRR9147RA**
 24" x 30" **FRR9157RA**



18" x 24" **FRR9148RA**
 24" x 30" **FRR9158RA**



Job-Site Box (**ZRS360**) and Steel U-Channel Post (**HSP108**) sold separately



Don't see what you need?

Call us today for more options and customization!

Plastic Barricade Tapes

- Message continuously repeated
- 3" x 1000-ft.

Unit
Roll



CAUTION
MPT00



CAUTION DO NOT ENTER
MPT31



DANGER
MPT01



DANGER DO NOT ENTER
MPT11

Custom Barricade Tapes Made Easy

- Tape colors available in red, white and yellow with print colors black, blue, red, white
- Print message length up to 24" repeatedly along the length of the roll



Bucket of Chain



- 5-gallon bucket with 100-ft. of chain
- Clip on lid prevents chain from falling back in



Chain Color

| White | Yellow | Black | Red | Unit |
|----------|----------|----------|----------|--------|
| PRC210WT | PRC210YL | PRC210BK | PRC210RD | 100-ft |

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Wrap 'n Stick™ Tags

- Tags attach securely without fasteners
- Resilient, adhesive vinyl tags measure 12" x 3 1/8" and fold to 6" high
- Double-scored peel-and-stick liners

Unit
Pack of 25



TAT112



TAT113



TAT116

Plastic Stanchion Post & Chain

- 41" tall post & base, 3" diameter post with 16" diameter base
- 4.5" diameter ball top and C-hook (included)
- 2" plastic chain



PRC202YL



PRC202RD

| Color | No. | Unit |
|--------|----------|---------------|
| Yellow | PRC202YL | Foot |
| Red | PRC202RD | Foot |
| Yellow | PRC211YL | Bag of 100-ft |
| Red | PRC211RD | Bag of 100-ft |



| Type | No. | Unit |
|------|----------|------|
| Post | PRC741YL | Each |



DOT Placards

- Identify specific hazardous materials by applying to visible locations
- Use placards on vehicles and large containers
- Specific color schemes, symbols, words, and numbers requirements identify the hazard
- Square-diamond format:
Placard - 273 mm x 273 mm (10 3/4" x 10 3/4")



Hazard Class 1

Explosives & Blasting Agents




- MPL11: 1.1A
- MPL12: 1.1B
- MPL13: 1.1C
- MPL14: 1.1D
- MPL15: 1.1E
- MPL16: 1.1F
- MPL17: 1.1G
- MPL18: 1.1J
- MPL19: 1.1L



- MPL110: 1.2B
- MPL111: 1.2C
- MPL112: 1.2D
- MPL113: 1.2E
- MPL114: 1.2F
- MPL115: 1.2G
- MPL116: 1.2H
- MPL117: 1.2J
- MPL118: 1.2K
- MPL119: 1.2L



- MPL120: 1.3C
- MPL121: 1.3F
- MPL122: 1.3G
- MPL123: 1.3H
- MPL124: 1.3J
- MPL125: 1.3K
- MPL126: 1.3L



MPL910

Placard Holders

- Open Face Holder with Spring Clips
- Designed for 10 3/4" x 10 3/4" Placards

| Style | No. | Unit |
|----------------|--------|------|
| Plain Aluminum | MPL910 | Each |

Compliance Counts:
Hazardous Material Regulation Compliant

Compliance Counts:
DOT Compliant

Hazard Class 2

Gases, Poison, Flammable & Non-Flammable



MPL202



MPL204



MPL201



MPL205



MPL206

Hazard Class 3

Flammable Liquids



MPL301



MPL302



MPL303



MPL304

Hazard Class 4

Flammable Solids



MPL402



MPL401

Hazard Class 5

Oxidizer & Organic Peroxide



MPL501



MPL504

Hazard Class 6

Poisonous & Infectious Substances



MPL606



MPL601

Hazard Class 7

Radioactive



MPL701

Hazard Class 8


Corrosive



MPL801

Hazard Class 9

Miscellaneous Dangerous Goods



MPL901

Custom 4-Digit DOT Placards




Note: If the placard is to be used on public roadways and railways, it must contain the proper combination of hazard classification, division, and identification numbers, as specified by DOT.

Blank 4-Digit DOT Placards


- Add appropriate 4-digit UN identification number for the hazard class
- Write in the number or order printed adhesive numbers (sold separately)
- Required number height is 3 1/2"
- Placard measures: 273 mm x 273 mm (10 3/4" x 10 3/4")

Hazard Class 2 Gases, Poison, Flammable & Non-Flammable




MPL4DG2A (Non-Flammable Gas) **MPL4DG2B** (Flammable Gas) **MPL4DG2C** (Poison Gas) **MPL424** (Inhalation Hazard) **MPL425** (Oxygen)

Hazard Class 3 Flammable Liquids




MPL4DG3A (Flammable) **MPL4DG3B** (Combustible)

Hazard Class 4 Flammable Solids



MPL4DG4A (Flammable Solid) **MPL4DG4C** (Spontaneously Combustible)

Hazard Class 5



MPL525 (Organic Peroxide)

Hazard Class 6



MPL4DG6A (Poison)

Hazard Class 8



MPL4DG8 (Corrosive)

Hazard Class 9



MPL4DG9 (Miscellaneous Dangerous Goods)

Identification Numbers

- 3 1/2"H numbers
- Printed black on clear self-adhesive poly labels with back liner
- Available individually or printed together on a label



To order individual numbers, add number (0 - 9) after part number.

To order, add material and package quantity code after part number.

| Materials | Code | Unit | Code |
|------------------|------|----------|------|
| PF-Cardstock | CT | Each | 1 |
| Adhesive Vinyl | VS | Pack 10 | 10 |
| Plastic | VP | Pack 25 | 25 |
| Magnetic Vinyl | MG | Pack 50 | 50 |
| Removable Vinyl | RM | Pack 100 | 100 |
| Reflective Vinyl | FV | | |

4-Digit DOT Placards

- Ready-to-go placards meet chemical-specific DOT specifications
- Printed with hazard classification, hazard division, and 4-digit UN identification number
- Measures: 273 mm x 273 mm (10 3/4" x 10 3/4")

Hazard Class 2 Gases, Poison, Flammable & Non-Flammable



MPL721 (Ammonia, Anhydrous, Liquefied) **MPL725** (Chlorine) **MPL722** (Oxygen) **MPL724** (Liquefied Petroleum Gas) **MPL726** (Refrigerated Liquid Oxygen)

Hazard Class 3 Flammable Liquids



MPL744 (Diesel Fuel) **MPL733** (Gasoline) **MPL739** (Crude Oil) **MPL732** (Fuel, Aviation) **MPL736** (Flammable Liquid) (Combustible Liquid) **MPL740** (Asphalt, Tars)

Hazard Class 5 Oxidizer



MPL751 (Ammonium Nitrate)

Hazard Class 8 Corrosives



MPL782 (Corrosive Liquid) **MPL784** (Sodium Hydroxide Solution)

Hazard Class 9




MPL791 (Environmental Hazard-Liquid) **MPL793** (Environmental Hazard-Solid) **MPL770** (49CFR § 172.325)

Custom 4-Digit DOT Placards




Note: If the placard is to be used on public roadways and railways, it must contain the proper combination of hazard classification, division, and identification numbers, as specified by DOT.



DOT Labels

• All labels are 4" x 4" unless otherwise noted



Materials

Adhesive Coated Paper — (PS) Economical, with a self-adhering back intended for short term use in protected areas.

Peel off the back liner to adhere to most clean, dry surfaces.

Adhesive-Poly Sheet — (EV) Durable label with permanent acrylic adhesive back and peel off liner. Moisture resistant to withstand weather conditions.

| Code | Unit |
|------|----------|
| PS2 | Roll 250 |
| PS5 | Roll 500 |
| EV2 | Roll 250 |
| EV5 | Roll 500 |

How to order DOT Labels:

1. Select DOT Label style part number: **MSL301**
2. Select Material code: Adhesive Poly Sheet - **EV**
3. Select Roll quantity code: **250** per roll - **2**
4. Add Material code and Roll quantity code: **MSL301EV2**

Hazard Class 1 Explosives & Blasting Agents

| | | | | | | |
|--|--|---|---|------------------|------------------|---------------|
| | | | | | | |
| MSL11: 1.1A MSL12: 1.1B MSL13: 1.1C MSL14: 1.1D MSL15: 1.1E MSL16: 1.1F MSL17: 1.1G MSL18: 1.1J MSL19: 1.1L | MSL110: 1.2B MSL111: 1.2C MSL112: 1.2D MSL113: 1.2E MSL114: 1.2F MSL115: 1.2G MSL116: 1.2H MSL117: 1.2J MSL118: 1.2K MSL119: 1.2L | MSL120: 1.3C MSL121: 1.3F MSL122: 1.3G MSL123: 1.3H MSL124: 1.3J MSL125: 1.3K MSL126: 1.3L | MSL127: 1.4B MSL128: 1.4C MSL129: 1.4D MSL130: 1.4E MSL131: 1.4F MSL132: 1.4G MSL133: 1.4S | MSL134: D | MSL135: N | MSL1SB |

Hazard Class 2 Gases, Poison, Flammable & Non-Flammable

| | | | | |
|---------------|---------------|---|---------------|---------------|
| | | | | |
| MSL201 | MSL202 | MSL206 (International Use Only) | MSL204 | MSL205 |

Hazard Class 3 Flammable Liquids

| |
|---------------|
| |
| MSL301 |

Hazard Class 4 Flammable Solids

| | | |
|---------------|---------------|---------------|
| | | |
| MSL401 | MSL402 | MSL403 |

Hazard Class 5 Oxidizer & Organic Peroxide

| | |
|---------------|---------------|
| | |
| MSL501 | MSL504 |

Hazard Class 6 Poisonous & Infectious Substances

| | | | | | |
|---------------|---------------|---------------|---------------|---------------|---------------------------------|
| | | | | | |
| MSL601 | MSL607 | MSL605 | MSL608 | MSL606 | 3" x 5" MSL604 |

Hazard Class 7 Radioactive

| | | |
|---------------|---------------|---------------|
| | | |
| MSL701 | MSL702 | MSL703 |

Hazard Class 8

| | |
|---------------|---------------|
| | |
| MSL704 | MSL801 |

Hazard Class 9 Miscellaneous Dangerous Goods

| | |
|---------------|---------------|
| | |
| MSL902 | MSL903 |

Custom options available for a wide range of products. See page 4 for details.

PERSONALIZE IT!


Hazardous Waste Labels

- Eliminate the uncertainty of accumulated contents in containers by marking them
- Be aware of the potential for harmful waste contained within

Materials

Adhesive Coated Paper — (PS) Economical, with a self-adhering back intended for short term use in protected areas. Peel off the back liner to adhere to most clean, dry surfaces.

Adhesive-Poly Sheet — (EV) Durable label with permanent acrylic adhesive back and peel-off liner. Moisture resistant to withstand weather conditions. Matte surface for marking with pen and pencil.



California & New Jersey

California Codes of Regulations Title 22, Chapter 12, 6626.32 (b)



2 1/4" x 5" MHZW21



6" x 6" Stock **MHZW06**
6" x 6" Semi-Custom **HZW06**
3, 4, 5, 6, 7, 8, 9, 10, 11, 12



6" x 6" Stock **MHZW25**
6" x 6" Semi-Custom **HZW25**
1, 2, 3, 4, 5, 6, 7, 8, 9, 18, 19, 20, 21



6" x 6" Stock **MHZW09**
6" x 6" Semi-Custom **HZW09**
1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12




6" x 6" Stock **MHZWCA**
6" x 6" Semi-Custom **HZWCA**
1, 3, 4, 5, 6, 7, 8, 9, 13, 14, 15, 16, 18, 20, 21



6" x 6" Stock **MHZW20**
6" x 6" Semi-Custom **HZW20**
3, 4, 5, 6, 7, 8, 9, 14, 16




6" x 6" Stock **MHZW14**
6" x 6" Semi-Custom **HZW14**
3, 4, 5, 6, 7, 13



4" x 4" Stock **MHZW47**
6" x 6" Stock **MHZW45**
4" x 4" Semi-Custom **HZW47**
6" x 6" Semi-Custom **HZW45**
3, 4, 5, 6, 7, 13

Comply with 40 CFR §273.14



6" x 6" Stock **MHZW11**
6" x 6" Semi-Custom **HZW11**
3, 4, 5, 6, 7, 13



4" x 4" Stock **MHZW17**
6" x 6" Stock **MHZW16**
4" x 4" Semi-Custom **HZW17**
6" x 6" Semi-Custom **HZW16**
3, 4, 5, 6, 7, 13, 16



4" x 6" Stock **MHZW15**
4" x 6" Semi-Custom **HZW15**
13, 16



6" x 6" Stock **MHZNWJ**
6" x 6" Semi-Custom **HZNWJ**
1, 3, 4, 5, 6, 7, 8, 9, 14, 16, 18, 20, 21

How to Order Stock Hazardous Waste Labels

Add material and quantity code after part number.

| Material | Unit | Code |
|-----------------------|----------|------------|
| Adhesive Coated Paper | Pack 25 | PSP |
| Adhesive Coated Paper | Pack 100 | PSC |
| Adhesive Coated Paper | Roll 250 | PSL |
| Adhesive-Poly | Pack 25 | EVP |
| Adhesive-Poly | Pack 100 | EVV |
| Adhesive-Poly | Roll 250 | EVL |

How to Order Semi-Custom Hazardous Waste Labels

Refer to the number key provided under the Semi-Custom part number you are ordering. Use the number key to determine the information you will need to provide.

- | | |
|--------------------------------|--------------------------------|
| 1 – Proper DOT Shipping Name | 12 – Total Weight In Kilograms |
| 2 – UN or NA | 13 – Contents |
| 3 – Name (Shipper) | 14 – EPA Waste Number |
| 4 – Address | 15 – CA Waste Number |
| 5 – City | 16 – Accumulation Start Date |
| 6 – State | 17 – Contact Name |
| 7 – Zip Code | 18 – Telephone Number |
| 8 – EPA ID Number | 19 – Department / Facility |
| 9 – Manifest Tracking Number | 20 – Technical Chemical Name |
| 10 – Date Removed From Service | 21 – UN or NA No. with Prefix |
| 11 – Date Placed In Storage | 22 – NFPA characters |



6" x 6" Semi-Custom **HZW25**
2, 3, 4, 5, 6, 7, 8, 9, 18, 19, 20, 21

Custom Pipeline Marking Signs

- Printed on 1 1/4" diameter aluminum and protected by Sign Muscle®
- Finished with post-mount holes
- Contact your distributor with part number **FMH115** and provide your detailed sign requirements for a quote
- To order semi-custom pipeline marking signs, reference part number for your preferred style and provide your personalized information.



Unit
Each



FMH125



FMH135



FMH145

Custom Field and Site Entrance Signs

- Add your company name or logo at no extra charge
- Printed on durable aluminum and protected by Sign Muscle®
- Finished with rounded corners with four 3/16" mounting holes



Unit
Each




48" x 36" MLEA503SB



48" x 24" MLEA504SB

Custom Oil & Gas Lease Signs

- Your exclusive information required for compliance
- Printed on durable aluminum and protected by Sign Muscle®
- Available in 2 common sizes that fit most standard sign frames
- Reference part number **MLEA255** for 18" x 24" size or **MLEA155** for 12" x 24" size



18" x 24" MLEA255



12" x 24" MLEA155



Unit
Each

Custom Topline Labels

- Designed to effectively cover existing lessee information when change is required
- Printed on Dura-Vinyl
- Aggressive peel-n-stick adhesive backing
- Reference part number **LEAS255** for 3" x 24" size or **LEAS155** for 5" x 24" size



3" x 24" LEAS255



5" x 24" LEAS155

Unit
Each

Maritime Security (MARSEC) Signs

Comply with U.S. Coast Guard, Department of Homeland Security regulations Title 33 – Navigation and Navigable Waters.

When Homeland Security issues a National Terrorism Advisory System (NTAS) Alert, the U.S. Coast Guard adjusts the MARSEC level as appropriate to the threat.




30" x 24" MASE535



Unit
Each

MARSEC Flip Sign

- Each panel represents three security code levels with color-coded backgrounds
- Panels flip between "MARSEC 1", "MARSEC 2", and "MARSEC 3" messages
- Aluminum face panel with 30"H x 24"W heavy-duty aluminum back plate
- Protected by Sign Muscle® Liquid Laminate
- Stainless steel locking hinges



24" x 36" MASE530



Unit
Kit

Magnetic Set

- 24" x 36" durable galvanized steel sign
- Includes three 9" x 18" color-coded magnetic panels
- Easily change the magnetic panels as MARSEC security levels warrant

Restricted Area Sign

- Posted throughout a port facility or on board a ship or vessel
- Identifies sensitive security areas designated as off-limits to those unauthorized



7" x 10" MASE921
10" x 14" MASE923
12" x 18" MASE925
18" x 24" MASE927

To order, add material code after part number.

| Materials | Code | Unit |
|-------------|------|------|
| Aluminum | VA | Each |
| Aluma-Lite™ | XL | Each |

* VA and XL signs are protected by Sign Muscle®.

Marine Terminal Safety Signs

- Ensure workers maintain a safe distance from vehicles
- Generously sized at 14" H x 20" W for enhanced visibility
- Available in two durable materials for outdoor use



14" x 20" MVHR688
29 CFR 1917.128(a)(2)



14" x 20" MVHR696
29 CFR 1917.43(b)(8)

To order, add material code after part number.

| Materials | Code | Unit |
|-------------|------|------|
| Aluminum | VA | Each |
| Aluma-Lite™ | XL | Each |

* VA and XL signs are protected by Sign Muscle®.



Compliance Counts:
US Coast Guard, Homeland Security, Maritime Security compliant

Sound Level Decibel Meter Safety Signs



Continually display noise levels to alert workers of the potential need for hearing protection.

- Supports OSHA 1910.95 hearing conservation program
- Measurement range from 30 to 130 dB
- Measures accurately to ± 1.5 decibels
- Requires no additional calibration or settings
- Three digit 1.5" high red LED digital numbers are viewable from 75-ft. away
- Lightweight 1" deep durable aluminum construction and protected by Sign Muscle®
- Operates on 110 VAC with 5-ft cord plug to DC 12V, 2A power supply
- Working environment: 32-104°F, 10-70% RH*
- Indoor use only

| |
|------|
| Unit |
| Each |

*Not recommended for high humidity environments



20" x 24" **SCS607**
Dispenser Measures: 11 7/8" H x 6" W x 8 1/4" D



20" x 24" **SCS604**



30" x 36" **SCS602**



20" x 12" **SCS606**
Dispenser Measures: 4-3/4" H x 3-5/8" W x 2" D



20" x 12" **SCS603**



12" x 10" **SCS601**



12" x 10" **SCS605**

More Hearing Protection Options

Earplug Tray

- Provides easy access to earplugs
- Wall-mount or place on tabletop
- 11" x 10" x 11"



AEP-3

| |
|------|
| Unit |
| Each |

Earplug Dispensers

- Safety green top and front pocket to draw attention
- Wall-mount or place on tabletop
- Small holds 100 pairs
- Large holds 200 pairs

| Item | Style | Size | Unit |
|-------|-------|----------------|------|
| AEP-4 | Small | 6" x 9" x 12" | Each |
| AEP-D | Large | 12" x 9" x 12" | Each |



AEP-4

Custom options available for a wide range of products. See page 4 for details.

PERSONALIZE IT!

STOPOUT®

Steering Wheel Message Covers™

- Flexible, reinforced vinyl cover
- Backside of upper half features a pocket that slips over the steering wheel
- 3/8" metal grommeted hole at bottom accommodates 1 1/2" hasp with padlocks (sold separately: hasp page 42, padlocks page 44)

Unit
Each



⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

16" KDD717 20" KDD728 24" KDD739



16" KDD718 20" KDD722 24" KDD731



16" KDD714 20" KDD725 24" KDD736



16" KDD716 20" KDD727 24" KDD738



16" KDD719 20" KDD724 24" KDD733

Custom Steering Wheel Message Covers

- No Set-up fee
- Size options
- Color choices
- Message and logo/symbol

Contact us to create custom message Steering Wheel Message Covers to meet your requirements

Padlock Shelf Racks

- Shelf is made of heavy-duty angled steel
- **Small** measures 2 1/4" x 3" x 1 1/4" and holds four to six padlocks
- **Standard** measures 3" x 16" x 1 1/4" and holds 24-36 padlocks

Unit
Each



Small KCC703




Standard KCC716

Padlocks sold separately.

Water Cooler Tether Lockout

- Prevents unwanted entry into the water cooler
- Fastens to water cooler lid and body with stainless steel screws (included)
- Tether design prevents the lid from coming into contact with the ground
- Designed to fit the tops of most pull-off lid style water coolers

Cooler not included. Padlock and tags sold separately.



KDD275

Unit
Each

Potable Water Cooler Tape

- Tape leaves no sticky residue when removed
- 2"H x 55-yds. long
- Roll seals approximately 38 ten-gallon water coolers



KWC100

Unit
Roll




STOPOUT®

120/240 Circuit Breaker Lockouts

- Bar clamp pump action for secure close with quick release tab
- Easily applied with one hand if needed
- Durable plastic with metal jaws for maximum grip
- Accommodates up to 9/32" dia. padlock (sold separately, page 44)



Tag sold separately below



Single Pole

Double Pole

Triple Pole



English, Spanish, and French labels included.

| Item | Size | No. | Unit |
|-------------|-----------------------------|---------------|------|
| Single Pole | 15/16"W x 3 1/3"L x 1 1/2"D | KDD160 | Each |
| Double Pole | 1 3/4"W x 3 1/3"L x 1 1/2"D | KDD161 | Each |
| Triple Pole | 2 1/2"W x 3 1/3"L x 1 1/2"D | KDD162 | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

STOPOUT®

Tab Tags

For use with STOPOUT® Circuit Breaker Lockout devices (above).

- Tag is secured when the device is in the locked position
- RP-Plastic tag measures 4 1/2" x 2 1/8"


Unit
Pack 25



KDD164



KDD166



Standard Back


STOPOUT®

Low-Profile Circuit Breaker Lockout


- Device fastens tightly onto circuit breaker for a secure, solid lockout
- Durable plastic body with set screw blocked by 9/32" dia padlock shackle (sold separately, pg 44)
- Fits most 120/240 circuit breaker sizes
- Single Pole 13/16"W x 3"L x 3/4"
- Slim, low-profile design may allow the door to be closed with lockout attached

| Description | No. | Unit |
|-------------|---------------|------|
| Lockout | KDD170 | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Position device onto breaker.



Tighten setscrew for secure fit.



Lock with padlock and tag.



Compliance Counts:
OSHA Lockout/Tagout compliant

STOPOUT®

Trailer-Lock Glad Hand Lockout

- Durable plastic clam-style measures 4" L x 3" W x 2" H to fit one way
- Attach to trailer's (red) line connection
- Secure with your choice of padlock (sold separately, page 44)

| Description | No. | Unit |
|-------------------|---------------|------|
| Glad Hand Lockout | KDD477 | Each |



Attach device to Glad Valve.



Close device over Glad Valve and secure with padlock (shackle diameter up to 9/32") and tag.



Glad Hand Trailer Lockout

- Easily attaches to glad hand valve
- Key locks pin in air way of the valve preventing the trailer from being moved
- Durable plastic material
- Ideal for use on idle or storage trailers

| Description | No. | Unit |
|-------------------|---------------|------|
| Keyed Differently | KDD475 | Each |
| Keyed Alike | KDD479 | Each |

STOPOUT®

Blind Flange Lockouts

- Constructed of durable, high-impact plastic that withstands harsh environments
- Conceals flange bolts eliminating the opportunity to remove ALL bolts and blind
- Ideal for use in temperature of -4°F to 140°F
- Maximum shackle diameter 9/32"

KDD501 – Class 150 – Nominal Pipe Size = .5, .75, 1.0, 1.25, and 1.50
Class 300 – Nominal Pipe Size = .5, .75, 1.0, and 1.25

KDD502 – Class 150 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0
Class 300 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0

KDD503 – Class 150 – Nominal Pipe Size = 10.0 and 12.0
Class 300 – Nominal Pipe Size = 8.0

| Class 150 Fits Nut Diameter | Class 300 Nut Diameter | Pipe Flange Width Range | No. | Unit |
|------------------------------------|------------------------------------|---|---------------|------|
| .62" – .88" (15.74mm – 22.35mm) | .62" – .88" (15.74mm – 22.35mm) | 1-1/2" – 5-5/8" (38.1mm – 143.3mm) | KDD501 | Each |
| .75" – .88" (19.05mm – 22.35mm) | .75" – 1.00" (19.05mm – 25.4mm) | 3-3/4" – 10-3/4" (95.3mm – 274.6mm) | KDD502 | Each |
| 1" (25.4mm) | 1" (25.4mm) | 7-3/4" – 17-7/8" (196.9mm – 447.8mm) | KDD503 | Each |




Compliance Counts:
OSHA Lockout/Tagout compliant



Don't see what you need?

Call us today for more options and customization!



STOPOUT®

Ball Valve Lockouts

- Durable plastic design fits over ball valve and handle perpendicular or parallel to pipe
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, page 44)

| Fits Ball Valve | Overall Size | No. | Unit |
|-----------------|--------------------------|---------------|------|
| 3/8" – 1 1/4" | 3 1/8" x 4 1/2" x 4 1/2" | KDD442 | Each |
| 1 1/2" – 2" | 4 1/2" x 5 2/3" x 5 2/3" | KDD440 | Each |



STOPOUT®

Gate Valve Lockouts

- Hinged clamshell, durable plastic housing fully encloses the valve handle to prevent access
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, page 44)

| Fits Valve Handle Dia. | Size | No. | Unit |
|------------------------|--------------|---------------|------|
| 1" – 2 1/2" | 3" x 1" | KDD470 | Each |
| 2 1/2" – 5" | 5 1/2" x 2" | KDD471 | Each |
| 5" – 6 1/2" | 7" x 2" | KDD472 | Each |
| 6 1/2" – 10" | 10 1/2" x 3" | KDD473 | Each |
| 10" – 13" | 13" x 3 1/2" | KDD474 | Each |



STOPOUT®

Cinch Cable Lockout

- Unique, compact internal spooling feature stores cable when not in use
- When cable is cinched, device can be secured with a padlock (sold separately, page 44)
- Durable plastic, octagon-shaped device measures 3 1/3" x 4" x 1"
- 6-ft. cable included

| Item | No. | Unit |
|-----------------------------------|---------------|------|
| Cinch Cable Lockout w/ 6-ft Cable | KDD630 | Each |
| 15-ft. cable (separate) | KDD635 | Each |



STOPOUT®


StopPlug™ Lockouts

- Durable plastic case with metal insert hinge
- 110 Plug fits most 110 VAC plugs
- Multi-Plug fits most 110, 220, 550, or 600 VAC plugs
- Includes "Danger Locked Out" label


| Style | Size | No. | Unit |
|------------|-----------------------------|---------------|------|
| 110 Plug | 2 1/4"H x 2 1/4"W x 3 1/2"L | KDD225 | Each |
| Multi-Plug | 3"H x 3"W x 6"L | KDD230 | Each |

⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

 Compliance Counts:
OSHA Lockout/Tagout compliant



Turn the hasp halves to cinch cable.




Cinch closed position with holes aligned.

STOPOUT®

Twist 'n Lock Cinch Lockout Hasps

- Easy-to-use cable and cinch lockout hasp solution
- Polycarbonate, compact hasp is comprised of two 3" dia. x 1 1/2" thick rotating halves with red plastic-coated steel cable
- Visible red octagon shape reinforces the lockout situation

| Item | No. | Unit |
|------------------------|---------------|------|
| Hasp with 3-ft. cable | KDD636 | Each |
| Hasp with 6-ft. cable | KDD637 | Each |
| Hasp with 9-ft. cable | KDD640 | Each |
| Hasp with 15-ft. cable | KDD638 | Each |



STOPOUT®

Group Lock Hasp

- Lock out equipment with up to 12 workers
- 7 1/4"H x 3 1/4"W hasp fits in the palm of the hand
- Lightweight, all-dielectric plastic design
- STOP-shaped octagon body holds locking arm in place

| Style | No. | Unit |
|-------|---------------|------|
| Hasp | KDD106 | Each |



Scissor-Lok™ Cable-Hasps

- Visible, vinyl-coated steel cable loops securely with the lockout hasp
- Compact, scissor-style, nylon plastic hasp closes to 1" x 4 1/2" x 5/8"
- Accommodates up to three padlocks with shackle diameter up to 1/4" (sold separately, page 44)

Hasp available in two colors; Red – RD, Yellow – YL.
To order, specify color code after part number.

| Item | No. | Unit |
|-----------------------|---------------|------|
| Hasp with 3-ft Cable | KDD621 | Each |
| Hasp with 10-ft Cable | KDD623 | Each |

Aluminum Hasps

Non-Sparking style

- Padlock keeps hasp closed until the last padlock is removed
- Red vinyl-coating
- Non-sparking aluminum
- Comes in 1" and 1 1/2" diameter openings
- Accommodates up to six padlocks (sold separately, page 44)

| Opening | Length | No. | Unit |
|---------|--------|---------------|------|
| 1" | 4 1/2" | KDD105 | Each |
| 1 1/2" | 5" | KDD108 | Each |



⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Steel Hasps

Standard style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel
- Comes in 1" and 1 1/2" diameter openings

| Opening | Length | No. | Unit |
|---------|--------|---------------|------|
| 1" | 4 1/2" | KDD107 | Each |
| 1 1/2" | 5" | KDD109 | Each |



Interlocking style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel with bent tabs to prevent prying
- Comes in 1" and 1 1/2" diameter openings

| Opening | Length | No. | Unit |
|---------|--------|---------------|------|
| 1" | 4 1/2" | KDD102 | Each |
| 1 1/2" | 5" | KDD103 | Each |



⚠ **WARNING:** Cancer and Reproductive Harm
www.P65Warnings.ca.gov



STOPOUT®

Pry-Resistant Lock Box

Keep your group of employees safe from electrical hazards when they're performing service and/or maintenance.

- Inner pry-resistant top with two clear panel windows provide visibility to the secured content
- Made of durable, powder coated steel for extra rust-resistance
- Accommodates up to 20 padlocks up to 1/4" shackle diameter
- Top key slot
- Dimensions: 4 3/4"H x 8"W x 4 5/8"D

Unit
Each



STOPOUT®

Look 'n Stop Group Lock Boxes

- Alert workers to stop and secure keys and padlocks in a secure lock box
- Durable molded plastic construction
- Compact group lock box is designed to be portable or mountable
- Padlocks and Tags sold separately

| Item | Size | No. | Unit |
|-------------------------|----------------------|---------------|------|
| Compact Group Lock Box* | 7 3/4" x 7 3/4" x 4" | KCC620 | Each |
| Group Lock Box | 13" x 13" x 3 1/2" | KCC624 | Each |

*⚠️ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Unit
Kit

STOPOUT®

Standard Lockout Kit

- Standard Lockout Kit Includes:
 - 1 Lockout Box, Plastic, 18"L x 6 1/2"W x 4 3/4"H
 - 2 Lockout Scissor Hasps, 1" opening
 - 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" Opening
 - 3 Steel Padlocks (keyed differently), 3/4" Shackle
 - 50 Labels for Padlocks
 - 25 HS-Laminate Lockout Tags
 - 2 STOPOUT® Circuit Breaker Lockouts
 - 25 STOPOUT® Circuit Breaker Lockout Tab Tags
 - 1 STOPOUT® StopPlug™ Multi-Plug Lockout

⚠️ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



- Made of durable aluminum
- Fits most ladders
- Secure with cable-haspl padlock (both included)
- Bold, bilingual warning message and tag provide additional visual deterrents
- Dimensions: 42"H x 13 1/4"W x 2 13/16"D
- Protected by Sign Muscle®

Ladder Shield™ Kit includes:

- 1 – Ladder Shield™
- 1 – STOPOUT® Twist 'n Lock Cinch Lockout Hasp
- 1 – Padlock with Key
- 5 – Accident Prevention Tags

| Item | No. | Unit |
|--------------------------|-----------------|------|
| Ladder Shield™ Kit | KLB426 | Kit |
| Replacement Padlock | KDL816RD | Each |
| Replacement Lockout Hasp | KDD640 | Each |

⚠️ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Compliance Counts:
OSHA Lockout/Tagout compliant

STOPOUT® Laminated Steel Padlocks

- Heavy-duty lock utilizes special coating for corrosion resistance
- 5-pin tumbler, drilling and pulling protected
- Lock measures in 1/4" shackle diameter and 13/16" apart steel shackle
- 2 keys included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, White – **WT**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

| Clearance Height | Keyed Differently | Keyed Alike | Keyed Differently Master Keyed* | Keyed Alike Master Keyed* | Unit |
|--|-------------------|---------------|---------------------------------|---------------------------|------|
| Shackle | No. | No. | No. | No. | |
| Body Height = 1 1/2" Body Width = 1 1/2" | | | | | |
| 3/4" | KDL905 | KDL916 | KDL943 | KDL966 | Each |
| 1 1/2" | KDL906 | KDL917 | KDL944 | KDL967 | Each |
| 2" | KDL907 | KDL918 | KDL945 | KDL968 | Each |
| *Master Key (sold separately) | | KDL939 | | | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

▶ **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



STOPOUT® Plastic Body Aluminum Padlocks

- 6-pin cylinder for increased tamper resistance
- Key cannot be removed when padlock is unlocked
- Internal aluminum body constructed from at least 73% recycled aluminum and features FDA grade lubricants in the mechanisms
- Meets Lockout/Tagout requirements
- 1 key included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, White – **WT**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

| Clearance Height | Keyed Differently | Keyed Alike | Keyed Differently Master Keyed* | Keyed Alike Master Keyed* | Unit |
|--|-------------------|---------------|---------------------------------|---------------------------|------|
| Shackle | No. | No. | No. | No. | |
| Body Height = 1 3/4" Body Width = 1 1/2" | | | | | |
| 1 1/2" | KDL816 | KDL820 | KDL882 | KDL891 | Each |
| 3" | KDL817 | KDL821 | KDL883 | KDL893 | Each |
| Body Height = 3" Body Width = 1 1/2" | | | | | |
| 1 1/2" | KDL818 | KDL827 | KDL884 | KDL895 | Each |
| *Master Key (sold separately) | | KDL859 | | | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

▶ **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



STOPOUT® Anodized Aluminum Padlocks

- Constructed of lightweight premium aluminum with recycled content
- Non-sparking, non-magnetic, and corrosion-resistant
- 6-pin precision tumbler
- Designed for OSHA required identification, making them perfect for use in Lockout/Tagout situations
- 1/4" shackle diameter; 3/16" apart steel shackle
- 2 keys included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, Silver – **SL**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

| Clearance Height | Keyed Differently | Keyed Alike | Keyed Differently Master Keyed* | Keyed Alike Master Keyed* | Unit |
|--|-------------------|---------------|---------------------------------|---------------------------|------|
| Shackle | No. | No. | No. | No. | |
| Body Height = 1 1/2" Body Width = 1 1/2" | | | | | |
| 1" | KDL660 | KDL671 | KDL682 | KDL693 | Each |
| 1 1/2" | KDL661 | KDL672 | KDL683 | KDL694 | Each |
| 3" | KDL662 | KDL673 | KDL684 | KDL695 | Each |
| *Master Key (sold separately) | | KDL609 | | | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

▶ **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



Man-Way Cross™ Barriers

- Crossbuck design fits onto bolt pattern of vertical confined space entry
- Adjustable crossbuck pivots flat for easy transport and storage
- Crossbuck arms measure 5 3/4" x 42" with 1 1/2" x 9" slotted cutouts at each end
- 11 1/2" x 11 1/2" octagonal sign is printed on polyethylene plastic
- Fits 22" to 38" outside bolt-to-bolt*
- Crossbucks available in two materials:
 - » Both materials are protected by Sign Muscle®
 - » **Standard** style is polycarbonate plastic – durable to withstand initial impacts and scratches
 - » **Heavy-Duty** style is Aluma-Lite™ – combines aluminum and thermoplastic core for high strength and impact protection

*To verify proper fit of the Man-Way Cross™ Barrier for your entryway, measure the length across the entryway from bolt to bolt; then measure the bolt diameter and compare to slot width.

| Style | Material | Unit |
|------------|-------------|------|
| Standard | Plastic | Each |
| Heavy-Duty | Aluma-Lite™ | Each |



Compliance Counts:
OSHA Confined Space compliant



Plastic Aluma-Lite™ CXB635 CXB644



Plastic Aluma-Lite™ CXB633 CXB642



Plastic Aluma-Lite™ SHCXB631 SHCXB640

Flanged Pipe Barrier Kits

- Radial fit U-shaped lip design hooks directly onto the outer flange securely holding it in place
- Center post design accommodates a padlock and lockout tag or hasp for multiple lockouts
- Adjustable cross arms fit a variety of hatch openings
- Constructed from heavyweight aluminum
- Kit includes two-piece Flanged Pipe Barrier, one keyed differently lock, and one 5 pack of lockout tags
- Protected by Sign Muscle®



To order, add size code after part number:
Small – **SM**, Medium – **MD**, Large – **LG**

| Size | Fits Flange Diameter | Unit |
|--------|----------------------|------|
| Small | 18" and 20" | Kit |
| Medium | 22" and 24" | Kit |
| Large | 26" and 28" | Kit |

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



CXB802



CXB805



CXB806



SHCXB804




SBCXB803



Unique adjustable flange mounting requires no bolting!

Pre-Printed Marking Flags

- Pre-printed with standard utility messages on background colors
- 4" x 5", PVC flag is attached to a 30", 16-ga. steel wire rod



PERSONALIZE IT!

| Type | Flag Size | Rod Length | NO. | Unit |
|--------|------------|------------|---------------|----------|
| Custom | 4" x 5" | 30" | FMF455 | Pack 100 |
| Custom | Other Size | | FMF555 | Pack 100 |

(see page 4 for more instructions on how to order custom)

Marking Flags

- PVC blank flags are available in standard and solid fluorescent colors
- 2 1/2" x 3 1/2" Flag is attached to a 16-ga. 21" steel wire rod
- Easily seen in overgrowth areas



Assorted Stock & Custom Marking Flags shown.

Prices are based upon one color print on one side of standard color flag. Print area is 3" x 3 1/2".

| Type | Flag Size | Rod Length | NO. | Unit |
|----------|-----------------|------------|---------------|----------|
| Standard | 2 1/2" x 3 1/2" | 21" | FMF203 | Pack 100 |
| Standard | 4" x 5" | 30" | FMF405 | Pack 100 |

To order, add color code after part number:

Standard

| Color | Part No. |
|--------|-----------|
| Black | BK |
| Blue | BU |
| Green | GN |
| Orange | OR |
| Red | RD |
| White | WT |
| Yellow | YL |

Fluorescent

| Color | Part No. |
|--------|-----------|
| Green | FG |
| Orange | FO |
| Pink | FP |
| Red | FR |
| Yellow | FY |

Flagging Tapes

- Non-adhesive Flagging Tape is easy to tear and tie
- Solid and stripe colors are 2-mil thick vinyl, 1 3/16" x 300-ft.
- Fluorescent colors are 4-mil thick vinyl, 1 3/16" x 150-ft.



| Color | Size | No. | Unit |
|-------------------|-------------------|---------------|------|
| Solid Color | 1 3/16" x 300-ft. | PTL230 | Roll |
| Stripe Color | 1 3/16" x 300-ft. | PTL640 | Roll |
| Fluorescent Color | 1 3/16" x 150-ft. | PTL410 | Roll |

To order, add color code after part number.

Standard Colors

| Color | Part No. |
|--------|-----------|
| Blue | BU |
| Green | GN |
| Orange | OR |
| Red | RD |
| White | WT |
| Yellow | YL |

Fluorescent

| Color | Part No. |
|--------|-----------|
| Blue | FB |
| Green | FG |
| Orange | FO |
| Pink | FP |
| Red | FR |
| Yellow | FY |

Striped

| Color | Part No. |
|-------|-------------|
| | BKWT |
| | BKYL |
| | BUWT |
| | ORWT |
| | RDWT |
| | YLWT |

Whisker Stakes

Durable ground marking can be run over with equipment!

- Unique marking for utility, construction, boundary, forestry, agriculture, and survey marking
- Attach to wooden stakes or nail spikes (not included) and insert into the ground
- Whisker measure 6"

To order, add color code after part number:


Standard

| Color | Part No. |
|--------|-----------|
| Blue | BU |
| Green | GN |
| Orange | OR |
| Red | RD |
| White | WT |
| Yellow | YL |

Fluorescent

| Color | Part No. |
|-------|-----------|
| Pink | FP |


Unit
Pack 25





Conspicuity Reflective Tapes

- Meets NHTSA (49 CFR571) and DOT C-2 Grade Identification.
- Excellent retroreflective visibility
- Polyester-based film with high-tack, pressure-sensitive adhesive back and peel-off liner
- Available in red and white pattern; 2" wide rolls



Red (6'') & White (6'')



Red (11'') & White (7'')

| Roll Size | No. | Unit |
|--|---------------|------|
| Red (6'') / Silver White (6'') 2" x 150-ft. | PTC125 | Roll |
| Red (11'') / Silver White (7'') 2" x 25-ft. | PTC102 | Roll |
| 2" x 75-ft. | PTC115 | Roll |
| 2" x 150-ft. | PTC129 | Roll |



Pennant Flag Tapes

Standard style has 9" x 12" red, polyethylene plastic pennant flags sewn onto durable cord (approx. 66" of lead cord on each end). Ideal for indoor and temporary outdoor applications.

Heavy-Duty style has large 18" x 18", tough, tear-resistant vinyl laminated, fluorescent orange nylon pennant flags sewn onto high-tensile strength cord. Flags are 18" apart with 20-ft. of lead tape at each end. Ideal for extended periods outdoors.

| Length | No. of Pennants | Color | No. | Unit |
|----------------------------|-----------------|---------------|----------------|------|
| Standard Style 60-ft. | 36 | Red | PTF360 | Each |
| Heavy-Duty Style 83-ft. | 15 | Fluor. Orange | MPBT015 | Each |
| 113-ft. | 25 | Fluor. Orange | MPBT025 | Each |

Paddle Signs

- Printed on both sides
- Choose STOP on one side and SLOW on the other, or STOP on both sides.



| Sign Material | Sign Size | Handle Length | Handle Material | STOP SLOW NO. | STOP STOP NO. | Unit |
|-------------------------|-----------|---------------|-----------------|---------------|---------------|------|
| Hard Board | 18" | 10" | Wood | FSP181 | FSP183 | Each |
| Aluminum | 18" | 6" | Steel | FSP152 | FSP154 | Each |
| Aluminum | 18" | 60" | Wood | FSP153 | FSP156 | Each |
| Reflective Aluminum | 18" | 60" | Wood | FSP175 | FSP177 | Each |
| Reflective Aluminum | 24" | 60" | Wood | FSP190 | — | Each |
| High Intensity Aluminum | 18" | 60" | Wood | FSP185 | FSP187 | Each |



Windsocks


- Highly visible and durable, fluorescent vinyl-coated fabric
- Available in lengths from 36" to 60"
- Hardware sold separately

| Length | Throat Width | No. | Unit |
|--------|--------------|---------------|------|
| 36" | 10" | FSG320 | Each |
| 48" | 18" | FSG322 | Each |
| 60" | 18" | FSG324 | Each |

Windsock Hardware

- Frames are constructed of heavy-duty wire with sleeve and set collars
- Zinc plated for weather protection
- Rotates freely with no maintenance required

| FITS Throat Width | No. | Unit |
|-------------------|---------------|------|
| 10" | FSG340 | Each |
| 18" | FSG342 | Each |





Blank Flexible Marker Stakes

Use for delineation alongside roadways, at end of pathways, and parking lot areas, as well as identifying buried utility lines.

Stakes are flexible to withstand high wind loads and high-speed impacts. They will bounce back into place when hit or run over by a vehicle. All-weather stakes are UV-stabilized with color throughout, and will not rot, rust, or need painting.

49 CFR 192.707 (a) Buried Pipelines...a line marker must be placed and maintained as close as practical over each buried main and transmission line...

(c) Pipelines above ground. Line markers must be placed and maintained along each section of a main and transmission line that is located above ground in an area that is accessible to the public.

Note: Stakes are recommended to be 4-ft. above ground. 66" long stakes are to be driven 18 to 24 inches into the ground.

FLEXIBLE MARKER STAKES COLOR CODES

To order, add color code after part number:


| Color | Code |
|--------|------|
| Blue | BU |
| Brown | BR |
| Green | GN |
| Orange | OR |
| Red | RD |
| White | WT |
| Yellow | YL |

Fiberglass Stakes

- Heavy-duty, fiberglass-reinforced composite stakes are nearly indestructible
- Ten-times stronger than typical thermoplastic
- 66" long x 3 3/4"W with 1/4" thick center and 3/8" thick ribbed edge design for structural rigidity

| Item | No. | Unit |
|-------------------|---------------|------|
| Fiberglass Stake* | FMK600 | Each |
| Post Driver | FMK900 | Each |

⚠ WARNING: Cancer – www.P65Warnings.ca.gov



Curve-Flex Stakes

- Ultra-flexible poly-composite plastic stake retains its shape from repeated impacts (over 50 hits at 45 mph).
- 66" long x 3 3/8" curved width x 3/32" thick
- Install with a steel drive clamp base that bends into the ground as an anchor leaving 48" above ground

| Item | No. | Unit |
|-------------------|---------------|------|
| Curve-Flex Stakes | FMK700 | Each |
| Post Driver | FMK922 | Each |



Convex Stakes

- Resistant to an 80 mph collision and repeated impacts (up to 75 hits at 55 mph).
- Ground stakes are 66" long x 3 1/8" wide with 3 1/4" convex bulge on both sides along the center length
- Attached to a polymer hinge and barbed base assembly for added flexibility and ground stability

| Item | No. | Unit |
|------------------------------------|---------------|------|
| Convex Ground Stake | FMK800 | Each |
| Convex Pavement Stake (36" length) | FMK100 | Each |
| Post Driver | FMK944 | Each |
| 2-Part Epoxy* for 3-4 stakes | HFN606 | Each |

***⚠ WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Ground Stake



Convex Pavement Stake



Flexible Marker Stakes with Reflective Decals

- Easy identification prevents accidentally digging into a buried utility line
- 14" x 3" Engineer-Grade Reflective decal, available on one or both sides of the stake
- Decal is also available separately

Decals are available on one or both sides of the stake











| Stake Style | Single-Sided No. | Double-Sided No. | Unit |
|-----------------------|------------------|------------------|------|
| Fiberglass Stake* | FMK611 | FMK613 | Each |
| Curve-Flex Stake | FMK722 | FMK724 | Each |
| Convex Ground Stake | FMK834 | FMK835 | Each |
| Convex Pavement Stake | FMK867 | FMK868 | Each |

*⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

To order Reflective Decals, select Decal Only part number.

To Order Stakes with Decals:

1. Select Flexible Marker Stake Style Part Number - Fiberglass Stake Single-Sided - **FMK611**
2. Add Stake Color Code (pg 48): Yellow - **YL**
3. Add Decal Color Code: Orange/White - **ORWT**

| | | | | | | | | | | |
|---|--|--|--|--|---|--|--|--|--|------|
|  |  |  |  |  |  |  |  |  |  | Unit |
| Decal Color Code | RD | OR | YL | WT | BU | BKYL | BKOR | RDWT | ORWT | Each |
| Decal Only No. | FMK200 | FMK202 | FMK204 | FMK206 | FMK208 | FMK221 | FMK223 | FMK225 | FMK227 | Each |

Flexible Marker Stakes with Utility Line-Marking Labels

- 14" x 3" printed Adhesive Vinyl label, available on one or both sides of the stake
- Space to add contact phone number on the bottom, please specify
- Label is also available separately

Labels are available on one or both sides of the stake












| Stake Style | Single-Sided No. | Double-Sided No. | Unit |
|---------------------|------------------|------------------|------|
| <i>Stock</i> | | | |
| Fiberglass Stake* | FMK617 | FMK619 | Each |
| Curve-Flex Stake | FMK729 | FMK731 | Each |
| Convex Ground Stake | FMK841 | FMK843 | Each |
| <i>Semi-Custom</i> | | | |
| Fiberglass Stake* | FMK625 | FMK626 | Each |
| Curve-Flex Stake | FMK736 | FMK737 | Each |
| Convex Ground Stake | FMK847 | FMK848 | Each |

*⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

To order Utility Line-Marking Labels, select Stock or Semi-Custom part number.

To Order Stakes with Utility Line-Marking Labels:

1. Select Flexible Marker Stake Style Part Number - Fiberglass Stake Double-Sided - **FMK619**
2. Add Stake Color Code (pg 48): Yellow - **YL**
3. Add Label Code: A

| | | | | | | | | | | | |
|---|---|---|---|---|--|---|---|---|---|---|------|
|  |  |  |  |  |  |  |  |  |  |  | Unit |
| Label Code | A | B | C | D | E | F | G | H | J | K | Each |
| Stock Label Only No. | FMK320 | FMK322 | FMK324 | FMK326 | FMK328 | FMK330 | FMK332 | FMK334 | FMK336 | FMK338 | Each |
| Semi-Custom Label Only No. | FMK402 | FMK404 | FMK406 | FMK408 | FMK410 | FMK412 | FMK414 | FMK416 | FMK418 | FMK420 | Each |

Parking & Traffic Signs

Post signs to safely direct and regulate the flow of vehicles and pedestrians.

Engineer-Grade Prismatic reflective surface on .080 thick aluminum for added visibility in low light conditions (Type I).



Unit
Each

Compliance Counts:
DOT Compliant

Traffic Signs



18" x 24"
24" x 24"
R1-1
FRR012
MR1124



24" x 24"
30" x 30"
36" x 36"
R1-2
FRR424RA
FRR425RA
FRR426RA



18" x 24"
18" x 30"
R5-1a
FRR022RA
FRR026RA



24" x 24"
30" x 30"
MR5124RA
MR5130RA



18" x 24"
FRR043RA



18" x 24"
FRR045RA



24" x 18"
FRR126RA



18" x 12"
24" x 18"
FRR229RA
FRR230RA

Parking Signs



18" x 12"
FRP116RA



18" x 12"
FRP127RA



18" x 12"
FRP206RA



18" x 12"
FRP218RA



18" x 12"
FRA234RA



18" x 12"
FRP246RA

Speed Limit Signs



18" x 12"
24" x 18"
FRW477RA
FRW478RA



18" x 12"
24" x 18"
FRW479RA
FRW480RA



24" x 24"
30" x 30"
W11-2
FRW427RA
FRW527RA



18" x 12"
24" x 18"
30" x 24"
R2-1
FRR2185RA
FRR2245RA
FRR3245RA

Steel U-Channel Posts

- Standard weight (1.12 lb. per foot)
- 3/8" holes on 1" centers along the length
- 6-ft. long



| No. | Unit |
|--------|------|
| HSP106 | Each |

Fence Sign Holder Bracket

- Easily installed by one person from one side of fence
- Constructed of heavy-duty galvanized steel
- Includes stainless steel bolt and nylon washer
- Can be used on signs with 3/16" and 3/8" mounting holes
- Two brackets required for post style mounting



Back View

| No. | Unit |
|--------|------|
| HSR270 | Each |

⚠ **WARNING:** Cancer and Reproductive Harm
www.P65Warnings.ca.gov

BLOCKADE

Versatile Sign Stand

- Base is solid, heavyweight cast iron material, weighing 37-lbs.
- Foldable legs flip open to increase footprint from 18" to 36"
- Includes a 6-ft. 1 3/4" square galvanized steel post and mounting hardware
- Compatible with virtually any sign featuring post mount holes
- Display indoors or outdoors

| Item | No. | Unit |
|-------------------|--------|------|
| Base & 6-ft. Post | HSP820 | Each |
| Base Only* | HSP821 | Each |
| 6-ft. Post | HSP139 | Each |
| Wheel Accessory* | HSP823 | Each |

⚠ **WARNING:** Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Sign sold separately



Single Spring Sign Stand

- Leg levers for easy deployment, open to 67 1/2" x 42" footprint
- Folds to 8" x 6" x 25 1/4"
- Use with 36" or 48" diamond roll-up construction signs with fiberglass cross-ribs (sold separately)
- Meets MUTCD specifications



| No. | Unit |
|---------------|------|
| FRC710 | Each |

WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

Spring-Less Sign Stand



| No. | Unit |
|---------------|------|
| FRC750 | Each |

Roll-Up Construction Signs

- **Mesh Vinyl (MV)** – Non-reflective, ideal for daytime only applications
- **Fluorescent Vinyl (FL)** – Non-reflective, UV stable bright colored vinyl for daytime use only
- **Reflective Vinyl (RV)** – High-intensity retro-reflective fiber reinforced nylon fabric, ideal for attention getting and low-light conditions
- **Diamond Grade (DG)** – Fluorescent prismatic reflective sheeting provides maximum brightness for daytime and nighttime applications



36" **FRC305**
48" **FRC414**



36" **FRC333**
48" **FRC444**



36" **FRC308**
48" **FRC417**



36" **FRC318**
48" **FRC427**



36" **FRC319**
48" **FRC428**



36" **FRC302**
48" **FRC411**



36" **FRC303**
48" **FRC412**



36" **FRC307**
48" **FRC416**

To order Roll-Ups, add material code after part number.

| Material Code | Material | Unit |
|---------------|-------------------|------|
| MV | Mesh Vinyl | Each |
| FL | Fluorescent Vinyl | Each |
| RV | Reflective Vinyl | Each |
| DG | Diamond Grade | Each |

*Roll-Up Construction Sign Overlay

500 FT

for 36" **FRC371**
for 48" **FRC492**

Cross-Ribs

| Fits Sign Size | No. | Unit |
|----------------|---------------|------|
| 36" x 36" | FRC836 | Each |
| 48" x 48" | FRC848 | Each |



Tripod Stand

- Stands 48" tall
- Holds 36" and 48" rigid and roll-up mesh signs
- Powder-coated steel construction
- Legs fold for portability and storage



| No. | Unit |
|---------------|------|
| FRC900 | Each |

Emergency Warning Triangles


- Three orange 17 1/2 inch plastic triangles with red reflectors on both sides
- Meets DOT requirements



Weighted base, withstands 40 mph wind test

| No. | Unit |
|--------------|--------|
| FS173 | Pack 3 |

Compliance Counts:
DOT Compliant



Galvanized Steel Clamps

- Sturdy 6-lb. galvanized steel clamp
- Place the hinged “hook” over the rail and allow its weight to hold the clamp in place
- Yellow powder coated version weighs 7-lbs.



Signs sold separately

| Clamp/Holder Style | No. | Unit |
|---|---------------|------|
| Galvanized Steel Clamp | FRR350 | Each |
| Yellow Powder-Coated Steel Clamp | FRR390 | Each |
| Yellow Foot-Operated Hinged Sign Holder | FRR980 | Each |



Foot-Operated Hinged RR Sign Holder

- Simply step down on the pedal to make the spring-action holder fall below rails
- To raise the sign holder, step down on the roll pin, causing the holder to rise up vertically, so you can lock it in place
- Powder-coated yellow finish
- Weight: 12-lbs.
- Lag screws included

Railroad Clamp Signs

- 12"H x 15"W .080 aluminum signs conform to OSHA specifications
- Choose from non-reflective signs for use in well-lit areas or reflective signs for better visibility in low-light conditions

- Attach signs to RR Clamps and Holders (sold separately)
- Available in Engineer-Grade Prismatic Reflective or Non-Reflective

To order, add color code after part number: Blue – **BU**, Red – **RD**, Orange – **OR**.

| Unit |
|------|
| Each |



Reflective Non-Reflective **FRR360** **FRR361**



Reflective Non-Reflective **FRR394** **FRR398**



Reflective Non-Reflective **FRR352** **FRR356**



Reflective Non-Reflective **FRR362** **FRR363**



Reflective Non-Reflective **FRR351** **FRR354**



Reflective Non-Reflective **FRR364** **FRR365**

Clamp Sign Color Guide

Blue
Required on any track where locomotives of the railroad serving your facility operate.



Red
May be called for in special situations.



Orange
May be called for in special situations.






FENCE-WRAP™

Custom Mesh Screens

Effectively communicate site specific safety messages to employees, valuable information to the public, or use for promotional opportunities. Constructed using heavy-duty, vinyl-coated scrim mesh.

Fence-Wrap™ Mesh Screens are available in 4-, 5-, 6-, and 8-ft. wide rolls and up to 150-ft. in length.

- No Set-up Fees
- Unlimited Colors and Logos
- Photographic-Quality Digital Printing
- Maximum graphic length is 150-ft.



Mesh texture allows wind to pass through

Most popular sizes shown below. Also available in custom sizes. Refer to part number **FBW555**.

| Size | No. | Unit | Size | No. | Unit |
|----------------|---------------|------|----------------|---------------|------|
| 4-ft. x 10-ft. | FBW105 | Roll | 6-ft. x 10-ft. | FBW305 | Roll |
| 4-ft. x 25-ft. | FBW115 | Roll | 6-ft. x 25-ft. | FBW315 | Roll |
| 5-ft. x 10-ft. | FBW205 | Roll | 8-ft. x 10-ft. | FBW405 | Roll |
| 5-ft. x 25-ft. | FBW215 | Roll | 8-ft. x 25-ft. | FBW415 | Roll |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov




ONE-WAY™ Printed Welding Screens

Unique ONE-WAY™ printing method allows welders to see through back of the screen, while simultaneously protecting and informing employees on the other side.

- Durable 14-mil translucent vinyl (NFPA 701 approved material) features hemmed edges with brass grommets



See-thru translucent Vinyl.



Close-up front.

To order, add translucent vinyl color code after part number: Yellow – **YL**, Red – **RD**, Blue – **BU**.



| Size | Unit |
|-------------|------|
| 6-ft x 6-ft | Each |
| 6-ft x 8-ft | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Welding Screen Frames

- Available in 6-ft. x 6-ft., 6-ft. x 8-ft., and custom sizes
- Strong, sturdy, and durable 3/4" EMT conduit
- Easy to assemble

| Size | No. | Unit |
|-------------|---------------|------|
| 6-ft x 6-ft | PWD300 | Each |
| 6-ft x 8-ft | PWD302 | Each |
| Other | PWD355 | Each |

Custom Printed ONE-WAY™ Welding Screens

- Same Price as Stock
- No Set-up Fees
- Unlimited Colors and Logos

| Size | No. | Unit |
|-------------|---------------|------|
| 6-ft x 6-ft | PWD155 | Each |
| 6-ft x 8-ft | PWD255 | Each |
| Other | PWD555 | Each |

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Electronic Scoreboards

Show ongoing commitment to a safe workplace. Set the LED counter to green for accident-free days, or switch to red until safe days goal is met.

- Track continuous days, or only the days your company's workdays
- Internal clock auto-advances counter by one, every 24 hours; can set time to change
- Display days only or flash between days, date, and time
- Tamper-proof operation with handheld remote control (up to 5 displays)
- In a power failure, all information is stored
- Lightweight, durable aluminum protected by Sign Muscle®




Specifications:

- 28" x 20" x 1" slim aluminum frameless, visual edge design with rear mount hangers
- Four-digit, bright LED display with 2 1/2"H numbers
- Display meets IP65 test for dust and water resistance
- Operates on 110/120 VAC with 8-ft. power cord and AC adapter

Unit
Each



SCK102



SCK104



SCK171



SCK106



SCK169



SCK110




SCK113



SCK114




SCK116



SBSCK117

Scoreboards featuring "best previous record" include: One (1) electronic display to count safe days and one (1) magnetic display with changeable numbers set to track record number of days.

Custom Digi-Day® Electronic Scoreboards



⚠ WARNING: Cancer – www.P65Warnings.ca.gov

Motivational Banners

Promote safety and motivate employees in a BIG way!

- Eye-catching phrases, bold color graphics, and images
- Printed on tough, durable reinforced vinyl
- Good for temporary outdoor use
- Finished edges and metal grommets for hanging
- 28" x 8-ft.

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

| |
|------|
| Unit |
| Each |



MBR896



MBR905



MBR763




MBR832



MBR870



MBR893



MBR830



MBR833



MBR823



MBR901



MBR819



MBR880

Custom Motivational Banners



Communication Center Boards

Striking visual display keeps important documents, PPE, first aid kits, lockout tagout kits, and much more in one centralized location.

- Made of durable, UV stable, weatherproof HDPE
- Easy to clean, reusable, and recyclable plastic
- Simply mount included accessories to board*
- Free-standing when assembled with leg supports or board only can be wall-mounted
- Leg supports can be filled with water or bolted down for added stability
- Configure accessories in any arrangement
- Outer Dimension: 88"H x 73.6"W x 39.37"D
- Weight: 127.31 lbs.

* Includes hardware required to mount included accessories

What's Included

- 1 Communication Center Board
 - 6 Clear polycarbonate document holders 12"H x 8 1/2"W
 - 1 Clear polycarbonate storage tray/pocket measures 4"H x 60"W
 - 1 Dry-erase, magnetic white board 18"H x 27"W w/ eraser and two markers
 - 1 "Meet the person responsible for your safety" acrylic mirror 11"H x 8"W
- Two person assembly required. Assembly takes approximately 20-30 minutes to complete depending on the number of extra products and accessories to be installed.



To order, add color code after part number:

| Color | Part No. | Unit |
|--------|----------|------|
| Red | RD | Each |
| Yellow | YL | Each |


Title Plaque Sets

Stock Communication Center Boards are supplied with a title plaque reading: "Board" with diagonal yellow/black side panels. Our 3-piece Title Plaque Sets enable you to easily change the top plaque and both side panels to your select message instead.

- Made of Dura-Plastic™ material
- Each piece features rounded corner and holes
- Protected by Sign Muscle®
- Ask about our Custom options too.




COMMUNICATION CENTER




PBR410

INFORMATION CENTER



PBR411

SAFETY CENTER



PBR412

Custom Communication Center Board

Add any number of our other products (sold separately) and install them in any configuration you'd like.

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge

Contact us with the specifics to meet your requirements

